Safety data sheet in accorda	nce with regula	tion (EC) No 1907/2	006	
Trade name: Marabu Art Spra	y 039, 50 ml			Marabu
Substance number: 1209000	5039	Version: 11 / Replaces Version:	10 /	Date revised: 05.10.2021 Print date: 05.10.21
SECTION 1: Identifica	ation of the	substance/mi	xture and of t	he
company/undertaking				
1.1. Product identifier Marabu Art Spray 039	, 50 ml			
1.2. Relevant identified	uses of the s	ubstance or mix	ture and uses ac	dvised against
Use of the substance/pr Spray paint Identified Uses SU21 PC9a	Consumer uses	s: Private households aints, thinners, paint	s (= general public = removers	consumers)
1.3. Details of the suppl	ier of the safe	ety data sheet		
Address/Manufacture	r	•		
Marabu GmbH & Co. I Asperger Strasse 4 71732 Tamm Germany	KG		Importer - S&S Wholesale Pty 18/10 Pioneer Ave	nue,
Telephone no. Fax no. Information provided	+49-7141/691- +49-7141/691- Department pro	147	Thornleigh NSW 2 Tel: 1300 731 529	Fax: 1300 739 715
by / telephone E-mail address of person responsible for this SDS	PRSI@marabu	.com	Emergency Contac S&S Wholesale Pty Tel: 1300 731 529	y. Limited
<b>1.4. Emergency telepho</b> (+49) (0)621-60-43333				
SECTION 2: Hazards	identificatio	on ***		
2.1. Classification of the				
This product is not cla			Regulation (EC) No	1272/2008.
2.2. Label elements				
Labelling according	to regulation	n (EC) No 1272/2	008	
EUH208 Contains	5-Chloro-2-met 2-Methyl-2H-ise	othiazol-3-one [EC-n	ture of: ne [EC-no. 247-500-7 o. 220-239-6] (3:1) / ( produce an allergic re	с(М)IT/МIТ (3:1),
Supplemental information	ation			
Labelling according to Contains a biocidal pro 2-Methyl-2H-isothiazo	oduct: A mixture	of: 5-Chloro-2-methy	l-2h-isothiazol-3-one	[EC-no. 247-500-7] and
<b>2.3. Other hazards</b> No special hazards ha	ave to be mentior	ned.		

# SECTION 3: Composition/information on ingredients \*\*\*

# 3.2. Mixtures

Г

**Chemical characterization** 

ade name: Marabu	Art Spray 039, 50 ml					Mara
ubstance number:	12090005039	Versior Replac	n: 11 / es Versio	on: 10/		Date revised: 05.10.202 Print date: 05.10.2
		•				
Spray paint b Hazardous ing	ased on acrylic resins	and on wat	er			
		4				
CAS No.	-1-oxide, sodium sal 3811-73-2	t i				
EINECS no.	223-296-5					
Concentration	n >=	0,001	<	0,1	%	
Classification	(Regulation (EC) No.	1272/2008)	)			
	Eye Dam. 1	,	H318			
	Acute Tox.		H302			
	Acute Tox. Aquatic Acu		H332 H400			
	Aquatic Act Aquatic Chr		H400 H411			
	·					
Concentration	n limits (Regulation (E Aquatic Acu	,		= 100		
	azol-3(2h)-one					
CAS No.	2634-33-5					
EINECS no. Concentration	220-120-9		<	0,05	%	
Concentration				0,00	70	
Classification	(Regulation (EC) No.					
	Aquatic Acu		H400			
	Skin Sens. Acute Tox.		H317 H302			
	Skin Irrit. 2	+	H315			
	Eye Dam. 1		H318			
	Acute Tox.	2	H330			
	Aquatic Chr	onic 2	H411			
Concentration	n limits (Regulation (E	,		0.05		
	Skin Sens.			0,05	500 -1	
	5-Chloro-2-methyl-2h sothiazol-3-one [EC-r					
CAS No.	55965-84-9			0.001	0/	
Concentration	n		<	0,001	%	
Classification	(Regulation (EC) No.					
	Acute Tox. 2		H330			
	Aquatic Chr		H410			
	Aquatic Acu Skin Sens.		H400 H317			
	Skin Corr. 1		H314			
	Acute Tox. 2		H310			
	Acute Tox.		H301			
	Eye Dam. 1		H318			
Concentration	n limits (Regulation (E	C) No. 1272	2/2008)			
	Skin Corr. 1					
	Eye Irrit. 2	H31		0,06 < 0,6		
		H31		0,06 < 0,6		
	Skin Irrit. 2 Skin Sens	1 121	7 ~-	0 0015		
	Skin Sens.			0,0015 = 100		
		ite 1 H41	0 M =	0,0015 = 100 = 100		
	Skin Sens. Aquatic Acu	ite 1 H41 onic H41	0 M = 0 M =	= 100		

rade name: Marabu Art Sp		Version:	11 /			Maral Date revised: 05.10.202
Substance number: 120900				on: 10/		Print date: 05.10.2
2 Mathyl 24 iaathia	al 2 ana					
2-Methyl-2H-isothiaz CAS No.	2682-20-4					
EINECS no.	220-239-6					
Concentration	220 200 0		<	0,0015	%	
Classification (Regu	lation (EC) No. 127	2/2008)				
Chacomodilori (riciga	Acute Tox. 3	_,_000)	H301			
	Acute Tox. 2		H330			
	Skin Corr. 1B		H314			
	Eye Dam. 1		H318			
	Aquatic Acute 1		H400			
	Skin Sens. 1A		H317			
	Aquatic Chronic	1	H410			
	Acute Tox. 3		H311			
Concentration limits	(Regulation (EC) N	o 1272/	2008)			
	Skin Sens. 1A	H317		0,0015		
	Aquatic Acute 1	H400		= 10		
Pyrithione zinc				-		
CAS No.	13463-41-7					
EINECS no.	236-671-3					
Registration no.	01-2119511196-	.46				
Concentration		0001	<	0,01	%	
Classification (Regu	lation (EC) No. 127	2/2008)				
Classification (Regu	Acute Tox. 3	2/2000)	H301			
	Acute Tox. 2		H330			
	Eye Dam. 1		H318			
	Aquatic Acute 1		H400			
		1				
	Aquatic Chronic STOT RE 1	I	H410			
	Repr. 1B		H372 H360[	)		
Concentration limits				4000		
	Aquatic Acute 1	H400		= 1000		
	Aquatic Chronic	H410	M :	= 10		
	1					
SECTION 4: First aid	d modeuroe					

Wash with plenty of water and soap. Do NOT use solvents or thinners.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

#### After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

#### **4.2. Most important symptoms and effects, both acute and delayed** Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

### Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Art Spray 039, 50 ml

Version: 11/

Date revised: 05.10.2021 Print date: 05.10.21

Substance number: 12090005039

# Replaces Version: 10 /

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); dense black smoke

### 5.3. Advice for firefighters

### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

# SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.

### **6.2.** Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

### 6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

### Advice on protection against fire and explosion

No special measures required.

# 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Store in frostfree conditions.

7.3. Specific end use(s)

Paint

# SECTION 8: Exposure controls/personal protection \*\*\*

# 8.2. Exposure controls

# Exposure controls

Provide adequate ventilation.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Form liquid

ade name: Marabu Art Spray 039, 50	) ml Versior	n: 11/			Mar Date revised: 05.10.202
ubstance number: 12090005039	Replac	es Version	: 10/		Print date: 05.10.2
Colour	coloured				
Odour	odourless				
Odour threshold					
Remarks	No data availa	able			
pH value					
Value	7	to	9		
Temperature	20	°C			
Method	WTW PH 340				
Melting point					
Remarks	not determine	d			
Freezing point					
Remarks	not determine	d			
Initial boiling point and boilin	g range				
Value	appr. 100			°C	
Pressure	1.013				
Source	Literature valu	le			
Flash point					
Remarks	Not applicable	Ð			
Evaporation rate (ether = 1) :					
Remarks	not determine	d			
Flammability (solid, gas) Not applicable					
Upper/lower flammability or e	explosive limit	ts			
Remarks	not determine	d			
Vapour pressure					
Value	appr. 23			hPa	
Temperature	20	°C			
Method	Value taken fr	rom the lite	rature		
Vapour density					
Remarks	not determine	d			
Density					
Value	1			g/cm³	
Temperature	20	°C			
Method	DIN EN ISO 2	2811			
Solubility in water					
Remarks	miscible				
Ignition temperature					
Remarks	not determine	d			
Viscosity					
Remarks					
Remarks	not determine	d			
ECTION 10: Stability and I	eactivity				
0.1. Reactivity None					

ade name: Marabu Art Spray 039	, 50 ml			N
		/ersion: 11 /		Date revised: 05.10.202
ubstance number: 12090005039		Replaces Version:	10 /	Print date: 05.10.
0.3. Possibility of hazardou No hazardous reactions kno		IS		
0.4. Conditions to avoid No hazardous reactions kno	wn.			
0.5. Incompatible materials None				
0.6. Hazardous decomposition No hazardous decomposition				
ECTION 11: Toxicologic	al inforr	nation		
1.1. Information on toxicolo	ogical effe	cts		
Acute oral toxicity				
Remarks	Based on	available data, the	classification cr	riteria are not met.
Acute oral toxicity (Compo	onents)			
Pyrithione zinc	22	1	mg/kg	1
1,2-Benzisothiazol-3(2h)-on	9		0.0	-
Species LD50	rat	93	mg/kg	)
Acute dermal toxicity				
Remarks	Based on	available data, the	classification cr	iteria are not met.
Acute dermal toxicity (Con	nponents)			
1,2-Benzisothiazol-3(2h)-on	e			
Species	rat			
LD50	41	15	mg/kg	3
Acute inhalational toxicity				
Remarks		available data, the	classification cr	iteria are not met.
Acute inhalative toxicity (C	component	:s)		
Pyrithione zinc				
ATE Administration/Form	0, <sup>-</sup> Dust/Mist	14	mg/l	
	Dust/Iviist			
Skin corrosion/irritation	Deceden		-lessification of	itenia and act as t
Remarks		available data, the	classification cr	itena are not met.
Serious eye damage/irritat		ovolloblo doto the	alaasifi aati aa ar	iterie ere net reet
Remarks	Based on	available data, the	classification cr	itena are not met.
Sensitization Remarks	Peeed on	ovoilable data the	alogaifigation or	itaria ara nat mat
	Daseu un	available data, the	Classification ci	itena are not met.
Mutagenicity Remarks	Peeed on	ovailable data the	alogaifigation or	itaria ara nat mat
	Daseu UN	available data, the	Ciassification Cl	ווכוום מוב ווטן ווופן.
Reproductive toxicity Remarks	Bacad on	available data the	classification or	iteria are not mot
	Daseu UN	available data, the	Ciassification Cl	ווכוום מוב ווטן ווופן.
Carcinogenicity Remarks	Road or	ovailable data the	olocoification a	itoria aro not mot
Remarks	Dased ON	available data, the	Ciassification Cr	itena are not met.

### Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Art Spray 039, 50 ml

Version: 11 / 0005039 Replaces Version: 10 / Date revised: 05.10.2021 Print date: 05.10.21

Substance number: 12090005039

Remarks

Based on available data, the classification criteria are not met.

Repeated exposure Remarks

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

#### Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### **General information**

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

### Fish toxicity (Components)

<b>Pyrithione zinc</b> Species LC50 Duration of exposure	rainbow tro 0,1 96		hynchus mykiss)	mg/l
1,2-Benzisothiazol-3(2h)-one				
Species	rainbow tro	ut (Oncor	hynchus mykiss)	
LC50	2,1			mg/l
Duration of exposure	96	h		0
A mixture of: 5-Chloro-2-met 2-Methyl-2H-isothiazol-3-one	[EC-no. 22	0-239-6] (	(3:1) / C(M)IT/MIT	
Species LC50			hynchus mykiss)	m a /l
Duration of exposure	0,1 96	00 h		mg/l
•		11		
Daphnia toxicity (Compone	nts)			
Pyrithione zinc				
Species	Daphnia m			
EC50	0,0			mg/l
Duration of exposure	48	h		
1,2-Benzisothiazol-3(2h)-one				
Species	Daphnia m	-		
EC50	2,9			mg/l
Duration of exposure	48	h		
A mixture of: 5-Chloro-2-meth 2-Methyl-2H-isothiazol-3-one	[EC-no. 22	0-239-6] (		
Species	Daphnia m	•		
EC50	0,1			mg/l
Duration of exposure	48	h		
Algae toxicity (Components	5)			
Pyrithione zinc				
Species	Selenastru	m caprico	rnutum	
IĊ50	0,0	•		mg/l

Safety data sheet in accorda	nce with regu	lation (EC) No 1907	//2006	
Trade name: Marabu Art Spra	ıy 039, 50 ml			Marabu
		Version: 11 /		Date revised: 05.10.2021
Substance number: 12090005	5039	Replaces Version	n: 10 /	Print date: 05.10.21
Duration of exposure		72 h		
1,2-Benzisothiazol-3(2)	,			
Species ErC50	Pseudo	okirchneriella subcaj 0,11	oitata mg/l	
Duration of exposure		72 h	iiig/i	
A mixture of: 5-Chloro- 2-Methyl-2H-isothiazol- Species	-3-one [EC-no		C(M)IT/MIT (3:1)	and
EC50	Celena	0,027	mg/l	
Duration of exposure		72 h	5	
12.2. Persistence and de	egradability			
General information				
There are no data ava	ilable on the m	ixture itself.		
12.3. Bioaccumulative p	otential			
General information				
There are no data ava	ilable on the m	ixture itself.		
12.4. Mobility in soil				
General information				
There are no data ava	ilable on the m	ixture itself.		
12.5. Results of PBT and	d vPvB asse	essment		
<b>General information</b> There are no data ava	ilable on the m	ixture itself.		
12.6. Other adverse effe	ects			
General information				
There are no data ava	ilable on the m	ixture itself.		
SECTION 13: Disposa	al conside	<u>rations</u>		
13.1. Waste treatment m	nethods			
Disposal recommenda	ations for the	e product		
Do not allow to enter d				
Dispose of waste acco Dispose of as hazardo	ous waste.	Ū		
Disposal recommenda	-		· · · ·	
Packaging that cannot Completely emptied pa				
SECTION 14: Transpo	ort informa	ation		

Safety data sheet in accordance	with regulation (EC) No 1907/2006
---------------------------------	-----------------------------------

Trade name:	Marabu Art Spray 039, 50 ml
nuuc nume.	maraba / ar Opray 000, 00 mi



Version: 11 / Replaces Version: 10 / Date revised: 05.10.2021 Print date: 05.10.21

Substance number: 12090005039

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

## Information for all modes of transport

### 14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Other information

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Other information

The product does not contain substances of very high concern (SVHC).

### Other information

All components are contained in the DSL inventory.

All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

# SECTION 16: Other information

### Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

ade name: Marabu Art Spray 039,	50 ml	
	Version: 11 /	Date revised: 05.10.202
ubstance number: 12090005039	Replaces Version: 10 /	Print date: 05.10.2
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H332	Harmful if inhaled.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolon	ged or repeated exposure.
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting e	
H411	Toxic to aquatic life with long lasting effec	ets.
CLP categories listed in Ch	napter 3	
Acute Tox. 2	Acute toxicity, Category 2	
Acute Tox. 3	Acute toxicity, Category 3	
Acute Tox. 4	Acute toxicity, Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment, ac	cute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, ch	nronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, ch	nronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Corr. 1B	Skin corrosion, Category 1B	
Skin Corr. 1C	Skin corrosion, Category 1C	
Skin Irrit. 2	Skin irritation, Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1A	Skin sensitization, Category 1A	
STOT RE 1	Specific target organ toxicity - repeated ex	xposure, Category 1

### **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.