Safety data sheet in accorda	ance with regula	tion (EC) No 1907/2	2006	
Trade name: Marabu Candle	Liner 019 25 ml			
		Version: 10 /		Date revised: 01.10.202
Substance number: 1805000	9019	Replaces Version:	9 / WORLD	Print date: 01.10.2
SECTION 1: Identifica	ation of the	substance/mi	ixture and of t	he
company/undertaking				
1.1. Product identifier Marabu Candle Liner	019 25 ml			
1.2. Relevant identified	uses of the s	ubstance or mix	ture and uses a	dvised against
Use of the substance/p	reparation			
1.3. Details of the suppl	lier of the saf	ety data sheet		
Address/Manufacture	er			
Marabu GmbH & Co.	KG		Importer -	
Asperger Strasse 4 71732 Tamm			S&S Wholesale P	
Germany			18/10 Pioneer A	
Telephone no.	+49-7141/691-		Thornleigh NSW Tel: 1300 731 529	
Fax no. Information provided	+49-7141/691- Department pre		101.1500751525	144. 1500 755 715
by / telephone	Department pr	Suder Salety	Emergency Conta	act:
E-mail address of	PRSI@marabu	I.com	S&S Wholesale P	ty. Limited
person responsible for this SDS			Tel: 1300 731 529	Fax: 1300 739 715
1.4. Emergency telepho (+49) (0)621-60-4333				
SECTION 2: Hazards	<u>identificati</u>	<u>on</u>		
2.1. Classification of the This product is not cla			Regulation (EC) No	1272/2008.
2.2. Label elements				
Labelling according	g to regulatio	n (EC) No 1272/2	2008	
EUH208 Contains	A mixture of: 5 2-Methyl-2H-is	-Chloro-2-methyl-2h- othiazol-3-one [EC-n azol-3(2h)-one, May	isothiazol-3-one [EC o. 220-239-6] (3:1) /	C(M)IT/MIT (3:1),
Supplemental inform	ation			
Labelling according t	o regulation (I	EU) No 528/2012		
	oduct: A mixture	of: 5-Chloro-2-methy		e [EC-no. 247-500-7] and
2.3. Other hazards No special hazards ha	ave to be mention	ned.		
SECTION 3: Compos	ition/inform	nation on ingre	edients ***	
3.2. Mixtures				
Chemical characteriz	ation			
Paint based on wax a	nd on water			
Hazardous ingredien	ts ***			
Alcohols C16-C18 eth	hotelyza			

ade name: Marabu Candl			10/			
ubstance number: 180500		'ersion: Replaces		••• Q / \//		Date revised: 01.10.20 Print date: 01.10.2
		Copidoco	Version	1. 07 11		
CAS No.	68439-49-6			10	0/	
Concentration	>= 1	•	<	10	%	
Classification (Regu	lation (EC) No. 1272/		1040			
	Eye Irrit. 2	I	-1319			
Pyridin-2-thiol-1-oxi						
CAS No.	3811-73-2					
EINECS no. Concentration	223-296-5 >= 0,0	01	<	0,1	%	
Concentration	>= 0,0	01		0,1	70	
Classification (Regu	lation (EC) No. 1272/					
	Eye Dam. 1		H318			
	Acute Tox. 4		H302			
	Acute Tox. 4		H332			
	Aquatic Acute 1		-1400			
	Aquatic Chronic 2	. 1	4411			
Concentration limits	(Regulation (EC) No Aquatic Acute 1	. 1272/20 H400	008) M =	100		
1,2-Benzisothiazol-3						
CAS No.	2634-33-5					
EINECS no.	220-120-9			0.05		
Concentration		•	<	0,05	%	
Classification (Regu	lation (EC) No. 1272/	/2008)				
	Aquatic Acute 1		H400			
	Skin Sens. 1	I	H317			
	Acute Tox. 4	I	-1302			
	Skin Irrit. 2	I	H315			
	Eye Dam. 1		H318			
	Acute Tox. 2		H330			
	Aquatic Chronic 2	: I	4411			
Concentration limits	(Regulation (EC) No Skin Sens. 1	. 1272/20 H317)08) >= 0	05		
Bronopol (INN)	Skill Selis. I	11317	>= 0	,03		
CAS No.	52-51-7					
EINECS no.	200-143-0					
Registration no.	01-2119980938-1	5				
Concentration	>= 0,0		<	0,1	%	
Classification (Reg	lation (EC) No. 1272/	/2008)				
chaosing and in the	Eye Dam. 1		H318			
	Skin Irrit. 2		-1315			
	STOT SE 3		-1335			
	Acute Tox. 4		-1302			
	Acute Tox. 4		-1312			
	Aquatic Acute 1		-1400			
	Aquatic Chronic 1		H410			
Concentration limits	(Regulation (EC) No	. 1272/20	(80			
	Aquatic Acute 1	H400	M =	10		
	Aquatic Chronic	H410	M =			
	1	-				

le name: Marabu Cano	dle Liner 019 25 ml		10/			Dete multiple	Marabu
	-	ersion:				Date revised:	
stance number: 18050	0009019 R	eplaces	Versio	n: 9/WC	ORLD	Print da	ate: 01.10.21
CAS No.	55965-84-9						
Concentration	>= 0,0	01	<	0,0015	%		
Classification (Reg	ulation (EC) No. 1272/	2008)					
	Acute Tox. 2		H330				
	Aquatic Chronic 1		H410				
	Aquatic Acute 1		H400				
	Skin Sens. 1A		H317				
	Skin Corr. 1C		H314				
	Acute Tox. 2		H310				
	Acute Tox. 3		H301				
	Eye Dam. 1		H318				
Concentration limit	s (Regulation (EC) No.	1272/2	008)				
	Skin Corr. 1C	H314	>= (D,6			
	Eye Irrit. 2	H319	<= (0,06 < 0,6			
	Skin Irrit. 2	H315	<= (0,06 < 0,6			
	Skin Sens. 1	H317	>= (0,0015			
	Aquatic Acute 1	H410	M =	100			
	Aquatic Chronic 1	H410	M =	100			
	Eye Dam. 1	H318	>= (0,6 %			

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Candle Liner 019 25 ml

Version: 10 /

Date revised: 01.10.2021 Print date: 01.10.21

Substance number: 18050009019

Replaces Version: 9 / WORLD

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.
- **6.2. Environmental precautions** No particular measures required.
- 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Bronopol (INN)

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,1	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	12,3	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	

rade name: Marabu Candle Liner 01	9 25 ml	ΔV
	Version: 10 /	Marabu Date revised: 01.10.2021
Substance number: 18050009019	Replaces Version: 9 / WORLD	Print date: 01.10.21
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	7	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,7	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³

ade name: Marabu Candle Liner 01	9 25 ml	\mathbf{N}	
	Version: 10 /	Date revised: 01.10.202	
ubstance number: 18050009019	Replaces Version: 9 / WORLD	Print date: 01.10.	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Derived No Effect Level (DNEL) Consumer		
Duration of exposure	Short term		
Route of exposure	inhalative		
Mode of action	Local effects		
Concentration	1,3	mg/m³	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	dermal		
Mode of action	Systemic effects		
Concentration	1,4	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	dermal		
Mode of action	Systemic effects		
Concentration	4,2	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	dermal Local effects		
Mode of action Concentration	8	µg/cm²	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	dermal		
Mode of action	Local effects		
Concentration	8	µg/cm²	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	oral		
Mode of action	Systemic effects		
Concentration	0,35	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	oral Oratemia effecte		
Mode of action Concentration	Systemic effects 1,1	mg/kg/d	
Predicted No Effect Concent	tration (PNEC)		
Bronopol (INN)	PNEC		
Type of value	PNEC Freshwater		
Type Concentration	0,01	mg/l	
Concentration	0,01	111g/1	
Type of value	PNEC		

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Candle Liner 019 25 ml

Substance number:	18050009019
Substance number.	10000000019

tance number: 18050009019	Replaces Version: 9 / WORLD	Print date: 01.1
Type Concentration	Saltwater 0,001	mg/l
Type of value Type Concentration	PNEC Water (intermittent release) 0,003	mg/l
Type of value Type Concentration	PNEC Sewage treatment plant (STP) 0,43	mg/l
Type of value Type Concentration	PNEC Freshwater sediment 0,041	mg/kg
Type of value Type Concentration	PNEC Marine sediment 0,003	mg/kg
Type of value Type Concentration	PNEC Soil 0,5	mg/kg

Version: 10/

8.2. Exposure controls

Exposure controls

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physi	cal and chemical properties					
Form	liquid					
Colour	yellow					
Odour	odourless					
Odour threshold						
Remarks	No data available					
pH value						
Value	8 to 10					
Temperature	20 °C					
Method	WTW PH 340					
Melting point						
Remarks	not determined					
Freezing point						
Remarks	not determined					
Initial boiling point and boilin	g range					
Value	appr. 100					
Pressure	1.013 hPa					
Source	Literature value					
Flash point						
Remarks	Not applicable					
Evaporation rate (ether = 1) :						
Remarks	not determined					
Flammability (solid, gas)						

°C



Date revised: 01.10.2021 Print date: 01.10.21

Vapour pressureValueappTemperatureMethodMethodValueVapour densityRemarksnotDensityValueTemperatureMethodDINSolubility in waterRemarksmisIgnition temperatureRemarksnotViscositydynamicValueValueTemperature	sive limits	es Version: s f om the liter f 311	: 9 / WOR rature 12000	hPa g/cm³ mPa.s	Date revised: 01.10.20 Print date: 01.10.
Upper/lower flammability or explo Remarks not Vapour pressure Value Value app Temperature Method Method Value Remarks not Density Value Value Temperature Method DIN Solubility in water Remarks Remarks mis Ignition temperature Remarks Remarks not Viscosity dynamic Value Temperature Remarks not Viscosity dynamic Value Temperature Remarks not Viscosity dynamic Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and react 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. In the conditions to avoid No hazardous reactions known. <th>determined r. 23 20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20</th> <th>°C om the liter I S11 I to</th> <th></th> <th>g/cm³</th> <th></th>	determined r. 23 20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20	°C om the liter I S11 I to		g/cm³	
Upper/lower flammability or explo Remarks not Vapour pressure Value Value app Temperature Method Method Value Remarks not Density Value Value Temperature Method DIN Solubility in water Remarks Remarks mis Ignition temperature Remarks Remarks not Viscosity dynamic Value Temperature Remarks not Viscosity dynamic Value Temperature Remarks not Viscosity dynamic Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and react 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. In the conditions to avoid No hazardous reactions known. <td>determined r. 23 20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20</td> <td>°C om the liter I S11 I to</td> <td></td> <td>g/cm³</td> <td></td>	determined r. 23 20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20	°C om the liter I S11 I to		g/cm³	
Remarks not Vapour pressure Value app Value app Temperature Method Value Vapour density Remarks not Vapour density Remarks not Density Value Temperature Method DIN Solubility in water Remarks mis Ignition temperature Remarks mis Ignition temperature Remarks not Viscosity dynamic Value Temperature Method Bro Bro 9.2. Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None None None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. In the paradous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	determined r. 23 20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20	°C om the liter I S11 I to		g/cm³	
ValueappTemperatureMethodValueVapour densityRemarksnotValueTemperatureMethodDINSolubility in waterRemarksmisIgnition temperatureRemarksnotViscositydynamicValueValueTemperatureRemarksnotViscositydynamicValueTemperatureMethodBro9.2. Other informationOther informationNone knownSECTION 10: Stability and reac10.1. Reactivity NoneNone10.2. Chemical stability No hazardous reactions known.Io.3. Possibility of hazardous react No hazardous reactions known.10.4. Conditions to avoid No hazardous reactions known.Io.4. Conditions to avoid No hazardous reactions known.	20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20	om the liter I 311 I to		g/cm³	
ValueappTemperatureMethodValueVapour densityRemarksnotValueTemperatureMethodDINSolubility in waterRemarksmisIgnition temperatureRemarksnotViscositydynamicValueValueTemperatureRemarksnotViscositydynamicValueTemperatureMethodBro9.2. Other informationOther informationNone knownSECTION 10: Stability and reac10.1. Reactivity NoneNone10.2. Chemical stability No hazardous reactions known.Io.3. Possibility of hazardous react No hazardous reactions known.10.4. Conditions to avoid No hazardous reactions known.Io.4. Conditions to avoid No hazardous reactions known.	20 ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20	om the liter I 311 I to		g/cm³	
Method Value Remarks not Density Value Temperature Method Method DIN Solubility in water Remarks Remarks mis Ignition temperature Remarks Remarks not Viscosity dynamic Value Temperature Remarks not Viscosity dynamic Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and react 10.1. Reactivity None None Io.3. Possibility of hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	ue taken fro determined 1 20 EN ISO 28 cible determined 9000 20	om the liter I 311 I to			
Vapour density not Remarks not Density Value Temperature DIN Solubility in water DIN Solubility in water mis Remarks mis Ignition temperature mis Remarks not Viscosity of the sector of th	determined 1 20 EN ISO 28 cible determined 9000 20	o°C 311 I			
Remarks not Density Value Temperature Method DIN Solubility in water Remarks mis Ignition temperature Remarks not Viscosity dynamic Value Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and react 10.1. Reactivity None No hazardous reactions known. 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactors known. 10.4. Conditions to avoid No hazardous reactions known.	1 20 EN ISO 28 cible determined 9000 20	°C 311 I to	12000		
Density Value Temperature Method DIN Method DIN Solubility in water Remarks mis Remarks mis Ignition temperature Remarks not Viscosity dynamic Value Temperature Temperature Method Bro 9.2. Other information Other information Other information None known SECTION 10: Stability and react 10.1. Reactivity None None Interview Interview 10.1. Reactivity None None Interview 10.1. Reactivity No hazardous reactions known. Interview Interview 10.1. Reactivity No hazardous reactions known. Interview Interview Interview 10.3. Possibility of hazardous reactions known. Interview Interview Interview Interview 10.4. Conditions to avoid No hazardous reactions known. Interview Interview Interview	1 20 EN ISO 28 cible determined 9000 20	°C 311 I to	12000		
Value Temperature Method DIN Solubility in water Remarks mis Ignition temperature Remarks not Viscosity dynamic Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known.	20 EN ISO 28 cible determined 9000 20	311 I to	12000		
Temperature DIN Method DIN Solubility in water mis Remarks mis Ignition temperature mis Remarks not Viscosity not Viscosity dynamic Value Temperature Temperature Bro 9.2. Other information Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None None 10.1. Reactivity None None 10.3. Possibility of hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. No hazardous reactions known.	20 EN ISO 28 cible determined 9000 20	311 I to	12000		
Method DIN Solubility in water Remarks Remarks mis Ignition temperature Remarks Remarks not Viscosity not dynamic Value Temperature Bro 9.2. Other information Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None None None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	EN ISO 28 cible determined 9000 20	311 I to	12000	mPa.s	
Remarks mis Ignition temperature Remarks not Remarks not Viscosity dynamic not Viscosity dynamic Bro Value Temperature Bro 9.2. Other information Other information Other information None known SECTION 10: Stability and react Bro 10.1. Reactivity None None 10.2. Chemical stability No hazardous reactions known. Interface 10.3. Possibility of hazardous reactions known. Interface Interface 10.4. Conditions to avoid No hazardous reactions known. Interface	determined 9000 20	to	12000	mPa.s	
Ignition temperature Remarks not Viscosity dynamic Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	determined 9000 20	to	12000	mPa.s	
Remarks not Viscosity dynamic Value Temperature Temperature Bro 9.2. Other information Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None None 10.1. Reactivity None None None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 10.4. Conditions to avoid	9000 20	to	12000	mPa.s	
Remarks not Viscosity dynamic Value Temperature Temperature Bro 9.2. Other information Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None None 10.1. Reactivity None None None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 10.4. Conditions to avoid	9000 20	to	12000	mPa.s	
dynamic Value Temperature Method Bro 9.2. Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	20		12000	mPa.s	
Value Temperature Method Bro 9.2. Other information Other information None known 5ECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	20		12000	mPa.s	
Value Temperature Method Bro 9.2. Other information Other information None known 5ECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	20		12000	mPa.s	
Method Bro 9.2. Other information Other information None known SECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.		°C			
 9.2. Other information Other information None known SECTION 10: Stability and reactivity None 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 	okfield				
Other information None known SECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.					
None known SECTION 10: Stability and reac 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.					
 SECTION 10: Stability and read 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 					
 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 					
 10.1. Reactivity None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 					
None 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.	tivity				
No hazardous reactions known. 10.3. Possibility of hazardous react No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.					
No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known.					
No hazardous reactions known.	ions				
10.5. Incompatible materials					
None					
10.6. Hazardous decomposition pro No hazardous decomposition produc					
SECTION 11: Toxicological info		n			
		_			
11.1. Information on toxicological e	**~~*~				
Acute oral toxicity	TIECTS				
Remarks Based Acute oral toxicity (Components)		1		hon oritoria	a are not met.

ade name: Marabu Candle Li	ner 019 25	i ml		
		Version: 10 /		Date revised: 01.10.202
ubstance number: 18050009	019	Replaces Vers	sion: 9 / WORLD	Print date: 01.10.2
1,2-Benzisothiazol-3(2h	-one			
Species	rat			
LD50		1193	mg/kg	
Acute dermal toxicity	_			
Remarks			, the classification crite	ria are not met.
Acute dermal toxicity (Compone	ents)		
1,2-Benzisothiazol-3(2h				
Species LD50	rat	4115	mg/kg	
Acute inhalational toxi	city	טווד	iiig/kg	
Remarks	-	ed on available data	, the classification crite	ria are not met
Skin corrosion/irritatio				
Remarks		ed on available data	, the classification crite	ria are not met
Serious eye damage/ir				
Remarks		ed on available data	, the classification crite	ria are not met
Sensitization	Dast			
Remarks	Base	ed on available data	, the classification crite	ria are not met
Mutagenicity	Duo			
Remarks	Base	ed on available data	, the classification crite	ria are not met
Reproductive toxicity	Duo			
Remarks	Base	ed on available data	, the classification crite	ria are not met
Carcinogenicity	Duo			
Remarks	Base	ed on available data	, the classification crite	ria are not met
Specific Target Organ				
Single exposure Remarks	Bas	ed on available data	, the classification crite	ria are not met
	Dasi			
Repeated exposure Remarks	Base	ed on available data	, the classification crite	ria are not met.
Aspiration hazard			,	
Based on available data	a. the class	ification criteria are	not met.	
Experience in practice				
• •	•	otective and safety p	recautions are taken, e	experience shows that no
Other information				
There are no data avail	able on the	e mixture itself.		
The mixture has been a 1272/2008 and classifie				egulation (EC) No
ECTION 12: Ecologic	al infor	mation		
2.1. Toxicity				
General information				
There are no data avail mixture has been asses				or water courses.The ulation (EC) No 1272/2008

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

rade name: Marabu	u Candle Liner 0	19 25 ml					
			Version:	10 /			Maral Date revised: 01.10.202
Substance number:	18050009019		Replace	s Version:	9 / WOF	RLD	Print date: 01.10.2
Species				orhynchus	mykiss)		
LC50			,188	L.		mg/l	
Duration of e	•		6	h			
•	iazol-3(2h)-one						
Species LC50				orhynchus	mykiss)	ma/l	
Duration of e	ANDORINA		2,18 16	h		mg/l	
	•	0	0				
Bronopol (INI Species	v)	rainhow t	rout (Onc	orhynchus	mykies)		
LC50		3	•	omynenus	Шукізэ)	mg/l	
Duration of e	exposure		6	h			
Method	1	OECD 20					
Bronopol (IN	1)						
Species		rainbow t	rout (Onc	orhynchus	mykiss)		
NOEC		2	2,61	-	- /	mg/l	
Duration of e	exposure		28	d		-	
Method		OECD 20)3				
Daphnia toxic	city (Compone	nts)					
Species EC50 Duration of e	•	4	magna 9,126 •8	h		mg/l	
1,2-Benzisoth	iazol-3(2h)-one						
Species		Daphnia	-				
EC50			2,94			mg/l	
Duration of e	•	4	-8	h			
Bronopol (IN	1)	Donhaio					
Species EC50		Daphnia 1	,04			mg/l	
Duration of e	ANDOSIILE		,04 ·8	h		mg/i	
Method	mpoouro	OECD 20	-				
Bronopol (IN	1)						
Species	•)	Daphnia	magna				
NOEC			,06			mg/l	
Duration of e	exposure		21	d			
Method		OECD 21	1				
Algae toxicity	(Components	s)					
2-Methyl-2H-i	5-Chloro-2-met sothiazol-3-one	[EC-no. 2	220-239-6	5] (3:1) / C(
Species EC50			•	cornutum		ma/l	
Duration of e),027 '2	h		mg/l	
	•	-	~				
Species	hiazol-3(2h)-one		irchneriell	a subcapita	ata		
ErC50),11	a subcapité		mg/l	
Duration of e	exposure		2	h			
Bronopol (IN	•						
	-1	Pseudoki	rchneriell	a subcapita	ata		
Species							
Species EC50		0	,068			mg/l	
	xposure	7	2	h		mg/i	
EC50	exposure		2	h		mg/i	
EC50 Duration of e		7	2	h		mg/i	

Trade name: Marabu Candle Liner 019 2	5 ml Version: 10 /		Mara Date revised: 01.10.202
Substance number: 18050009019	Replaces Version:	9 / WORLD	Print date: 01.10.2
NOEC Duration of exposure Method OE	0,0025 72 h CD 201	mg/l	
12.2. Persistence and degradabil General information There are no data available on th	-		
12.3. Bioaccumulative potential General information There are no data available on th	e mixture itself.		
12.4. Mobility in soil General information There are no data available on th	e mixture itself.		
12.5. Results of PBT and vPvB a General information There are no data available on th			
12.6. Other adverse effects General information There are no data available on th			
SECTION 13: Disposal consi			
13.1. Waste treatment methods Disposal recommendations for Do not allow to enter drains or wa Dispose of waste according to ap Dispose of as hazardous waste.	ater courses.		
Disposal recommendations for Packaging that cannot be cleaned Completely emptied packagings of	d should be disposed off		
SECTION 14: Transport infor	mation		

Safety data sheet in accordance with regulation (EC) No 1907/2006						
Trade name: Marabu Candle Liner 019 25 ml						
Version: 10/			Date revised: 01.10.2021			
Substance number: 18050009019 Replaces Version: 9 / WORLD Print date: 01.10.21						
	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA			
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport			
14.2. UN proper shipping name	-	-	-			
14.3. Transport hazard class(es)	-	-	-			
Subsidiary risk		-	-			
Label						
14.4. Packing group	-	-	-			
Transport category	0					
14.5. Environmental hazards		no				
	-		-			

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the ENCS inventory.

All components are contained in the IECSC inventory.

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

-
Toxic if swallowed.
Harmful if swallowed.
Fatal in contact with skin.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
Causes skin irritation.

Safety data sheet in accordance with regulation (EC) No 1907/2006					
Trade name: Marabu Candle Liner (019 25 ml				
	Version: 10 / Date revised: 01.10.2021				
Substance number: 18050009019	Replaces Version: 9 / WORLD Print date: 01.10.21				
H317	May cause an allergic skin reaction.				
H318	Causes serious eye damage.				
H319	Causes serious eye irritation.				
H330	Fatal if inhaled.				
H332	Harmful if inhaled.				
H335	May cause respiratory irritation.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
H411	Toxic to aquatic life with long lasting effects.				
CLP categories listed in Chapter 3					
Acute Tox. 2	Acute toxicity, Category 2				
Acute Tox. 3	Acute toxicity, Category 3				
Acute Tox. 4	Acute toxicity, Category 4				
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1				
Aquatic Chronic 1					
	Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2				
Eye Dam. 1	Serious eye damage, Category 1				
Eye Irrit. 2	Eye irritation, Category 2				
Skin Corr. 1C	Skin corrosion, Category 1C				
Skin Irrit. 2	Skin irritation, Category 2				
Skin Sens. 1 Skin Sens. 1A	Skin sensitization, Category 1				
STOT SE 3	Skin sensitization, Category 1A Specific target organ toxicity - single exposure, Category 3				
Supplemental information					

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.