	ation of the substance	/mixture and of the	
company/undertaking	<u>g</u>		
1.1. Product identifier Marabu CandleLinerS	ort10x25ml XMAS 133		
1.2. Relevant identified	uses of the substance or	mixture and uses advis	ed against
Use of the substance/pr Paint	reparation		
1.3. Details of the suppl Address/Manufacture Marabu GmbH & Co.		et Importer -	
Asperger Strasse 4 71732 Tamm Germany		S&S Wholesale Pty. 18/10 Pioneer Aven Thornleigh NSW 21	ue,
Telephone no. Fax no. Information provided	+49-7141/691-0 +49-7141/691-147 Department product safety	Tel: 1300 731 529	Fax: 1300 739 715
by / telephone E-mail address of person responsible for this SDS	PRSI@marabu.com	Emergency Contact: S&S Wholesale Pty. Tel: 1300 731 529	
1.4. Emergency telepho (+49) (0)621-60-43333 SECTION 2: Hazards	3		
2.1. Classification of the		with Regulation (EC) No 1272	2/2008.
2.2. Label elements			
Labelling according	to regulation (EC) No 12	72/2008	
EUH208 Contains	A mixture of: 5-Chloro-2-methyl 2-Methyl-2H-isothiazol-3-one [E 1,2-Benzisothiazol-3(2h)-one, N	I-2h-isothiazol-3-one [EC-no. 2 EC-no. 220-239-6] (3:1) / C(M)	IT/MIT (3:1),
Supplemental inform	ation		
Contains a biocidal pr	o regulation (EU) No 528/20 oduct: A mixture of: 5-Chloro-2-m I-3-one [EC-no. 220-239-6] (3:1)	nethyl-2h-isothiazol-3-one [EC	-no. 247-500-7] and
2.3. Other hazards No special hazards ha	ave to be mentioned.		
SECTION 3: Compos	ition/information on in	gredients ***	
3.2. Mixtures			
Chemical characteriz Paint based on wax a			
Hazardous ingredient Alcohols C16-C18, eth			
L	Page 1(13)	

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu CandleLinerSort10x25ml XMAS 133

Version: 10 /

Date revised: 01.10.2021 Print date: 01.10.21

Substance number: 180500009881-133

Replaces Version: 9 / WORLD

1.2

Us

1.:

1.4

SE

2.

2.2

2.3

SE

3.2

ade name: Marabu Candl	eLinerSort10x2					Ma
h - t - u - u - u - u - 100500	0000004 400		n: 10/	\sim 0 / 14		Date revised: 01.10.20 Print date: 01.10
Ibstance number: 180500	0009881-133	Replac	ces Versio	n. 97W	ORLD	
CAS No.	68439-49-6			10	0/	
Concentration	>=	1	<	10	%	
Classification (Regu		1272/2008				
	Eye Irrit. 2		H319			
Pyridin-2-thiol-1-oxid						
CAS No. EINECS no.	3811-73-2 223-296-5					
Concentration	223-290-5 >=	0,001	<	0,1	%	
		·		0,1	70	
Classification (Regu	lation (EC) No. Eye Dam. 1	1272/2008) H318			
	Acute Tox. 4		H302			
	Acute Tox. 4		H332			
	Aquatic Acut	e 1	H400			
	Aquatic Chro	onic 2	H411			
Concentration limits						
1.2 Pontionthiotol 2	Aquatic Acut	e 1 H40	00 M =	= 100		
1,2-Benzisothiazol-3 CAS No.	(2n)-one 2634-33-5					
EINECS no.	220-120-9					
Concentration			<	0,05	%	
Classification (Regu	lation (EC) No	1272/2008)			
Classification (regu	Aquatic Acut		, H400			
	Skin Sens. 1		H317			
	Acute Tox. 4		H302			
	Skin Irrit. 2		H315			
	Eye Dam. 1 Acute Tox. 2		H318			
	Aquatic Chro		H330 H411			
Concentration limits			2/2008)			
	Skin Sens. 1			0,05		
Bronopol (INN)						
CAS No.	52-51-7					
EINECS no. Registration no.	200-143-0 01-2119980	038-15				
Concentration	>=	0,01	<	0,1	%	
Classification (Regu	lation (EC) No	1272/2008)			
	Eye Dam. 1	, _, 000	H318			
	Skin Irrit. 2		H315			
	STOT SE 3		H335			
	Acute Tox. 4		H302			
	Acute Tox. 4		H312			
	Aquatic Acut Aquatic Chro		H400 H410			
Concentration limits						
	Aquatic Acut		,	= 10		
	Aquatic Chro					
				: 1		

$\begin{array}{cccc} CAS No. & 55965-84-9 \\ Concentration & >= 0,001 < 0,0015 \% \\ \hline \\ Classification (Regulation (EC) No. 1272/2008) \\ Acute Tox. 2 & H330 \\ Aquatic Chronic 1 & H410 \\ Aquatic Acute 1 & H400 \\ Skin Sens. 1A & H317 \\ Skin Corr. 1C & H314 \\ Acute Tox. 2 & H310 \\ Acute Tox. 3 & H301 \\ Eye Dam. 1 & H318 \\ \hline \\ Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 & >= 0,6 \\ Eye Irrit. 2 & H319 & <= 0,06 < 0,6 \\ Skin Irrit. 2 & H315 & <= 0,0015 \\ Aquatic Acute 1 & H410 & M = 100 \\ Aquatic Acute 1 & H410 & M = 100 \\ \end{array}$	Safety data sheet in accord Trade name: Marabu Cano Substance number: 18050	lleLinerSort10x25ml XI V	MAS 133 ersion:	3 10 /	7/2006 n: 9/WC	ORLD	Date revised: 01.10.2021 Print date: 01.10.21
Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Eye Dam. 1 H318 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Irrit. 2 H315 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100	CAS No.						
Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Eye Dam. 1 H318 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C Skin Corr. 1C H314 Skin Irrit. 2 H319 Skin Sens. 1 H315 Aquatic Acute 1 H410 M = 100 M	Concentration	>= 0,0	01 •	<	0,0015	%	
Skin Corr. 1C H314 >= 0,6 Eye Irrit. 2 H319 <= 0,06 < 0,6	Classification (Reg	Acute Tox. 2 Aquatic Chronic 1 Aquatic Acute 1 Skin Sens. 1A Skin Corr. 1C Acute Tox. 2 Acute Tox. 3	 	H410 H400 H317 H314 H310 H301			
Eye Irrit. 2H319<= 0,06 < 0,6Skin Irrit. 2H315<= 0,06 < 0,6	Concentration limit		1272/20	(800			
1 Eye Dam. 1 H318 >= 0,6 %		Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H319 H315 H317 H410 H410	<= 0 <= 0 >= 0 M = M =	0,06 < 0,6 0,06 < 0,6 0,0015 100 100		

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu CandleLinerSort10x25ml XMAS 133

Version: 10 / Replaces Version: 9 / WORLD Date revised: 01.10.2021 Print date: 01.10.21

Substance number: 1805000009881-133

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.
- **6.2. Environmental precautions** No particular measures required.
- 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.
- **6.4. Reference to other sections** Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Bronopol (INN)

Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level (DNEL) Worker Long term inhalative Systemic effects 4,1	mg/m³
Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level (DNEL) Worker Short term inhalative Systemic effects 12,3	mg/m³
Type of value Reference group Duration of exposure Route of exposure	Derived No Effect Level (DNEL) Worker Long term inhalative	

Safety data sheet in accordance with	regulation (EC) No 1907/2006	
Trade name: Marabu CandleLinerSort1	0x25ml XMAS 133	
	Version: 10 /	Date revised: 01.10.2021
Substance number: 1805000009881-1	33 Replaces Version: 9 / WORLD	Print date: 01.10.21
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d
	Derived No Effect Level (DNEL)	
Type of value Reference group	Derived No Effect Level (DNEL) Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	7	mg/kg/d
	Derived No Effect Level (DNEL)	
Type of value Reference group	Derived No Effect Level (DNEL) Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,7	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³

ade name: Marab	u CandleLinerSort10x2	5ml XMAS 133		
		Version: 10 /		Date revised: 01.10.202
ubstance number:	1805000009881-133	Replaces Version:	9/WORLD	Print date: 01.10.2
The state				
Type of valu Reference g		erived No Effect Level (I onsumer	JNEL)	
Duration of		ort term		
Route of exp		nalative		
Mode of act		cal effects		
Concentratio	วท	1,3		mg/m³
Type of valu		erived No Effect Level (ONEL)	
Reference g		onsumer		
Duration of		ng term		
Route of exp Mode of act		rmal		
Concentratio	/	stemic effects 1,4		mg/kg/d
Concentratio	ווכ	1,4		ing/kg/d
Type of valu		erived No Effect Level (ONEL)	
Reference g		onsumer		
Duration of o		ort term		
Route of exp Mode of act		rmal stemic effects		
Concentratio	,	4,2		mg/kg/d
	_		\	
Type of valu		erived No Effect Level (I	DNEL)	
Reference g Duration of		onsumer ng term		
Route of exp		rmal		
Mode of act		cal effects		
Concentratio		8		µg/cm²
Type of valu		erived No Effect Level (I		
Reference g		onsumer		
Duration of 0		ort term		
Route of exp		rmal		
Mode of act		cal effects		
Concentratio	on	8		µg/cm²
Type of valu	ie De	erived No Effect Level (ONEL)	
Reference g		onsumer	,	
Duration of	exposure Lo	ng term		
Route of exp				
Mode of act	/	stemic effects		
Concentratio	n	0,35		mg/kg/d
Type of valu	le De	erived No Effect Level (ONEL)	
Reference g		onsumer		
Duration of o		ort term		
Route of exp				
Mode of act	,	stemic effects		
Concentratio	ווכ	1,1		mg/kg/d
Predicted No	Effect Concentratio	n (PNEC)		
Bronopol (IN				
Type of valu		IEC		
Type		eshwater		~~~~~~ (l
Concentratio	ווכ	0,01		mg/l
Type of valu	DN	IEC		

stance number: 180500009		sion: 10/	: 9/WORLI	Date revised: D Print c	: 01.10.2 late: 01.1
Type Concentration	Saltwater 0,0	001		mg/l	
Type of value Type Concentration		ermittent relea	se)	mg/l	
Type of value Type Concentration	PNEC Sewage tre 0,2	eatment plant I3	(STP)	mg/l	
Type of value Type	PNEC Freshwate			malka	
Concentration Type of value	PNEC)41 liment		mg/kg	
Type Concentration		liment)03		mg/kg	
Type of value Type Concentration	PNEC Soil 0,5	5		mg/kg	
Provide adequate ventilati	nd chemical				
TION 9: Physical ar Information on basic p Form	nd chemical hysical and ch liquid				
TION 9: Physical an Information on basic p Form Colour	nd chemical hysical and cl liquid coloured				
TION 9: Physical ar Information on basic p Form Colour Odour	nd chemical hysical and cl liquid coloured odourless				
TION 9: Physical an Information on basic p Form Colour Odour Form	nd chemical hysical and ch liquid coloured odourless liquid				
TION 9: Physical ar Information on basic p Form Colour Odour	nd chemical hysical and cl liquid coloured odourless				
TION 9: Physical an Information on basic p Form Colour Odour Form Colour	nd chemical hysical and ch liquid coloured odourless liquid pink				
TION 9: Physical ar Information on basic p Form Colour Odour Form Colour Odour	nd chemical hysical and ch liquid coloured odourless liquid pink	nemical pro			
TION 9: Physical an Information on basic p Form Colour Odour Form Colour Odour Odour Odour threshold	nd chemical hysical and ch liquid coloured odourless liquid pink odourless	nemical pro			
TION 9: Physical an Information on basic p Form Colour Odour Form Colour Odour Odour Odour threshold Remarks pH value Value	nd chemical hysical and ch liquid coloured odourless liquid pink odourless No data av	nemical pro			
TION 9: Physical an Information on basic p Form Colour Odour Form Colour Odour Odour Odour Odour threshold Remarks pH value Value Temperature	nd chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20	railable	operties		
Colour Colour Odour Form Colour Odour Form Colour Odour Odour Odour Odour Nemarks pH value Value Temperature Method	nd chemical hysical and ch liquid coloured odourless liquid pink odourless No data av	railable	operties		
TION 9: Physical an Information on basic p Form Colour Odour Form Colour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point	nd chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20 WTW PH 3	railable to °C 340	operties		
Colour Colour Colour Odour Form Colour Odour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point Remarks	nd chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20	railable to °C 340	operties		
TION 9: Physical an Information on basic p Form Colour Odour Form Colour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point	nd chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20 WTW PH 3	railable 840 ined	operties		
Colour Colour Odour Form Colour Odour Form Colour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point Remarks Freezing point	not determinical	railable 840 ined	operties		
Colour Odour Form Colour Odour Form Colour Odour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point Remarks Freezing point Remarks Initial boiling point and b Value	Ad chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20 WTW PH 3 not determ poiling range appr. 10	railable 840 ined ined	operties	°C	
Colour Odour Form Colour Odour Form Colour Odour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point Remarks Freezing point Remarks Initial boiling point and the Value Pressure	Ad chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20 WTW PH 3 not determ not determ poiling range appr. 10 1.0	railable 340 ined ined 0 13 hPa	operties	℃	
Colour Odour Form Colour Odour Form Colour Odour Odour Odour Odour threshold Remarks pH value Value Temperature Method Melting point Remarks Freezing point Remarks Initial boiling point and b Value	Ad chemical hysical and ch liquid coloured odourless liquid pink odourless No data av 8 20 WTW PH 3 not determ poiling range appr. 10	railable 340 ined ined 0 13 hPa	operties	°C	

Safety data sheet in accordance with	regulati	ion (EC) No	o 1907/2	006		
Trade name: Marabu CandleLinerSort1	0x25ml	XMAS 133				\mathbb{N}
		Version: 1	0/			Marabu Date revised: 01.10.2021
Substance number: 1805000009881-1	33	Replaces V	/ersion:	9 / WOR	LD	Print date: 01.10.21
Evaporation rate (ether = 1) :						
Remarks Flammability (solid, gas)	not dei	termined				
Not applicable Upper/lower flammability or e	xplosiv	/e limits				
Remarks	-	termined				
Vapour pressure						
Value	appr.	23	.		hPa	
Temperature Method	Value	20 taken from	°C the litera	ature		
Vapour density	Value					
Remarks	not de	termined				
Density						
Value		1			g/cm³	
Temperature Method	ראו ה	20 N ISO 2811	°C			
Solubility in water		100 2011				
Remarks	miscib	le				
Ignition temperature						
Remarks	not det	termined				
Viscosity						
dynamic						
Value		9000	to	12000	mPa.s	
Temperature Method	Brookf	20 ield	°C			
9.2. Other information	Broom					
Other information						
None known						
	_	_				
SECTION 10: Stability and r	eactiv	<u>vity</u>				
10.1. Reactivity None						
10.2. Chemical stability No hazardous reactions known.						
10.3. Possibility of hazardous r No hazardous reactions known.		ns				
10.4. Conditions to avoid No hazardous reactions known.						
10.5. Incompatible materials None						
10.6. Hazardous decomposition No hazardous decomposition p						
SECTION 11: Toxicological						
11.1. Information on toxicologic	Jai elle	5013				

ade name: Marabu CandleLinerSo		Version:	10 /		Date revised: 01.10.202
ubstance number: 180500000988	1-133	Replaces	Version:	9 / WORLD	Print date: 01.10.2
Acute oral toxicity					
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Acute oral toxicity (Compo	nents)				
1,2-Benzisothiazol-3(2h)-one	•				
Species LD50	rat	1193		mg/kg	
Acute dermal toxicity		1193		шу/ку	
Remarks	Based	l on available (data the	classification criter	ia are not met
Acute dermal toxicity (Con					
	•				
1,2-Benzisothiazol-3(2h)-one Species	rat				
LD50		4115		mg/kg	
Acute inhalational toxicity					
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Skin corrosion/irritation					
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Serious eye damage/irritat	on				
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Sensitization					
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Mutagenicity					
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Reproductive toxicity					
Remarks	Based	l on available o	data, the	classification criter	ia are not met.
Carcinogenicity					
Remarks			data, the	classification criter	ia are not met.
Specific Target Organ Toxi	city (S	ТОТ)			
Single exposure					
Remarks	Based	l on available (data, the	classification criter	ia are not met.
Repeated exposure				1 10 11 1	
Remarks	Based	i on available (data, the	classification criter	na are not met.
Aspiration hazard					
Based on available data, the	classifi	cation criteria	are not n	net.	
Experience in practice	a al	ative and set	4		
Provided all the recommend risk to health can be expected		ective and safe	ety preca	utions are taken, ex	xperience shows that no
Other information					
There are no data available The mixture has been asses 1272/2008 and classified for	sed follo	owing the addi			egulation (EC) No
ECTION 12: Ecological i					

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Safety data sheet in a	accordance wi	th regula	tion (EC)	No 1907/2	2006		
Trade name: Marabu		-			.000		
	CandleLinerSol	1110725111	Version:				Marabu Date revised: 01.10.2021
Substance number: 1	1805000009881	-133		s Version:	9 / WORI	חו	Print date: 01.10.21
	1003000003001	-155	Replace		37 WOR		
Fish toxicity (0	Components)						
1,2-Benzisothia	azol-3(2h)-one						
Species			•	orhynchus	• •	~~~~/l	
LC50 Duration of ex	roosure		2,18 96	h	ſ	mg/l	
Bronopol (INN)	•	·					
Species	•	rainbow	trout (Onc	orhynchus	mykiss)		
LC50			3		r	mg/l	
Duration of ex Method	posure	OECD 2	96	h			
		OECD 2	03				
Bronopol (INN) Species)	rainbow	trout (Onc	orhynchus	mykiss)		
NOEC			2,61	2.1.91101100		mg/l	
Duration of ex	posure		28	d		0	
Method		OECD 2					
A mixture of: 5							
2-Methyl-2H-is Species	othiazoi-3-one			orhynchus		(3:1)	
LC50			0,188	onnynondo	• •	mg/l	
Duration of ex	posure		96	h		0	
Daphnia toxici	ty (Compone	nts)					
1,2-Benzisothia	azol-3(2h)-one						
Species	. ,	Daphnia					
EC50			2,94		r	mg/l	
Duration of ex	•	4	48	h			
Bronopol (INN) Species)	Daphnia	magna				
EC50		•	1,04		r	mg/l	
Duration of ex	posure	4	48	h		0	
Method		OECD 2	02				
Bronopol (INN)							
Species NOEC		Daphnia	magna 0,06			~ a/l	
Duration of ex	cosure		21	d	I	mg/l	
Method		OECD 2					
A mixture of: 5 2-Methyl-2H-is							
Species	-	Daphnia	magna	- , , ,		. ,	
EC50			0,126		r	mg/l	
Duration of ex	•		48	h			
Algae toxicity		•					
1,2-Benzisothia Species	azol-3(2h)-one		richnorial	a subcapit	ata		
ErC50			0,11	a subcapit		ng/l	
Duration of ex	posure		72	h	•	J	
Bronopol (INN))						
Species				a subcapit			
EC50	(DOCUTO		0,068 72	h	r	mg/l	
Duration of ex Method	cposure	OECD 2		h			
Bronopol (INN))	52002	01				
Species	,	Pseudok	kirchneriell	a subcapit	ata		
NOEC			0,0025			mg/l	

rade name: Marabu Ca	IndleLinerSort10x25n				Mara
Substance number: 180	5000009881-133	Version: Replaces		9 / WORLD	Date revised: 01.10.202 Print date: 01.10.2
	: OECD hloro-2-methyl-2h hlazol-3-one [EC-no.	othiazol-3-o	one [EC-I (3:1) / C(3
Duration of expo	sure	72 ł	١		
12.2. Persistence an General informat There are no dat 12.3. Bioaccumulat	tion ta available on the mi	xture itself.			
General informat	-	xture itself.			
	t ion ta available on the mi				
12.5. Results of PB General informat There are no dat					
12.6. Other adverse General informat There are no dat		xture itself.			
ECTION 13: Dis	oosal conside	ations			
13.1. Waste treatme					
Do not allow to e Dispose of waste Dispose of as ha Disposal recomm Packaging that o	nendations for the enter drains or water of according to applica azardous waste. nendations for pac cannot be cleaned sho tied packagings can b	courses. able legislation ckaging build be dispo	osed off a	s product waste.	
ECTION 14: Trai		-	coyoning.		

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name:	Marabu CandleLinerSort10x25ml XMAS 133

Version: 10 /

Replaces Version: 9 / WORLD

Substance number: 1805000009881-133

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the PICCS inventory.

All components are contained in the IECSC inventory.

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.



Date revised: 01.10.2021 Print date: 01.10.21

rade name: Marabu CandleLir Substance number: 18050000	Version: 10 / Date revised: 01.10.202
H317 H318	May cause an allergic skin reaction. Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
CLP categories listed i	n Chapter 3
Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Skin Corr. 1C	Skin corrosion, Category 1C
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1 Skin Sens. 1A	Skin sensitization, Category 1 Skin sensitization, Category 1A
STOT SE 3	Specific target organ toxicity - single exposure, Category 3
Supplemental informat	

Relevant changes compared with the previous version of the safety data sheet are marked with: * This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.