Safety data sheet in accorda	ance with regulation (EC) No 1907/	2006	
Trade name: Marabu Fashior	Vers	sion: 7/GB		Date revised: 01.10.202
Substance number: 1719005	50005 Rep	laces Version:	6 / GB	Print date: 27.11.2
SECTION 1: Identific company/undertakin		ostance/m	ixture and of t	<u>he</u>
1.1. Product identifier Marabu Fashion-Spra	ay 005, 100 ml			
1.2. Relevant identified	uses of the subst	ance or mi	xture and uses a	dvised against
Use of the substance/p Spray paint Identified Uses				
SU21 PC9a	Consumer uses: Prive Coatings and paints,		ls (= general public = t removers	consumers)
1.3. Details of the supp	lier of the safety d	lata sheet		
Address/Manufacture Marabu GmbH & Co. Asperger Strasse 4 71732 Tamm Germany Telephone no. Fax no. Information provided by / telephone E-mail address of person responsible for this SDS 1.4. Emergency telepho (+49) (0)621-60-4333	KG +49-7141/691-0 +49-7141/691-147 Department product PRSI@marabu.com	safety	Importer - S&S Wholesale Pty 18/10 Pioneer Ave Thornleigh NSW 2 Tel: 1300 731 529 Emergency Contac S&S Wholesale Pty Tel: 1300 731 529	nue, 2120 Fax: 1300 739 715 t: v. Limited
(+49) (0)621-60-4333 SECTION 2: Hazards		**		
2.1. Classification of the		xture	n Regulation (EC) No	1272/2008.
2.2. Label elements				
Labelling according	g to regulation (EC	C) No 1272/	2008	
EUH208 Contains		n-isothiazol-3- ol-3-one [EC-r	one [EC-no. 247-500-	7] and C(M)IT/MIT (3:1), May
Supplemental inform	ation			
	• • •	Chloro-2-meth	yl-2h-isothiazol-3-one	e [EC-no. 247-500-7] and
2.3. Other hazards No special hazards ha	ave to be mentioned.			

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization

Substance number: 1719005005 Replaces Version: 6 / GB Print date: 27.11.20 Spray paint based on acrylic resins and on water Hazardous ingredients *** Bronopol (INN) CAS No. 52-51-7 ENECS no. 20-143-0 Registration no. 01-2119980938-15 Concentration >= 0,01 % Classification (Regulation (EC) No. 1272/2008) H318 Skin Irit. 2 H315 STOT SE 3 H335 Acute Tox. 4 H302 Acute Tox. 4 H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1 H410 Cassification no. 1/2119511196-46 Concentration limits (Regulation (EC) No. 1272/2008) Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301 Acute Tox. 3 H301	Safety data sheet in accord	lance with regulation (EC	C) No 1907/2006		
Substance number: 17190050006 Replaces Version: 6 / GB Print date: 27.11.20 Spray paint based on acrylic resins and on water Hazardous ingredients *** Bronopol (INN) CAS No. 52-51-7 ENECS no. 20-143-0 Registration no. 01-2119980338-15 Concentration >= 0,01 % Classification (Regulation (EC) No. 1272/2008) Key Dam. H318 Skin Irnt: 2 H335 Acute Tox. A H302 Acute Tox. H314 StrOT SE 3 H335 Acute Tox. H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1 M410 Classification (Regulation (EC) No. 1272/2008) Acute Tox. H331 Acute Tox. H331 Acute Tox. 3 H331 Acute Tox. H331 Acute Tox. H331 Acute Tox. 3 H331 Acute Tox. H331 Acute Tox. H331 Acute Tox. 3 H331 Acute Tox. H331	Trade name: Marabu Fashio	n-Spray 005, 100 ml			Marabu
The second of		Versio	n: 7/GB		Date revised: 01.10.2020
Hazardous ingredients ***Bronopol (NN) CAS No.52-51-7CNDENECS no.200-143-0Registration no.01-2119980038-15Concentration>=0.01 $<$ 0.1%Classification (Regulation (EC) No. 1272/2008)Eye Dam. 1H318Stin Irit. 2H315Stin Irit. 2H315Acute Tox. 4H312Aquatic Acute 1H400Aquatic Acute 1H400Aquatic Acute 1H400Aquatic Chronic 1H410Metter Tox. 4H318Aquatic Chronic H410M = 111Prithione zincCAS No.236-671-3Registration no.0.127192008)Acute Tox. 3H331Eye Dam. 1H318Aquatic Acute 1H400Aquatic Ac	Substance number: 171900	50005 Replac	ces Version: 6 / GB	5	Print date: 27.11.20
Bronopol (IN) CAS No. 52-51-7 ENECS no. 200-143-0 Registration no. 0.2119980938-15 Concentration $\ge 0.01 < 0.1$ 0.1 % Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Skin Irit. 2 H335 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1 Aquatic Acute 1 H400 M = 10 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1 H410 Maquatic Chronic 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration >= 0.01 <	Spray paint based or	n acrylic resins and on wa	ter		
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Hazardous ingredie	nts ***			
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Bronopol (INN)				
Registration01-2119980938.15 Concentration>=0,01<0,1%Classification (Regulation (EC) No. 1272/2008)Eye Dam. 1H318 Skin Irrit. 2H315 STOT SE 3H335 Acute Tox. 4H302 Acute Tox. 3H301 Acute Tox. 4H400 M = 100 Aquatic Acute 1H400 M = 100 Aquatic Acute 1M = 10 Acute Tox. 4H302 Acute Tox. 4	CAS No.	52-51-7			
$\begin{tabular}{l l l l l l l l l l l l l l l l l l l $					
Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Skin Irrit. 2 H315 STOT SE 3 H335 Acute Tox. 4 H302 Acute Tox. 4 H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic H410 M = 10 Aquatic Chronic H410 M = 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration $\Rightarrow = 0.01 < 0.025$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H301 Acute Tox. 4 H300 Aquatic Acute 1 H400 M = 10 1 Pyridin-2-thiol-1-oxide, sodium satt CAS No. 2811-73-2 EINECS no. 223-296-5 Concentration $\Rightarrow = 0.001 < 0.1$ % Classification (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 10 1 Pyridin-2-thiol-1-oxide, sodium satt CAS No. 2811-73-2 EINECS no. 223-296-5 Concentration $\Rightarrow = 0.001 < 0.1$ % Classification (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 100 2.24Etyl-12H-isothiazol-3-one CAS No. 2682-20-4					
	Concentration	>= 0,01	< 0,1	%	
	Classification (Regul	ation (EC) No. 1272/2008)		
Skin Irrit. 2 STOT SE 3 H335 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H312 Aquatic Acute 1 H400 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H410 M = 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration $\Rightarrow = 0.01 < 0.025$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H301 Acute Tox. 4 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1 H410 Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H302 H30	(g				
Acute Tox. 4 H302 Acute Tox. 4 H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 10 Aquatic Chronic H410 M = 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration $\Rightarrow = 0,01 < 0,025$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H301 Acute Tox. 4 H302 Aquatic Chronic 1 H410 M = 10 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration (Regulation (EC) No. 1272/2008) Aquatic Chronic H410 M = 10 1 Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H302 Aquatic Acute 1 H400 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 Aquatic Acute			H315		
Acute Tox. 4 H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic H410 M = 1 Aquatic Chronic H410 M = 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration $\gg = 0,01 < 0,025$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H301 Acute Tox. 1 H418 Aquatic Acute 1 H400 M = 100 Aquatic Chronic 1 H410 M = 10 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration $\gg = 0,001 < 0,1$ % Classification (Regulation (EC) No. 1272/2008) Aquatic Chronic H410 M = 10 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration $\gg = 0,001 < 0,1$ % Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H302		STOT SE 3	H335		
Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 10 Aquatic Chronic H410 M = 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration $\gg = 0,01 < 0,025$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H331 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 100 Aquatic Chronic 1 H410 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 223-296-5 Concentration (Regulation (EC) No. 1272/2008) Acute Tox. 4 H302 Acute Tox. 1 H410 M = 100 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4					
Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 10 Aquatic Chronic H410 M = 1 1 Pyrithione zinc CAS No. 13463-41.7 EINECS no. 236-671.3 Registration no. 01-2119511196-46 Concentration $\gg = 0,01 < 0,025 \%$ Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H331 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 Aquatic Chronic H410 M = 100 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration $\gg = 0,001 < 0,1 \%$ Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Acute Tox. 4 H302 Aquatic Acute 1 H400 M = 100 Aquatic Acute 1 H					
Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 10 Aquatic Chronic H410 M = 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration $\Rightarrow = 0,01 < 0,025$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H331 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Acute 1 H400 M = 100 Aquatic Chronic 1 H410 M = 10 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration (Regulation (EC) No. 1272/2008) Acute Tox. 4 H302 Acute Tox. 4 H302 Acut					
Aquatic Acute 1 H400 M = 10 Aquatic Chronic H410 M = 1 1 1 Pyrithione zinc CAS No. 13463-41-7 EINECS no. 236-671-3 Registration no. 01-2119511196-46 Concentration >= 0,01<		Aquatic Chronic 1	H410		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Concentration limits	Aquatic Acute 1 H40 Aquatic Chronic H41	00 M = 10		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Pyrithione zinc				
Registration no.01-2119511196-46 ConcentrationConcentration>= $0,01 < 0,025 %$ Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3H301 Acute Tox. 3Acute Tox. 3H301 Acute Tox. 3Eye Dam. 1H318 Aquatic Acute 1Aquatic Chronic 1H410Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 1Aquatic Acute 1H400 H400 Aquatic Chronic H410Pyridin-2-thiol-1-oxide, sodium salt CAS No.3811-73-2 EINECS no.EINECS no.223-296-5 Concentration (EC) No. 1272/2008) Eye Dam. 1Acute Tox. 4H302 Acute Tox. 4Acute Tox. 4H302 Acute Tox. 4Acute Tox. 4H302 Acute Tox. 4Acute Tox. 4H302 Acute Tox. 4Aquatic Acute 1H400 Aquatic Acute 1Concentration limits (Regulation (EC) No. 1272/2008) Acute Tox. 4Acute Tox. 4H302 Acute Tox. 4Acute Tox. 4H302 Acute Tox. 4Aquatic Acute 1H400 Aquatic Acute 1Aquatic Acute 1H400 H400 Aquatic Acute 1Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1Aquatic Acute 1H400 H400 Aquatic Acute 1Aquatic Acute 1H400 H400 Aquatic Acute 1Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1Aquatic Acute 1H400 H400 M = 1002-Methyl-2H-isothiazol-3-one CAS No.2682-20-4		13463-41-7			
$\begin{array}{c cccc} \hline Concentration & \geq = 0,01 < 0,025 \% \\ \hline Classification (Regulation (EC) No. 1272/2008) \\ Acute Tox. 3 & H301 \\ Acute Tox. 3 & H331 \\ Eye Dam. 1 & H318 \\ Aquatic Acute 1 & H400 \\ Aquatic Chronic 1 & H410 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Aquatic Chronic 1 & H410 \\ f \\ \hline Pyridin-2-thiol-1-oxide, sodium salt \\ CAS No. 3811-73-2 \\ EINECS no. 223-296-5 \\ Concentration (Regulation (EC) No. 1272/2008) \\ Eye Dam. 1 & H318 \\ Acute Tox. 4 & H302 \\ Acute Tox. 4 & H302 \\ Acute Tox. 4 & H302 \\ Acute Tox. 4 & H332 \\ Aquatic Chronic 2 & H411 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Eye Dam. 1 & H318 \\ Acute Tox. 4 & H302 \\ Acute Tox. 4 & H332 \\ Aquatic Chronic 2 & H411 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Aquatic Chronic 2 & H411 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Aquatic Acute 1 & H400 \\ Aquatic Chronic 2 & H411 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Aquatic Acute 1 & H400 \\ Aquatic Acute 1 & H400 \\ Aquatic Acute 1 & H400 \\ \hline M = 100 \\ \hline 2-Methyl-2H-isothiazol-3-one \\ CAS No. 2682-20-4 \\ \hline \end{array}$	EINECS no.				
Classification (Regulation (EC) No. 1272/2008) Acute Tox. 3 H301 Acute Tox. 3 H331 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 100 Aquatic Chronic H410 M = 10 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration $\geq 0,001 < 0,1 \%$ Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute T	Registration no.	01-2119511196-46			
Acute Tox. 3H301Acute Tox. 3H331Eye Dam. 1H318Aquatic Acute 1H400Aquatic Chronic 1H410Concentration limits (Regulation (EC) No. 1272/2008)Aquatic Acute 1H400Aquatic Chronic 1H410Pyridin-2-thiol-1-oxide, sodium saltCAS No.281-73-2EINECS no.223-296-5Concentration (Regulation (EC) No. 1272/2008)Eye Dam. 1H318Acute Tox. 4H302Acute Tox. 4H302Acute Tox. 4H302Acute Tox. 4H322Aquatic Acute 1H400Aquatic Acute 1H400Acute Tox. 4H322Aquatic Acute 1H400Aquatic Acute 1H400Acute 70-NOH411Concentration limits (Regulation (EC) No. 1272/2008)Aquatic Acute 1H400Acute 70-NOAcute 1Acute 70-NOAcute 1Acute 70-NOAcute 1Acute 70-NOAcute 1Acute 70-NOAcute 1Acute 70-NOAcute 1Acute 70-NO <td< td=""><td>Concentration</td><td>>= 0,01</td><td>< 0,025</td><td>%</td><td></td></td<>	Concentration	>= 0,01	< 0,025	%	
Acute Tox. 3H301Acute Tox. 3H311Eye Dam. 1H318Aquatic Acute 1H400Aquatic Chronic 1H410Concentration limits (Regulation (EC) No. 1272/2008)Aquatic Acute 1H400Aquatic Acute 1H400Maquatic ChronicH410Maquatic ChronicNo.223-296-5ConcentrationConcentration>=0,0010,1%Classification (Regulation (EC) No. 1272/2008)Eye Dam. 1H318Acute Tox. 4H302Aquatic Acute 1H400Aquatic Acute 1 </td <td>Classification (Regul</td> <td>ation (EC) No. 1272/2008</td> <td>)</td> <td></td> <td></td>	Classification (Regul	ation (EC) No. 1272/2008)		
Eye Dam. 1H318 Aquatic Acute 1Aquatic Acute 1H400 Aquatic Chronic 1Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1H400 H400 M = 100 Aquatic ChronicPyridin-2-thiol-1-oxide, sodium salt CAS No.3811-73-2 223-296-5 ConcentrationEINECS no.223-296-5 ConcentrationConcentration>=0,001<					
Aquatic Acute 1H400Aquatic Chronic 1H410Concentration limits (Regulation (EC) No. 1272/2008)Aquatic Acute 1H400Aquatic ChronicH410M = 100Aquatic ChronicH410M = 101Pyridin-2-thiol-1-oxide, sodium saltCAS No.3811-73-2EINECS no.223-296-5Concentration>=0,001<					
Aquatic Chronic 1H410Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1H400M = 100 Aquatic ChronicAquatic ChronicH410M = 100 1Pyridin-2-thiol-1-oxide, sodium salt CAS No.CAS No.3811-73-2 EINECS no.EINECS no.223-296-5 ConcentrationConcentration (Regulation (EC) No. 1272/2008) Eye Dam. 1Eye Dam. 1H318 Acute Tox. 4Aquatic Acute 1H400 H400 Aquatic Chronic 2Aquatic Chronic 2H411Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1Aquatic Chronic 2H411Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1H400 M = 1002-Methyl-2H-isothiazol-3-one CAS No.CAS No.2682-20-4					
Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 100 Aquatic Chronic H410 M = 10 1 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration >= 0,001 < 0,1 % Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 100 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4					
Aquatic Acute 1H400M = 100Aquatic ChronicH410M = 1011Pyridin-2-thiol-1-oxide, sodium saltCAS No.3811-73-2EINECS no.223-296-5Concentration>= 0,001 < 0,1 %		Aquatic Chronic 1	H410		
1Pyridin-2-thiol-1-oxide, sodium saltCAS No. $3811-73-2$ EINECS no. $223-296-5$ Concentration>=0,001<	Concentration limits	Aquatic Acute 1 H40	00 M = 100		
CAS No. $3811-73-2$ EINECS no. $223-296-5$ Concentration $>= 0,001 < 0,1 \%$ Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 100 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4		1	10 10 10		
CAS No. $3811-73-2$ EINECS no. $223-296-5$ Concentration >= $0,001 < 0,1$ Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 Aquatic Acute 1 H400 Aquatic Acute 1 H400 Aquatic Acute 1 H400 Aquatic Acute 1 H400 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 Aquatic Acute 1 H400 M = 100 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4	Pyridin-2-thiol-1-oxid	e, sodium salt			
$\begin{array}{llllllllllllllllllllllllllllllllllll$	CAS No.	3811-73-2			
Classification (Regulation (EC) No. 1272/2008) Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 $M = 100$ 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4					
Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 $M = 100$ 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4	Concentration	>= 0,001	< 0,1	%	
Acute Tox. 4H302Acute Tox. 4H332Aquatic Acute 1H400Aquatic Chronic 2H411Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1Aquatic Acute 1H400M = 1002-Methyl-2H-isothiazol-3-one CAS No.2682-20-4	Classification (Regul	ation (EC) No. 1272/2008)		
Acute Tox. 4H332Aquatic Acute 1H400Aquatic Chronic 2H411Concentration limits (Regulation (EC) No. 1272/2008)Aquatic Acute 1H400M = 1002-Methyl-2H-isothiazol-3-oneCAS No.2682-20-4					
Aquatic Acute 1H400Aquatic Chronic 2H411Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 $M = 100$ 2-Methyl-2H-isothiazol-3-one CAS No.2682-20-4					
Aquatic Chronic 2H411Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 $M = 100$ 2-Methyl-2H-isothiazol-3-one CAS No.2682-20-4					
Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 $M = 100$ 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4					
2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4	Concentration limits	(Regulation (EC) No. 1272	2/2008)		
CAS No. 2682-20-4	2-Methvl-2H-isothiaz	•	,		
	EINECS no.	220-239-6			
Concentration < 0,0015 %	Concentration		< 0,0015	%	

	ame: Marabu Fashion-	Spray 005, 100 ml					
Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Skin Sens. 1A H317 Aquatic Chronic 1 H410 Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 \geq 0.0015 Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) CAS No. 55965-84-9 Concentration (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H330 Aquatic Chronic 1 H410 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 Skin Sens. 1A H317 Skin Sens. 1A H317 Skin Corr. 1C H314 \geq 0.6 Eye Irit. 2 H315 <= 0.06 < 0.6 Skin Siss. 1 H410 M = 100 Acute Tox. 2 H310 Acute Tox. 2 H317 \geq 0.0015 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact		V	ersion:	7 / GB			Date revised: 01.10.2
Acute Tox. 3 H301 Acute Tox. 2 H330 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Skin Sens. 1A H317 Aquatic Chronic 1 H410 Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 ≥ 0.0015 Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Acute Tox. 2 H310 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $\ge 0.06 < 0.6$ Skin Korr. 1C H314 $\ge 0.06 < 0.6$ Skin Sens. 1 H317 ≥ 0.0015 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	17190050 nce number: 17190050	005 R	eplaces	Version	: 6/GB		Print date: 27.1
Acute Tox. 3 H301 Acute Tox. 2 H330 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Skin Sens. 1A H317 Aquatic Chronic 1 H410 Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 ≥ 0.0015 Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Acute Tox. 2 H310 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $\ge 0.06 < 0.6$ Skin Korr. 1C H314 $\ge 0.06 < 0.6$ Skin Sens. 1 H317 ≥ 0.0015 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	Classification (Pogulat	on (EC) No. 1272/	2008)				
Acute Tox. 2 H330 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Skin Sens. 1A H317 Aquatic Chronic 1 H410 Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 ≥ 0.0015 Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) CAS No. 55965-84-9 Concentration (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Chronic 1 H410 Aquatic Chronic 1 H410 Aquatic Chronic 1 H410 Acute Tox. 2 H314 Acute Tox. 2 H314 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 ≥ 0.6 Eye Irrit. 2 H319 <= 0.06 < 0.6 Skin Sens. 1 H317 ≥ 0.0015 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact				H301			
Eye Dam. 1H318 Aquatic Acute 1Aquatic Acute 1H400 Skin Sens. 1AAquatic Chronic 1H410 Acute Tox. 3Aquatic Chronic 1H410 Acute Tox. 3Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1ASkin Sens. 1AH317 H317A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-lisothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIIT (3:1) CAS No. CAS No. S5965-84-9Concentration< 0,001							
Aquatic Acute 1 H400 Skin Sens. 1A H317 Aquatic Chronic 1 H410 Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 ≥ 0.0015 Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 202-239-6] (3:1) / C(M)IT/MIIT (3:1) CAS No. 55965-84-9 Concentration < 0.001 % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Chronic 1 H410 Aquatic Chronic 1 H410 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 Skin Corr. 1C H314 $\ge 0.06 < 0.6$ Skin Irrit. 2 H315 $< 0.06 < 0.6$ Skin Irrit. 2 H315 $< 0.06 < 0.6$ Skin Irrit. 2 H315 $< 0.06 < 0.6$ Skin Sens. 1 H317 ≥ 0.0015 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact		Skin Corr. 1B		H314			
Skin Sens. 1AH317 Aquatic Chronic 1H317 H410 Acute Tox. 3Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1AH317 H317 >>= 0,0015 Aquatic Acute 1A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] Methyl-2H-isothiazol-3-dynatic Acute 1 H410 Methyl-2H-isothiazol-3-dynatic Acute 1 H410 Methyl-2H-isothiazol-3-dynatic Acute 1 H410 Methyl-2H-isothiazol-3-dynatic Acute 1 H410 Methyl-2H-isothiazol-3-dynatic Acute 1 H410 Methyl-2H-isothiazol-3-dynatic Acute 1 H410 Methyl-2H-isothiazol-3		Eye Dam. 1		H318			
Aquatic Chronic 1 H410 Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 >= 0,0015 Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) CAS No. 55965-84-9 Concentration < 0,001 % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 >= 0,6 Eye Irrit. 2 H319 <= 0,06 < 0,6 Skin Irrit. 2 H315 <= 0,06 < 0,6 Skin Irrit. 2 H315 <= 0,06 < 0,6 Skin Irrit. 2 H315 <= 0,0015 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Acute Tox. 3 H311 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1A H317 $>= 0,0015$ Aquatic Acute 1 H400 M = 10 A mixture of: 5-Chloro-2-methyl-b-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) CAS No. 55965-84-9 Concentration $< 0,001$ % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
$\begin{aligned} \hat{Skin Sens. 1A} & H317 & \Rightarrow = 0,0015 \\ Aquatic Acute 1 & H400 & M = 10 \\ \hline A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIIT (3:1) \\ CAS No. 55965-84-9 & 0,001 % \\ \hline Classification (Regulation (EC) No. 1272/2008) \\ Acute Tox. 2 & H330 \\ Aquatic Chronic 1 & H410 \\ Aquatic Acute 1 & H400 \\ Skin Sens. 1A & H317 \\ Skin Corr. 1C & H314 \\ Acute Tox. 2 & H310 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Sens. 1 & H317 \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Sens. 1 & H317 \\ Acute Tox. 1 & H319 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 1 & H319 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Sens. 1 & H317 \\ \Rightarrow = 0,06 < 0,6 \\ Skin Sens. 1 & H317 \\ \Rightarrow = 0,0015 \\ Aquatic Acute 1 & H410 \\ M = 100 \\ 1 \\ \hline \hline ECTION 4: First aid measures \\ After skin contact \\ Wash with plenty of water and soap. Do NOT use solvents or thinners. \\ After eye contact \\ \hline Wash with plenty of water and soap. Do NOT use solvents or thinners. \\ \hline \$							
$\begin{array}{c} Skin Sens. 1A & H317 & >= 0,0015\\ Aquatic Acute 1 & H400 & M = 10 \\ \end{array}{2}$ $\begin{array}{c} A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIIT (3:1) \\ CAS No. 55965-84-9 & 0,001 % \\ \hline Classification (Regulation (EC) No. 1272/2008) \\ Acute Tox. 2 & H330 \\ Aquatic Acute 1 & H400 \\ Skin Sens. 1A & H317 \\ Skin Corr. 1C & H314 \\ Acute Tox. 2 & H310 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Sens. 1 & H317 \\ Skin Corr. 1C & H314 \\ Acute Tox. 3 & H301 \\ \hline Concentration limits (Regulation (EC) No. 1272/2008) \\ Skin Corr. 1C & H314 \\ Acute Tox. 1 & H315 \\ Aquatic Acute 1 & H410 \\ Aquatic Acute 1 & H410 \\ Aquatic Acute 1 & H317 \\ >= 0,06 < 0,6 \\ Skin Sens. 1 & H317 \\ >= 0,0015 \\ Aquatic Acute 1 & H410 \\ M = 100 \\ 1 \\ \hline \hline \hline \hline \hline \hline \ \ \ \ \ \ \ \ \ \ \ \ \$	Concentration limits (R	egulation (EC) No.	. 1272/20	008)			
A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) CAS No. 55965-84-9 Concentration < 0,001 % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 >= 0,6 Eye Irrit. 2 H319 <= 0,6 < 0.6 Skin Irrit. 2 H315 <= 0,06 < 0.6 Skin Sens. 1 H317 >= 0,0015 Aquatic Acute 1 H410 M = 100 Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact					,0015		
2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) CAS No. 55965-84-9 Concentration < 0,001 % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 >= 0,6 Eye Irrit. 2 H319 <= 0,06 < 0,6 Skin Irrit. 2 H315 <= 0,06 < 0,6 Skin Irrit. 2 H315 <= 0,06 < 0,6 Skin Irrit. 2 H315 <= 0,06 < 0,6 Skin Sens. 1 H317 >= 0,0015 Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Concentration < 0,001 %	-Methyl-2H-isothiazol-	3-one [EC-no. 220					
Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 ≥ 0.6 Eye Irrit. 2 H319 $< 0.06 < 0.6$ Skin Irrit. 2 H315 $\leq 0.06 < 0.6$ Skin Sens. 1 H317 ≥ 0.0015 Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact		55965-64-9		/	0 001	0/_	
Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	Concentration				0,001	70	
Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	Classification (Regulat	ion (EC) No. 1272/	(2008)				
Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Irrit. 2 H315 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	(U			H330			
Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Irrit. 2 H315 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact		Aquatic Chronic 1		H410			
Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $\geq 0,6$ Eye Irrit. 2 H319 $\leq 0,06 < 0,6$ Skin Irrit. 2 H315 $\leq 0,06 < 0,6$ Skin Sens. 1 H317 $\geq 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact		Aquatic Acute 1		H400			
Acute Tox. 2 Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $\geq = 0,6$ Eye Irrit. 2 H319 $\leq = 0,06 < 0,6$ Skin Irrit. 2 H315 $\leq = 0,06 < 0,6$ Skin Sens. 1 H317 $\geq = 0,0015$ Aquatic Acute 1 H410 M = 100 1 ECTION 4: First aid measures Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Acute Tox. 3 H301 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Irrit. 2 H315 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Irrit. 2 H315 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Skin Corr. 1C H314 $>= 0,6$ Eye Irrit. 2 H319 $<= 0,06 < 0,6$ Skin Irrit. 2 H315 $<= 0,06 < 0,6$ Skin Sens. 1 H317 $>= 0,0015$ Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Eye Irrit. 2H319 $<= 0,06 < 0,6$ Skin Irrit. 2H315 $<= 0,06 < 0,6$ Skin Sens. 1H317 $>= 0,0015$ Aquatic Acute 1H410M = 100Aquatic ChronicH410M = 10011ECTION 4: First aid measuresAfter skin contactWash with plenty of water and soap. Do NOT use solvents or thinners.After eye contact	Concentration limits (R						
Skin Irrit. 2 H315 <= $0.06 < 0.6$ Skin Sens. 1 H317 >= 0.0015 Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Skin Sens. 1 H317 >= 0,0015 Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Aquatic Acute 1 H410 M = 100 Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Aquatic Chronic H410 M = 100 1 ECTION 4: First aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
ECTION 4: First aid measures A.1. Description of first aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
.1. Description of first aid measures After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact		1	11410	101 -	100		
After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	ION 4: First aid	measures					
After skin contact Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact							
Wash with plenty of water and soap. Do NOT use solvents or thinners. After eye contact	•						
After eye contact		ter and soan Do		solvant	e or thinn	are	
•		iter and suap. Du l		SOIVEIIL	อ บา แทบที่ไ	513.	
Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculi	•						
		n the eyes thoroug	hly with	water (1	5 min.). In	case of irrita	ation consult an oculist.
After ingestion	ter ingestion						
Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms tak medical treatment.		y with water. If larg	ger amou	unts are	swallowe	d or in the ev	ent of symptoms take
.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.			ects, b	oth ac	ute and	delayed	
.3. Indication of any immediate medical attention and special treatment needed			al atte	ntion a	and spe	cial treatn	nent needed

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Fashion-Spray 005, 100 ml

Version: 7 / GB

Date revised: 01.10.2020 Print date: 27.11.20

Substance number: 17190050005

Replaces Version: 6 / GB

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx)

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Store in frostfree conditions.

7.3. Specific end use(s)

Hobby varnish

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Exposure limit values

Glycerol		
List	EH40	
Туре	WEL	
Value	10	mg/m³
Status: 2011		-
Other information		

Trade name: Marabu Fashion-Spray	005, 100 ml	
	Version: 7 / GB	Date revised: 01.10.202
Substance number: 17190050005	Replaces Version: 6 / GB	Print date: 27.11.2
There are not known any furth	her control parameters.	
Derived No/Minimal Effect L	evels (DNEL/DMEL) ***	
Bronopol (INN)		
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure Mode of action	inhalative Systemic offects	
Concentration	Systemic effects 4,1	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term inhalative	
Route of exposure Mode of action	Systemic effects	
Concentration	12,3	mg/m³
Concentration	12,0	111g/111
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	<i>n i</i> .
Concentration	7	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	

ade name: Marabu Fashion-Spray (005, 100 ml		
	Version: 7 / GB	Date revised: 01.10.2	
ubstance number: 17190050005	Replaces Version: 6 / GB	Print date: 27.11.2	
Concentration	13	µg/cm²	
	Derived No Effect Level (DNEL)		
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	inhalative		
Mode of action	Systemic effects		
Concentration	1,2	mg/m³	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	inhalative		
Mode of action	Systemic effects		
Concentration	3,7	mg/m³	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	inhalative		
Mode of action	Local effects		
Concentration	1,3	mg/m³	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	inhalative		
Mode of action	Local effects	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
Concentration	1,3	mg/m³	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	dermal		
Mode of action	Systemic effects		
Concentration	1,4	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	dermal		
Mode of action	Systemic effects		
Concentration	4,2	mg/kg/d	
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Long term		
Route of exposure	dermal		
Mode of action	Local effects		
Concentration	8	µg/cm²	
	Dorived No Effect Level (DNEL)		
Type of value	Derived No Effect Level (DNEL)		
Reference group	Consumer		
Duration of exposure	Short term		
Route of exposure	dermal		
Mode of action	Local effects		
Concentration	8	µg/cm²	


hion-Spray 005, 100 90050005	Version: 7 / GB		Marab
90050005			Date revised: 01.10.2020
	Replaces Version:	6 / GB	Print date: 27.11.20
Deriv	ed No Effect Level (I	ONEL)	
Cons	umer		
sure Long	term		
e oral			
Syste			
	0,35	r	mg/kg/d
Deriv	ed No Effect Level (I	ONEL)	
sure Short	term		
e oral			
Syste	mic effects		
	1,1	r	mg/kg/d
ct Concentration ((PNEC) ***		
PNEC	2		
Fresh	water		
	0,01	r	mg/l
PNE	2		
Saltw	ater		
	0,001	r	mg/l
PNE(2		
Wate	r (intermittent releas	e)	
	0,003	,	mg/l
PNE	2		
		STP)	
	0,43	,	mg/l
PNF	2		
	0,041	r	mg/kg
	`		
Iviaiiii		,	mg/kg
	0,003	I	пу/ку
)		
Soil	0,5	r	mg/kg
	Syste ure Short oral Syste ct Concentration (PNEC Fresh PNEC Saltw PNEC Sewa PNEC Sewa PNEC Sewa PNEC Sewa	Systemic effects 0,35 Derived No Effect Level (I Consumer Short term a oral Systemic effects 1,1 ct Concentration (PNEC) *** PNEC Freshwater 0,01 PNEC Saltwater 0,001 PNEC Water (intermittent release 0,003 PNEC Sewage treatment plant (3 0,43 PNEC Freshwater sediment 0,041 PNEC Marine sediment 0,003 PNEC	Systemic effects 0,35 r Derived No Effect Level (DNEL) Consumer oral Systemic effects 1,1 r ct Concentration (PNEC) *** PNEC Freshwater 0,01 r PNEC Saltwater 0,001 r PNEC Water (intermittent release) 0,003 r PNEC Sewage treatment plant (STP) 0,43 r PNEC Freshwater sediment 0,041 r PNEC PNEC PNEC Sewage treatment plant (STP) 0,43 r

Safety data sheet in accordance with	regulati	on (EC) No	o 1907/2	2006		
Trade name: Marabu Fashion-Spray 00		nl Version: 7	7 / GB			Date revised: 01.10.2020
Substance number: 17190050005		Replaces V		6 / GB		Print date: 27.11.20
Remarks	No dat	a available				
pH value						
Value		8	to	10		
Temperature		20	°C			
Method	WTW I	PH 340				
Melting point						
Remarks	not det	ermined				
Freezing point						
Remarks	not det	ermined				
Initial boiling point and boiling	a range	2				
Value	appr.	100			°C	
Pressure	~~~''	1.013	hPa		-	
Source	Literatu	ure value				
Flash point						
Remarks	Not ap	plicable				
Evaporation rate (ether = 1) :	norup	phoablo				
Remarks	not dot	ermined				
	not det	erminea				
Flammability (solid, gas) Not applicable						
Upper/lower flammability or e	xplosiv	e limits				
Remarks	not det	ermined				
Vapour pressure						
Value	appr.	23			hPa	
Temperature		20	°C			
Method	Value t	aken from	the litera	ature		
Vapour density						
Remarks	not det	ermined				
Density						
Value		1,02			g/cm ³	
Temperature		20	°C		g/cm²	
Method	DIN EN	N ISO 2811	-			
Solubility in water						
Remarks	miscibl	۵				
Ignition temperature	11130101					
Remarks	not det	ermined				
	not det	ermined				
Viscosity						
Remarks Remarks	not det	ermined				
SECTION 10: Stability and r	oactiv	/itv/				
-	Juon	<u>, , , , , , , , , , , , , , , , , , , </u>				
10.1. Reactivity None						
10.2. Chemical stability No hazardous reactions known.						
10.3. Possibility of hazardous r No hazardous reactions known.	eactio	ns				
10.4. Conditions to avoid						

Acute oral toxicity (ComponePyrithione zincSpeciesSpeciesRebolMethodAcute dermal toxicityRemarksAcute inhalational toxicityRemarksAcute inhalative toxicity (ComponePyrithione zincSpeciesSpeciesC50Administration/FormMethodSkin corrosion/irritationRemarksRemarks	Version: 7 Replaces V n products roducts known. information cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	Version: data, the data, the	classification c mg/k classification c	g
No hazardous reactions known. 10.5. Incompatible materials None 10.6. Hazardous decomposition provided to the second second second position provided to the second seco	n products roducts known. <u>information</u> cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the data, the	classification c mg/k classification c	criteria are not met.
10.5. Incompatible materials None 10.6. Hazardous decomposition provides and the provides decomposition provides and the provides decomposition provides decomposite decomposition provides decomposition provides	n products roducts known. <u>information</u> cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
None 10.6. Hazardous decomposition No hazardous decomposition pro- SECTION 11: Toxicological 11.1. Information on toxicologic Acute oral toxicity Remarks B Acute oral toxicity (Compone Pyrithione zinc Species R LD50 Method O Acute dermal toxicity Remarks B Acute inhalational toxicity Remarks B Acute inhalative toxicity (Com Pyrithione zinc Species ra LC50 Administration/Form D Method O Skin corrosion/irritation Remarks B	roducts known. <u>information</u> cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
No hazardous decomposition pro- SECTION 11: Toxicological 11.1. Information on toxicologic Acute oral toxicity Remarks B Acute oral toxicity (Compone Pyrithione zinc Species R LD50 Method O Acute dermal toxicity Remarks B Acute inhalational toxicity Remarks B Acute inhalative toxicity (Com Pyrithione zinc Species ra LC50 Administration/Form D Method O Skin corrosion/irritation Remarks B	roducts known. <u>information</u> cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
11.1. Information on toxicologic Acute oral toxicity Remarks B Acute oral toxicity (Compone Pyrithione zinc Species R LD50 0 Method 0 Acute inhalational toxicity B Acute inhalative toxicity (Compone B Acute dermal toxicity Remarks Remarks B Acute inhalational toxicity Compone Pyrithione zinc Species Species ra LC50 7 Administration/Form D Method 0 Skin corrosion/irritation B Remarks B	cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
11.1. Information on toxicologic Acute oral toxicity Remarks B Acute oral toxicity (Compone Pyrithione zinc Species R LD50 0 Method 0 Acute inhalational toxicity B Acute inhalative toxicity (Compone B Acute dermal toxicity Remarks Remarks B Acute inhalational toxicity Compone Pyrithione zinc Species Species ra LC50 7 Administration/Form D Method 0 Skin corrosion/irritation B Remarks B	cal effects ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
Acute oral toxicity RemarksBAcute oral toxicity (Compone Pyrithione zinc SpeciesBPyrithione zinc MethodCAcute dermal toxicity RemarksBAcute inhalational toxicity RemarksBAcute inhalative toxicity (Compone Pyrithione zinc SpeciesCPyrithione zinc SpeciesCAcute inhalative toxicity (Compone Administration/FormDMethodOSkin corrosion/irritation RemarksBAcute inhalationDMethodOSpeciesradiusRemarksBAdministration/FormDMethodOSkin corrosion/irritation RemarksB	ased on available d nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
RemarksBAcute oral toxicity (ComponePyrithione zincSpeciesRLD50OMethodOAcute dermal toxicityRemarksBAcute inhalational toxicityRemarksBAcute inhalative toxicity (ComPyrithione zincSpeciesraLC50Administration/FormDMethodOSkin corrosion/irritationBRemarksB	nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
Acute oral toxicity (ComponePyrithione zincSpeciesSpeciesRemoteMethodOAcute dermal toxicityRemarksAcute inhalational toxicityRemarksAcute inhalative toxicity (ComponePyrithione zincSpeciesSpeciesC50Administration/FormMethodOSkin corrosion/irritationRemarksRemarksRemarks	nts) ats (male/female) 269 ECD 401 ased on available d ased on available d	data, the	mg/k classification c	g
Pyrithione zincSpeciesRLD50OMethodOAcute dermal toxicityRemarksRemarksBAcute inhalational toxicityRemarksRemarksBAcute inhalative toxicity (Commentation Commentation)Pyrithione zincSpeciesrateLC50Administration/FormDMethodOSkin corrosion/irritationRemarksRemarksB	ats (male/female) 269 ECD 401 ased on available d ased on available d		classification c	-
SpeciesRLD50MethodOMethodOAcute dermal toxicityRemarksBAcute inhalational toxicityRemarksBAcute inhalative toxicity (Compared to the second to the	269 ECD 401 ased on available d ased on available d		classification c	-
LD50 Method O Acute dermal toxicity Remarks B Acute inhalational toxicity Remarks B Acute inhalative toxicity (Corr Pyrithione zinc Species ra LC50 Administration/Form D Method O Skin corrosion/irritation	269 ECD 401 ased on available d ased on available d		classification c	-
MethodOAcute dermal toxicity RemarksBAcute inhalational toxicity RemarksBAcute inhalative toxicity (Corr Pyrithione zinc Species Administration/Form MethodCSkin corrosion/irritation RemarksDKemarksBAdministration/Form MethodDSkin corrosion/irritationDRemarksB	ECD 401 ased on available d ased on available d		classification c	-
RemarksBAcute inhalational toxicityRemarksBAcute inhalative toxicity (CompletePyrithione zincSpeciesSpeciesC50Administration/FormDMethodOSkin corrosion/irritationRemarksB	ased on available d			riteria are not met.
RemarksBAcute inhalational toxicityRemarksBAcute inhalative toxicity (CompletePyrithione zincSpeciesSpeciesC50Administration/FormDMethodOSkin corrosion/irritationRemarksB	ased on available d			riteria are not met.
Acute inhalational toxicity Remarks B Acute inhalative toxicity (Com Pyrithione zinc Species ra LC50 Administration/Form D Method O Skin corrosion/irritation	ased on available d			
RemarksBAcute inhalative toxicity (ComPyrithione zincSpeciesraLC50DAdministration/FormDMethodOSkin corrosion/irritationRemarksB		data, the	-l	
Acute inhalative toxicity (Com Pyrithione zinc Species ra LC50 Administration/Form D Method O Skin corrosion/irritation Remarks B			riassitiration r	riteria are not met
Pyrithione zincSpeciesraLC50Administration/FormAdministration/FormDMethodOSkin corrosion/irritationRemarksB	iponents)			
SpeciesraLC50Administration/FormDMethodOSkin corrosion/irritationBRemarksB				
LC50 Administration/Form D Method O Skin corrosion/irritation Remarks B	+			
Administration/Form D Method O Skin corrosion/irritation Remarks B	0,84		mg/l	
Skin corrosion/irritation Remarks B	ust/Mist			
Remarks B	ECD 403			
	ased on available d	data, the	classification c	riteria are not met.
Serious eye damage/irritation				
Remarks B	ased on available d	data, the	classification c	riteria are not met.
Sensitization				
Remarks B	ased on available d	data, the	classification c	riteria are not met.
Mutagenicity		-		
C 1	ased on available d	data, the	classification c	riteria are not met.
Reproductive toxicity		,		
	ased on available d	data, the	classification c	riteria are not met.
Carcinogenicity				
C 1	ased on available d	lata the	classification c	riteria are not met
Specific Target Organ Toxicit			classification c	
Single exposure Remarks B	and an available d	data tha	oloopification o	ritaria ara nat mat
	ased on available d	iala, ine	classification c	interia are not met.
Repeated exposure	and an available d	data tha	oloopification o	vitaria ara nat mat
	ased on available d	iaia, ine	นสรรแม่สแบบ ต	חוברום מוב ווטו ווופו.
Aspiration hazard				
Based on available data, the cla Experience in practice	assification criteria a	are not m	iet.	

rade name: Marabu Fashion-Sp	oray 005, 100 ml			
,		on: 7/GB		Marab Date revised: 01.10.2020
Substance number: 1719005000	95 Replac	ces Version: 6	/ GB	Print date: 27.11.20
risk to health can be expe	ected.			
Other information				
There are no data availat	ole on the mixture itse	əlf.		
The mixture has been as 1272/2008 and classified				Regulation (EC) No
ECTION 12: Ecologica	Il information			
12.1. Toxicity				
General information				
There are no data availat mixture has been assess and is not classified as da	ed following the sum	mation method c		or water courses.The gulation (EC) No 1272/2008
Fish toxicity (Componer	nts)			
Pyrithione zinc				
Species	rainbow trout (O	ncorhynchus my		
LC50	0,14	L	mg/l	
Duration of exposure	96	h		
Bronopol (INN)			、	
Species	rainbow trout (O	ncorhynchus my		
LC50	3	L.	mg/l	
Duration of exposure Method	96 OECD 203	h		
	0200200			
Bronopol (INN) Species	rainbow trout (O	ncorbynchus m	(kiec)	
NOEC	2,61	ficorryfichus my	mg/l	
Duration of exposure	2,01	d	iiig/i	
Method	OECD 203	u		
A mixture of: 5-Chloro-2-i		I-3-one [EC-no.	247-500-7] a	nd
2-Methyl-2H-isothiazol-3-				
Species	rainbow trout (O	ncorhynchus my		
LC50	0,188		mg/l	
Duration of exposure	96	h		
Daphnia toxicity (Compo	onents)			
Pyrithione zinc				
Species	Daphnia magna			
EC50	0,05		mg/l	
Duration of exposure	48	h		
Bronopol (INN)				
Species	Daphnia magna			
EC50	1,04		mg/l	
Duration of exposure	48	h		
Method	OECD 202			
Bronopol (INN)	Destate			
Species NOEC	Daphnia magna		~~~~/l	
Duration of exposure	0,06 21	d	mg/l	
Method	OECD 211	u		
A mixture of: 5-Chloro-2-i		I-3-one [EC-no.	247-500-71 a	nd
2-Methyl-2H-isothiazol-3-				
	Daphnia magna			
Species EC50	Daphnia magna 0,126		mg/l	

	ray 005, 100 ml			
	Ve	rsion: 7/GB		Date revised: 01.10.202
Substance number: 1719005000	5 Re	places Version:	6 / GB	Print date: 27.11.2
Algae toxicity (Compone	ents)			
Pyrithione zinc				
Species	Selenastrum	capricornutum		
IC50	0,06		mg/l	
Duration of exposure	72	h		
Bronopol (INN)				
Species		neriella subcapi		
EC50	0,06 72		mg/l	
Duration of exposure Method	0ECD 201	h		
	0ECD 201			
Bronopol (INN) Species	Peoudokirch	noriolla subcani	ata	
NOEC	0,00	neriella subcapi [.] 25	mg/l	
Duration of exposure	72	h	mg/i	
Method	OECD 201			
A mixture of: 5-Chloro-2- 2-Methyl-2H-isothiazol-3- Species EC50	one [EC-no. 220- Selenastrum 0,02	• 239-6] (3:1) / C capricornutum 7		
Duration of exposure	72	h		
2.2. Persistence and deg	radability			
General information				
There are no data availab	le on the mixture	iteolf		
2.3. Bioaccumulative pote General information There are no data availab		itself.		
2.4. Mobility in soil				
General information				
There are no data availab	ble on the mixture	itself.		
2.5. Results of PBT and v	PvB assessm	nent		
General information				
There are no data availab	le on the mixture	itself.		
2.6. Other adverse effects				
General information				
There are no data availab	ole on the mixture	itself.		
ECTION 13: Disposal	consideratio	ons		
3.1. Waste treatment met	hods			
		duct		
Disposal recommendation	-			
Do not allow to enter drai Dispose of waste accordi Dispose of as hazardous	ng to applicable l			
Disposal recommendation	ons for packag	jing		
Packaging that cannot be Completely emptied pack				
ECTION 14: Transport		_		



14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC ***

••			
VOC (EU)	0	%	
VOC (EU)		0	g/l

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the PICCS inventory.

- All components are contained in the ECL inventory.
- All components are contained in the DSL or NDSL inventory.
- All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Date revised: 01.10.2020 Print date: 27.11.20

Safety data sheet in accordance with regulation (EC) No 1907/2006

rade name:	Marabu Fashion-Spray 005, 100 m

Substance number: 17190050005

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	_	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Version: 7/GB

Replaces Version: 6 / GB

Marabu

Yersion: 7.YGB Date revised: 01.10.2 Substance number: 17190050005 Replaces Version: 6.YGB Print date: 27.1 Hazard statements listed in Chapter 3 Hay 1 Toxic if swallowed. H301 Toxic if swallowed. Hay 1 H311 Toxic in contact with skin. Hay 1 H311 Toxic in contact with skin. H311 Toxic in contact with skin. H314 Causes server skin burns and eye damage. H355 Causes server skin burns and eye damage. H331 Toxic if inhaled. H332 Harmful in contact with skin. H313 Causes server skin burns and eye damage. H335 Causes an allergic skin reaction. H335 May cause respiratory irritation. H410 Yery toxic to aquatic life with long lasting effects. H410 Yery toxic to aquatic life with long lasting effects. H411 Hazardous to the aquatic environment, acute, Category 1 Acute Tox. 2 Acute toxicity, Category 18 Skin Corr 10 Skin corrosion, Category 18 Skin Corr 10 Skin corrosion, Category 19 Skin Corr 12 Skin corrosion, Category 18 <	Substance number: 17190050005 Replaces Version: 6 / GB Print date: Hazard statements listed in Chapter 3 H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes sevince skin interaction. H318 Causes sevince skin reaction. H319 Toxic if inhaled. H332 Harmful i inhaled. H333 Toxic if inhaled. H334 Causes serious eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life. H411 Toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life. H411 Toxic to aquatic life. H410 Very toxic to aquatic life. Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 4 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 1	
Hazard statements listed in Chapter 3 H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H312 Harmful if swallowed. H313 Toxic in contact with skin. H314 Causes server skin burns and eye damage. H315 Causes server skin burns and eye damage. H316 Causes server skin burns and eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled. H333 Toxic if inhaled. H334 Toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411	Hazard statements listed in Chapter 3 H301 Toxic if swallowed. H302 Harmfull swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H312 Harmfull in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmfull inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Hazardous to the aquatic environment, acute, Category 1 Acute Tox. 2 Acute toxicity, Category 2 Acute Tor. 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, C	27.11.
H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H333May cause enspiratory irritation.H400Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 10Skin Corr. 1BSkin corrosion, Category 10Skin InformationSpecific product properties and shall not establish a l	H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H212Hazardous to the aquatic environment, acute, Category 1Acute Tox. 2Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1ASTOT SE 3Specific t	
H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H333May cause enspiratory irritation.H400Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 10Skin Corr. 1BSkin corrosion, Category 10Skin InformationSpecific product properties and shall not establish a l	H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H212Hazardous to the aquatic environment, acute, Category 1Acute Tox. 2Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1ASTOT SE 3Specific t	
H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes sevine skin burns and eye damage.H316Causes sevine skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H410Very toxic to aquatic life.H411Toxic to aquatic life.Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 10Skin Corr. 16Skin corrosion, Category 11Skin Sens. 1ASkin sensitiztion, Category 14Storf SE 3Specific target organ toxicity - single exposure, Category 3Supplemental information	H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes skin irritation.H315Causes skin irritation.H316Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life with long lasting effects.H411Toxic of aquatic life with long lasting effects.H411Toxic aquatic life with long lasting effects.H411Toxic aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 3Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 10Skin Corr. 1BSkin corrosion, Category 10Skin Irrit. 2Skin irritation, Category 10	
H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H333May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life.H411Toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1BSkin Corr. 1BSkin corrosion, Category 1BSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationstafety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environment al spects of the product and should not be construct and should not be construct and obtaining written handling instructions.Acute Tox. 1Safety Data Sheet is based on the present state of the soferier sorton1, the user is responsible for ensuing tha	H310Fatal in contact with skin.H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes serious eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1AStrin Sens. 1ASkin sensitization, Category 1AStrin Sens. 1ASkin sensitization, Category 1AStrin Sens. 1ASterif target organ toxicity - single exposure, Category 3Supplemental informationsheat of knowledge. However, it should not constitue a quarantee for any specific product properties and shall not establish a legally valid relationship.<	
H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes server skin burns and eye damage.H315Causes server skin burns and eye damage.H316Causes service servic	H311Toxic in contact with skin.H312Harmful in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H316Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Hazardous to the aquatic environment, acute, Category 1Acute Tox. 2Acute toxicity, Category 2Acute Tox. 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious ey	
H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1AStin Irrit. 2Skin irritation, Category 1AStrin Sens. 1ASkin sens. 1AStin Irrit. 3Specific target organ toxicity - single exposure, Category 3Supplemental information<	H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H214Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 10Skin corrosion, Category 18Skin Corr. 11Skin corrosion, Category 18Skin Irrit. 2Skin irritation, Category 10Skin Irrit. 2Skin irritation, Category 10Skin Irrit. 2Skin irritation, Category 10 <t< td=""><td></td></t<>	
H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Chronic 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 10Skin corrosion, Category 10Skin Corr. 11Skin corrosion, Category 10Skin Corr. 12Skin corrosion, Category 10Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should	H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic of aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the prod	
H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic via ouquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 3Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin carget to target or grant toxicity - single exposure, Category 3Supplemental informationSpecific target organ toxicity - single exposure, Category 3Supplemental information.Relevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purpose other than those shown in Section 1 without first referring to th	H317May cause an allergic skin reaction.H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1BSkin Corr. 1BSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 1AS	
H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic of aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1BSkin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin is crosion, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.As the specific conditions of use of	H318Causes serious eye damage.H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1CSkin corrosion, Category 1BSkin Corr. 1CSkin irritation, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information in this Safety Data Sheet is based on the present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without fi	
H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. CLP categories listed in Chapter 3 Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 4 Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2 Eye Dam. 1 Serious eye damage, Category 1 Skin Corr. 1B Skin corrosion, Category 1B Skin Corr. 1C Skin sensitization, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. <	H330Fatal if inhaled.H331Toxic if inhaled.H332Harmful if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1CSkin Sens. 1ASkin corrosion, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and	
H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Acute 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1AStor Stages compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.Applier and obtaining written handling instructions. The information contained in this safety data sheet does not constitute the user's own assessment of	H331Toxic if inhaled.H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1AStor Stor Stor Stor Store Store and the previous version of the safety data sheet are marked with: ***This informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information in this Safety Data Sheet is based on the present state of knowledge. However, it should not constitute a guarantee for any specific properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product any should not be construed as any guarantee of technical performance or suitability for particular applications.The information in bus safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be	
H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handing instructions. The information contained in this safety data sheet does not constitute the user's	H332Harmful if inhaled.H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1BSkin Corr. 1BSkin corrosion, Category 1AStin Sens. 1ASkin irritation, Category 2Skin Sens. 1ASkin is ensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Acute 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The information in the safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The information in the safety and environmental aspects of the product and should not be	H335May cause respiratory irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 3Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin irritation, Category 1AStor Stor SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin corrosion, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.As the specific conditions of use of the product are coustide the supplier's control, the user is responsible for ensuring that the requirements of relevant legis	H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1Skin Corr. 1CSkin corrosion, Category 1Skin Sens. 1ASkin sensitization, Category 1StroT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions	
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. CLP categories listed in Chapter 3 Acute Tox. 2 Acute Tox. 3 Acute toxicity, Category 2 Acute Tox. 4 Acute toxicity, Category 4 Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2 Eye Dam. 1 Serious eye damage, Category 1 Skin Corr. 1B Skin corrosion, Category 2 Skin Corr. 1B Skin corrosion, Category 1A Stin Sens. 1A Skin sensitization, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee	H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.CLP categories listed in Chapter 3Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Acute 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1AStor Star 2Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
H411 Toxic to aquatic life with long lasting effects. CLP categories listed in Chapter 3 Acute Tox. 2 Acute Tox. 3 Acute toxicity, Category 2 Acute Tox. 4 Acute toxicity, Category 4 Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Skin Corr. 1B Skin corrosion, Category 10 Skin Corr. 1B Skin corrosion, Category 10 Skin Corr. 1C Skin sensitization, Category 10 Skin Sens. 1A Skin sensitization, Category 10 Stor St 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be cons	H411 Toxic to aquatic life with long lasting effects. CLP categories listed in Chapter 3 Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 3 Acute Tox. 4 Acute toxicity, Category 4 Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 1 Skin Corr. 1B Skin corrosion, Category 1B Skin Corr. 1C Skin sensitization, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or su	
CLP categories listed in Chapter 3 Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 3 Acute Tox. 4 Acute toxicity, Category 4 Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2 Eye Dam. 1 Serious eye damage, Category 1 Skin Corr. 1B Skin corrosion, Category 1C Skin Corr. 1C Skin corrosion, Category 1 Skin Corr. 1C Skin in corrosion, Category 1 Skin Sens. 1A Skin sensitization, Category 2 Skin Sens. 1A Skin sensitization, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the pro	CLP categories listed in Chapter 3 Acute Tox. 2 Acute toxicity, Category 2 Acute Tox. 3 Acute toxicity, Category 3 Acute Tox. 4 Acute toxicity, Category 4 Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2 Eye Dam. 1 Serious eye damage, Category 1 Skin Corr. 1B Skin corrosion, Category 1B Skin Corr. 1C Skin corrosion, Category 1C Skin Skin Sens. 1A Skin irritation, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer	
Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 3Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Suplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Acute Tox. 2Acute toxicity, Category 2Acute Tox. 3Acute toxicity, Category 3Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Acute Tox. 3Acute toxicity, Category 3Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sens. 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are compiled with. The information contained in this safety data sheet does not constitute the user's own assessment of	Acute Tox. 3Acute toxicity, Category 3Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information containe	Acute Tox. 4Acute toxicity, Category 4Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Aquatic Acute 1Hazardous to the aquatic environment, acute, Category 1Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Aquatic Chronic 1Hazardous to the aquatic environment, chronic, Category 1Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 2Skin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 1CSkin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of rechnical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Aquatic Chronic 2Hazardous to the aquatic environment, chronic, Category 2Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Eye Dam. 1Serious eye damage, Category 1Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Skin Corr. 1BSkin corrosion, Category 1BSkin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Skin Corr. 1C Skin corrosion, Category 1C Skin Irrit. 2 Skin irritation, Category 2 Skin Sens. 1A Skin sensitization, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Skin Corr. 1CSkin corrosion, Category 1CSkin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Skin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.The information contained in this safety data sheet does not constitute the user's own assessment of	Skin Irrit. 2Skin irritation, Category 2Skin Sens. 1ASkin sensitization, Category 1ASTOT SE 3Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: ***This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
Skin Sens. 1A Skin sensitization, Category 1A STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	Skin Sens. 1A STOT SE 3Skin sensitization, Category 1A Specific target organ toxicity - single exposure, Category 3Supplemental informationRelevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
 STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	 STOT SE 3 Specific target organ toxicity - single exposure, Category 3 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of 	 Supplemental information Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions. 	
 Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	 Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
 guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of 	guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
 The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of 	The information in this Safety Data Sheet is based on the present state of knowledge and current legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
 legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of 	legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	The product should not be used for purposes other than those shown in Section 1 without first refer to the supplier and obtaining written handling instructions.	
to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	to the supplier and obtaining written handling instructions.	ina
As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of		ing
for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet does not constitute the user's own assessment of	As the specific conditions of use of the product are outside the supplier's control, the user is respon	eihla
The information contained in this safety data sheet does not constitute the user's own assessment of		SIDIE
		of
		//