Safety data sheet in accorda	nce with regula	ation (EC) No 1907/2	006	
Trade name: Marabu-Fashion	SpraySort3x100)mlIndiSp 092 Version: 4 /		Marabu Marabu
Substance number: 1719000	82-092	Replaces Version:	3 / WORLD	Date revised: 09.01.2020 Print date: 10.01.20
	tion of the			
SECTION 1: Identifica company/undertaking		substance/m	ixture and of	the
1.1. Product identifier Marabu-FashionSpray	_	liSp 092		
1.2. Relevant identified	uses of the s	substance or mix	ture and uses	advised against
Use of the substance/pr Spray paint Identified Uses				
SU21 PC9a		es: Private household paints, thinners, paint		= consumers)
1.3. Details of the suppl		ety data sheet		
Address/Manufacture Marabu GmbH & Co. Asperger Strasse 4 71732 Tamm Germany Telephone no. Fax no. Information provided by / telephone E-mail address of person responsible for this SDS		-147 oduct safety	18/10 Pionee Thornleigh M Tel: 1300 731 Emergency C	NSW 2120 529 Fax: 1300 739 715 Contact: ale Pty. Limited
1.4. Emergency telepho (+49) (0)621-60-43333	3			
SECTION 2: Hazards				
2.1. Classification of the This product is not cla			Regulation (EC) N	lo 1272/2008.
2.2. Label elements				
Labelling according	y to regulatio	n (EC) No 1272/2	2008	
EUH208 Contains ***	5-Chloro-2-me		ne [EC-no. 247-50	00-7] and) / C(M)IT/MIT (3:1), May
Supplemental inform	ation			
Labelling according t Contains a biocidal pr 2-Methyl-2H-isothiazo	oduct: A mixture	of: 5-Chloro-2-methy	/l-2h-isothiazol-3-c	ne [EC-no. 247-500-7] and
2-Metry-21 Hootina20 2.3. Other hazards No special hazards ha SECTION 3: Compos	ave to be mentio	ned.		

3.2. Mixtures

Chemical characterization

rade name: Marabu-Fash	ionSpraySort3x10	00mlIndiSp Version:				Marabu Date revised: 09.01.2020
Substance number: 17190	0082-092	Replace	s Versio	on: 3/W	ORLD	Print date: 10.01.20
Spray paint based	on acrylic resins a	and on wate	r			
Hazardous ingredie	ents ***					
Bronopol (INN)						
CAS No.	52-51-7					
EINECS no. Registration no.	200-143-0 01-21199809	38-15				
Concentration	>=	0,01	<	0,1	%	
Classification (Reg	ulation (EC) No. 1	272/2008)				
	Eye Dam. 1		H318			
	Skin Irrit. 2		H315			
	STOT SE 3		H335			
	Acute Tox. 4		H302			
	Acute Tox. 4 Aquatic Acute	- 1	H312 H400			
	Aquatic Acut		H410			
Concentration limits	Regulation (EC) No 1272/	2008)			
Concentration inna	Aquatic Acute			= 10		
	Aquatic Chro 1					
Pyrithione zinc						
CAS No.	13463-41-7					
EINECS no.	236-671-3	06.46				
Registration no. Concentration	01-21195111 >=	96-46 0,01	<	0,025	%	
Classification (Reg	ulation (EC) No. 1	272/2008)				
Classification (reg	Acute Tox. 3	212/2000)	H301			
	Acute Tox. 3		H331			
	Eye Dam. 1		H318			
	Aquatic Acute		H400			
	Aquatic Chro	nic 1	H410			
Concentration limits				100		
	Aquatic Acute Aquatic Chro			= 100 = 10		
	1					
Pyridin-2-thiol-1-oxi CAS No.	de, sodium salt 3811-73-2					
EINECS no.	223-296-5					
Concentration	>=	0,001	<	0,1	%	
Classification (Reg	ulation (EC) No. 1	272/2008)				
	Eye Dam. 1	_,_,2000)	H318			
	Acute Tox. 4		H302			
	Acute Tox. 4		H332			
	Aquatic Acute Aquatic Chro		H400 H411			
Concentration limits	s (Regulation (EC) No. 1272/	2008)			
O Method Old Seatt Se	Aquatic Acute	e 1 H400) M =	= 100		
2-Methyl-2H-isothia CAS No.	zol-3-one 2682-20-4					
EINECS no.	2002-20-4 220-239-6					
	0			0,0015	%	

Safety data sheet in accorda	ance with regulat	ion (EC)	No 1907	/2006		
Trade name: Marabu-Fashior		•				
Substance number: 1719000		Version: Replace:		: 3/WC	RLD	Date revised: 09.01.2020 Print date: 10.01.20
Classification (Regula	Acute Tox. 3 Acute Tox. 2 Skin Corr. 1B Eye Dam. 1 Aquatic Acute 1 Skin Sens. 1A Aquatic Chronic Acute Tox. 3	1	H301 H330 H314 H318 H400 H317 H410 H311			
Concentration limits (Skin Sens. 1A Aquatic Acute 1	H317	>= 0	,0015 10		
A mixture of: 5-Chloro 2-Methyl-2H-isothiazo	I-3-one [EC-no. 2					ł
CAS No. Concentration	55965-84-9		<	0,0015	%	
Classification (Regula	Acute Tox. 3 Aquatic Chronic Aquatic Acute 1 Skin Sens. 1 Skin Corr. 1B Acute Tox. 3 Acute Tox. 3		H331 H410 H400 H317 H314 H311 H301			
Concentration limits (Regulation (EC) N Skin Corr. 1B Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H314	>= 0 <= 0 <= 0	,6 ,06 < 0,6 ,06 < 0,6 ,0015		
After ingestion	aid measures vater and soap. Do	NOT us	water (1	5 min.). lı	n case of irr	itation consult an oculist. event of symptoms take
4.2. Most important syn Until now no sympton		fects, k	ooth ac	ute and	delayed	
4.3. Indication of any in Hints for the physicia Treat symptomatically	an / treatment	ical atte	ention a	and spe	cial treat	ment needed
SECTION 5: Firefight 5.1. Extinguishing med		<u>es</u>				

Г

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-FashionSpraySort3x100mlIndiSp 092

Version: 4 /

Substance number: 171900082-092

Replaces Version: 3 / WORLD

Date revised: 09.01.2020

Print date: 10.01.20



Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx)

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Hobby varnish

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL) ***

Bronopol (INN) Type of value

Type of value	Derived No Effect Level (DNEL)
Reference group	Worker
Duration of exposure	Long term
Route of exposure	inhalative
Mode of action	Systemic effects
Concentration	4,1

mg/m³

rade name: Marabu-FashionSpraySo	rt3x100mlIndiSp 092	ΔV
	Version: 4 /	Date revised: 09.01.2020
Substance number: 171900082-092	Replaces Version: 3 / WORLD	Print date: 10.01.20
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action Concentration	Systemic effects 12,3	mg/m³
	Derived No Effect Level (DNEL)	C C
Type of value	Derived No Effect Level (DNEL) Worker	
Reference group Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL) Worker	
Reference group	VVORKER Short term	
Duration of exposure		
Route of exposure Mode of action	inhalative	
	Local effects	m m /m 3
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	7	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	

rade name: Marabu-FashionSpraySo	rt3x100mlIndiSp 092 Version: 4 /	Marabu Data raviaad: 00.01.2020
Substance number: 171900082-092	Replaces Version: 3 / WORLD	Date revised: 09.01.2020 Print date: 10.01.20
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,7	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure Mode of action	inhalative Local effects	
Concentration	1,3	mg/m³
Concentration	1,5	ing/in-
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer Short term	
Duration of exposure Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,4	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	1 2
Concentration	8	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action Concentration	Local effects 8	µg/cm²
Type of value Reference group	Derived No Effect Level (DNEL) Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,35	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	oral	

rade name: Marabu-FashionSpraySo	rt3x100mlIndiSp 092	
	Version: 4 /	Date revised: 09.01.202
Substance number: 171900082-092	Replaces Version: 3 / WORLD	Print date: 10.01.2
Mode of action	Systemic effects	
Concentration	1,1	mg/kg/d
Predicted No Effect Concent	ration (PNEC) ***	
Bronopol (INN)		
Type of value	PNEC	
Туре	Freshwater	
Concentration	0,01	mg/l
	PNEC	
Type of value Type	Saltwater	
Concentration	0,001	ma/l
Concentration	0,001	mg/l
Type of value	PNEC	
Туре	Water (intermittent release)	
Concentration	0,003	mg/l
Type of value	PNEC	
Туре	Sewage treatment plant (STP)	
Concentration	0,43	mg/l
- / .	DUEO	
Type of value	PNEC	
Type Concentration	Freshwater sediment	
Concentration	0,041	mg/kg
Type of value	PNEC	
Туре	Marine sediment	
Concentration	0,003	mg/kg
Type of value	PNEC	
Туре	Soil	
Concentration	0,5	mg/kg
3.2. Exposure controls		
Exposure controls		
Provide adequate ventilation.		
ECTION 9: Physical and c	hemical properties	
1.1. Information on basic phys	liquid	
Colour	coloured	
Odour	odourless	
Odour threshold		
Remarks	No data available	
pH value	•	
Value	8 to 10	
Temperature Method	20 °C WTW PH 340	
Melting point Remarks	not determined	
ινσιπαικδ		
Examples maint		
Freezing point Remarks	not determined	

Trade name: Marabu-FashionSpraySort Substance number: 171900082-092	١	/ersion: 4	4 /	3 / WORLI	r	Marabu Date revised: 09.01.2020 Print date: 10.01.20
	•					
Initial boiling point and boiling						
Value Pressure	appr.	100 1.013	hPa		°C	
Source	Literatu	re value	пга			
Flash point						
Remarks	Not app	licable				
Evaporation rate (ether = 1) :						
Remarks	not dete	ermined				
Flammability (solid, gas) Not applicable						
Upper/lower flammability or e	xplosive	e limits				
Remarks	not dete	ermined				
Vapour pressure						
Value	appr.	23			hPa	
Temperature Method	Value ta	20 aken from	°C the liters	aturo		
Vapour density	value to					
Remarks	not dete	ermined				
Density	not dott					
Value		1,02			g/cm³	
Temperature		20	°C		5	
Method	DIN EN	ISO 2811				
Solubility in water						
Remarks	miscible	9				
Ignition temperature Remarks	not dete	rmined				
	not dete	erninea				
Viscosity Remarks						
Remarks	not dete	ermined				
		14				
SECTION 10: Stability and r	eactiv	<u>ity</u>				
10.1. Reactivity None						
10.2. Chemical stability No hazardous reactions known.						
10.3. Possibility of hazardous re No hazardous reactions known.		S				
10.4. Conditions to avoid No hazardous reactions known.						
10.5. Incompatible materials None						
10.6. Hazardous decomposition No hazardous decomposition pr						
SECTION 11: Toxicological	inform	nation				

ade name: Marabu-FashionSprayS	ort3x100mlIndiSp 09	92		
	Version:	4 /		Date revised: 09.01.202
ubstance number: 171900082-092	Replaces	Version:	3 / WORLD	Print date: 10.01.2
Acute oral toxicity				
•	Based on available	data, the	classification criteri	a are not met.
Acute oral toxicity (Compon		,		
Pyrithione zinc				
-	Rats (male/female)			
LD50	269		mg/kg	
	OECD 401			
Acute dermal toxicity				
	Based on available	data, the	classification criteri	a are not met.
Acute inhalational toxicity		lata di s	all and the second second second	· · · · · · · · · · · · · · · · · · ·
	Based on available	data, the	classification criteri	a are not met.
Acute inhalative toxicity (Co	mponents)			
Pyrithione zinc				
Species LC50	0,84		mg/l	
	Dust/Mist		ing/i	
Method	OECD 403			
Skin corrosion/irritation				
Remarks	Based on available	data, the	classification criteri	a are not met.
Serious eye damage/irritatio	n			
Remarks	Based on available	data, the	classification criteri	a are not met.
Sensitization				
Remarks	Based on available	data, the	classification criteri	a are not met.
Mutagenicity				
	Based on available	data, the	classification criteri	a are not met.
Reproductive toxicity				
Remarks	Based on available	data, the	classification criteri	a are not met.
Carcinogenicity				
	Based on available	data, the	classification criteri	a are not met.
Specific Target Organ Toxic	ity (STOT)			
Single exposure				
Remarks	Based on available	data, the	classification criteri	a are not met.
Repeated exposure		•		
	Based on available	data, the	classification criteri	a are not met.
Aspiration hazard	1 1 2 1 1 1 1			
Based on available data, the o	assification criteria	are not n	net.	
Experience in practice				
Provided all the recommender risk to health can be expected		ety preca	utions are taken, ex	perience shows that no
Other information				
There are no data available of				
The mixture has been assess 1272/2008 and classified for t				gulation (EC) No

12.1. Toxicity

General information

rade name. Marab	ou-FashionSprayS	ort3x100mlIndiSp	092		Marab
		Version	n: 4/		Date revised: 09.01.2020
Substance number:	171900082-092	Replac	es Version:	3 / WORLD	Print date: 10.01.20
mixture has		ollowing the sumn	nation metho		r water courses.The lation (EC) No 1272/2008
Fish toxicity	(Components)				
Pyrithione zi	nc				
Species LC50		rainbow trout (Or	ncorhynchus		
Duration of	exposure	0,14 96	h	mg/l	
Bronopol (IN	•	30	11		
Species	N)	rainbow trout (Or	horhynchus	mykiss)	
LC50		3	loomynonuo	mg/l	
Duration of	exposure	96	h	3	
Method	-	OECD 203			
Bronopol (IN	N)				
Species		rainbow trout (Or	ncorhynchus	• /	
NOEC		2,61	_	mg/l	
Duration of	exposure	28	d		
Method		OECD 203			_
2-Methyl-2H- Species	isothiazol-3-one	[EC-no. 220-239 rainbow trout (Or	-6] (3:1) / C(mykiss)	1
LC50		0,188	L.	mg/l	
Duration of	•	96	h		
Daphnia toxi	city (Compone	nts)			
Pyrithione zi	nc				
Species		Daphnia magna			
EC50		0,05	L.	mg/l	
Duration of	•	48	h		
	N IN				
Bronopol (IN	N)	Danhaia magna			
Species	N)	Daphnia magna		mall	
Species EC50		1,04	h	mg/l	
Species			h	mg/l	
Species EC50 Duration of Method	exposure	1,04 48	h	mg/l	
Species EC50 Duration of Method Bronopol (IN	exposure	1,04 48 OECD 202	h	mg/l	
Species EC50 Duration of Method	exposure	1,04 48 OECD 202 Daphnia magna	h	-	
Species EC50 Duration of Method Bronopol (IN Species	exposure N)	1,04 48 OECD 202	h	mg/l mg/l	
Species EC50 Duration of Method Bronopol (IN Species NOEC	exposure N)	1,04 48 OECD 202 Daphnia magna 0,06		-	
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H-	exposure N) exposure	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 nyl-2h-isothiazol [EC-no. 220-239	d - 3-one [EC-	mg/l no. 247-500-7] and	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species	exposure N) exposure : 5-Chloro-2-metl	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 hyl-2h-isothiazol [EC-no. 220-239 Daphnia magna	d - 3-one [EC-	mg/l no. 247-500-7] and M)IT/MIT (3:1)	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50	exposure N) exposure 5-Chloro-2-metl isothiazol-3-one	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 nyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126	d -3-one [EC- -6] (3:1) / C(mg/l no. 247-500-7] and	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of	exposure N) exposure 5-Chloro-2-meti isothiazol-3-one exposure	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 nyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48	d - 3-one [EC-	mg/l no. 247-500-7] and M)IT/MIT (3:1)	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 nyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48	d -3-one [EC- -6] (3:1) / C(mg/l no. 247-500-7] and M)IT/MIT (3:1)	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zit	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 hyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48	d -3-one [EC- -6] (3:1) / C(h	mg/l no. 247-500-7] and M)IT/MIT (3:1)	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zin Species	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 hyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48 5) Selenastrum cap	d -3-one [EC- -6] (3:1) / C(h	mg/l no. 247-500-7] and M)IT/MIT (3:1) mg/l	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zin Species IC50	exposure N) exposure 5-Chloro-2-metl isothiazol-3-one exposure y (Components nc	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 hyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48	d -3-one [EC- -6] (3:1) / C(h	mg/l no. 247-500-7] and M)IT/MIT (3:1)	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zit Species IC50 Duration of	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components nc exposure	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 nyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48 5) Selenastrum cap 0,067	d -3-one [EC- -6] (3:1) / C(h	mg/l no. 247-500-7] and M)IT/MIT (3:1) mg/l	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zin Species IC50 Duration of Bronopol (IN	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components nc exposure	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 hyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48 5) Selenastrum cap 0,067 72	d -3-one [EC- -6] (3:1) / C(h ricornutum h	mg/l no. 247-500-7] and M)IT/MIT (3:1) mg/l	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zit Species IC50 Duration of	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components nc exposure	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 nyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48 5) Selenastrum cap 0,067	d -3-one [EC- -6] (3:1) / C(h ricornutum h	mg/l no. 247-500-7] and M)IT/MIT (3:1) mg/l	1
Species EC50 Duration of Method Bronopol (IN Species NOEC Duration of Method A mixture of: 2-Methyl-2H- Species EC50 Duration of Algae toxicit; Pyrithione zin Species IC50 Duration of Bronopol (IN Species	exposure N) exposure 5-Chloro-2-meth isothiazol-3-one exposure y (Components nc exposure N)	1,04 48 OECD 202 Daphnia magna 0,06 21 OECD 211 hyl-2h-isothiazol [EC-no. 220-239 Daphnia magna 0,126 48 c) Selenastrum cap 0,067 72 Pseudokirchnerie	d -3-one [EC- -6] (3:1) / C(h ricornutum h	mg/l no. 247-500-7] and M)IT/MIT (3:1) mg/l mg/l	3

Trade name: Marabu-FashionSpraySo	ort3x100mlIndiSp	092		
	Versior	n: 4/		Date revised: 09.01.202
Substance number: 171900082-092	Replac	es Version:	3 / WORLD	Print date: 10.01.2
Bronopol (INN)				
	Pseudokirchnerie	ella subcapit		
NOEC Duration of exposure	0,0025 72	h	mg/l	
	OECD 201			
A mixture of: 5-Chloro-2-meth 2-Methyl-2H-isothiazol-3-one				
	Selenastrum cap		(a)/////// (3.1)	
EC50	0,027		mg/l	
Duration of exposure	72	h		
12.2. Persistence and degrada	ability			
General information		_		
There are no data available or		f.		
12.3. Bioaccumulative potenti	al			
General information There are no data available or	n the mixture itse	f.		
12.4. Mobility in soil				
General information				
There are no data available of	n the mixture itse	f.		
12.5. Results of PBT and vPvE	3 assessment			
General information				
There are no data available or	n the mixture itse	f.		
12.6. Other adverse effects				
General information				
There are no data available of	n the mixture itse	f.		
SECTION 13: Disposal cor	siderations	:		
13.1. Waste treatment method		-		
Disposal recommendations	for the produc	t		
The product can be placed wirwing with water and put into the dra		d refuse. Sr	nall residues in cont	ainers can be washed-out
Disposal recommendations	• •			
Packaging that cannot be clea		snosed off a	as product waste	
Completely emptied packagin				
	formation			
SECTION 14' Transport in	ormation			
SECTION 14: Transport inf				
SECTION 14: Transport in				
SECTION 14: Transport in				
SECTION 14: Transport in				

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-FashionSpraySort3x100mlIndiSp 092

Version: 4 /

Replaces Version: 3 / WORLD

Substance number: 171900082-092

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the ECL inventory.

All components are contained in the DSL or NDSL inventory.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.



Date revised: 09.01.2020 Print date: 10.01.20

Trade name: Marabu-FashionSpraySort3x100mlIndiSp 092		
	Version: 4 / Date revised: 09.01.20	
Substance number: 171900082-092	Replaces Version: 3 / WORLD Print date: 10.01.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
CLP categories listed in Cha	apter 3	
Acute Tox. 2	Acute toxicity, Category 2	
Acute Tox. 3	Acute toxicity, Category 3	
Acute Tox. 4	Acute toxicity, Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2	
Eye Dam. 1	Serious eye damage, Category 1	
Skin Corr. 1B	Skin corrosion, Category 1B	
Skin Irrit. 2	Skin irritation, Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1A	Skin sensitization, Category 1A Specific target organ toxicity - single exposure, Category 3	
STOT SE 3		

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.