Trade name: Marabu Porc&Glas PaintSort.Summer 061

Date revised: 08.01.2020 Version: 6 /

Print date: 10.01.20 Substance number: 012300083-061 Replaces Version: 5 / WORLD

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Marabu Porc&Glas PaintSort.Summer 061

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Marabu GmbH & Co. KG Asperger Strasse 4 71732 Tamm Germany

Telephone no. +49-7141/691-0 Fax no. +49-7141/691-147

Information provided Department product safety

by / telephone

E-mail address of

person responsible for this SDS

PRSI@marabu.com

Importer -

S&S Wholesale Pty. Limited 18/10 Pioneer Avenue, Thornleigh NSW 2120

Tel: 1300 731 529 Fax: 1300 739 715

Emergency Contact:

S&S Wholesale Pty. Limited

Tel: 1300 731 529 Fax: 1300 739 715

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains 2-Methyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2h)-one, May produce an

allergic reaction.

Supplemental information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization

Paint based on acrylic resins and on water

Hazardous ingredients ***

1.2-Benzisothiazol-3(2h)-one

CAS No. 2634-33-5 EINECS no. 220-120-9

% Concentration 0,05

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Classification (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400
Skin Sens. 1 H317
Acute Tox. 4 H302
Skin Irrit. 2 H315
Eye Dam. 1 H318
Acute Tox. 2 H330
Aquatic Chronic 2 H411

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317 >= 0,05

Pyridin-2-thiol-1-oxide, sodium salt

CAS No. 3811-73-2 EINECS no. 223-296-5

Concentration >= 0,001 < 0,1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 M = 100

Bronopol (INN)

CAS No. 52-51-7 EINECS no. 200-143-0

Registration no. 01-2119980938-15

Concentration >= 0,01 < 0,1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Skin Irrit. 2 H315 STOT SE 3 H335 Acute Tox. 4 H302 Acute Tox. 4 H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

1

2-Methyl-2H-isothiazol-3-one

CAS No. 2682-20-4 EINECS no. 220-239-6

Concentration < 0,0015 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3 H301
Acute Tox. 2 H330
Skin Corr. 1B H314
Eye Dam. 1 H318
Aquatic Acute 1 H400
Skin Sens. 1A H317
Aquatic Chronic 1 H410

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Acute Tox. 3 H311

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317 >= 0,0015Aquatic Acute 1 H400 M = 10

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Bronopol (INN)

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative

Mode of action Systemic effects

Concentration 4,1 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker

Duration of exposure Short term

Route of exposure inhalative

Mode of action Systemic effects

Concentration 12,3 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative
Mode of action Local effects

Concentration 4,2 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Short term
Route of exposure inhalative
Mode of action Local effects

Concentration 4,2 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 2,3 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Reference group Worker

Duration of exposure Short term

Route of exposure dermal

Mode of action Systemic effects

Concentration 7 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Concentration

Worker

Long term

dermal

Local effects

Concentration 13 µg/cm²

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consentration

Worker

Short term
dermal
Local effects

Concentration 13 µg/cm²

Type of value Derived No Effect Level (DNEL)

Reference group Consumer

Duration of exposure Long term

Route of exposure inhalative

Mode of action Systemic effects

Concentration 1,2 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer

Duration of exposure Short term

Route of exposure inhalative

Mode of action Systemic effects

Concentration 3,7 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consumer

Long term

inhalative

Local effects

Concentration

1.3

Concentration 1,3 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Concentration

Consumer

Short term
inhalative
Local effects

Concentration 1,3 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 1,4 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Short term

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Route of exposure dermal

Mode of action Systemic effects

Concentration 4,2 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consumer

Long term

dermal

Local effects

Concentration 8 µg/cm²

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consentration

Concentration 8 µg/cm²

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 0,35 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Short term
Route of exposure oral

Mode of action Systemic effects

Concentration 1,1 mg/kg/d

Predicted No Effect Concentration (PNEC)

Bronopol (INN)

Type of value PNEC
Type Freshwater

Concentration 0,01 mg/l

Type of value PNEC
Type Saltwater

Concentration 0,001 mg/l

Type of value PNEC

Type Water (intermittent release)

Concentration 0.003 mg/l

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 0,43 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 0,041 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 0,003 mg/kg

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Type of value PNEC Type Soil

Concentration 0,5 mg/kg

8.2. Exposure controls

Exposure controls

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid
Colour coloured
Odour odourless

Odour threshold

Remarks No data available

pH value

Value 8 to 9 Temperature 20 °C

Method WTW PH 340

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Value appr. 100 °C

Pressure 1.013 hPa

Source Literature value

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

Not applicable

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Value appr. 23 hPa

Temperature 20 °C

Method Value taken from the literature

Vapour density

Remarks not determined

Density

Value 1,04 g/cm³

Temperature 20 °C

Method DIN EN ISO 2811

Solubility in water

Remarks miscible

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Ignition temperature

Remarks not determined

Viscosity Remarks

Remarks not determined

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 1193 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 4115 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Fish toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rainbow trout (Oncorhynchus mykiss)

LC50 2,18 mg/l

Duration of exposure 96 h

Bronopol (INN)

Species rainbow trout (Oncorhynchus mykiss)

LC50 3 mg/l

Duration of exposure 96 h

Method OECD 203

Bronopol (INN)

Species rainbow trout (Oncorhynchus mykiss)

NOEC 2,61 mg/l

Duration of exposure 28 d

Method OECD 203

Daphnia toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species Daphnia magna

EC50 2,94 mg/l

Duration of exposure 48 h

Bronopol (INN)

Species Daphnia magna

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

EC50 1,04 mg/l Duration of exposure 48 h

Duration of exposure 48
Method OECD 202

Bronopol (INN)

Species Daphnia magna

NOEC 0,06 mg/l

Duration of exposure 21 d

Method OECD 211

Algae toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species Pseudokirchneriella subcapitata

ErC50 0,11 mg/l

Duration of exposure 72 h

Bronopol (INN)

Species Pseudokirchneriella subcapitata

EC50 0,068 mg/l

Duration of exposure 72 h

Method OECD 201

Bronopol (INN)

Species Pseudokirchneriella subcapitata

NOEC 0,0025 mg/l

Duration of exposure 72 h

Method OECD 201

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

110

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the IECSC inventory.

All components are contained in the ECL inventory.

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin

Trade name: Marabu Porc&Glas PaintSort.Summer 061

Version: 6 / Date revised: 08.01.2020

Substance number: 012300083-061 Replaces Version: 5 / WORLD Print date: 10.01.20

H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H330	Fatal if inhaled.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects		
H411	Toxic to aquatic life with long lasting effects.		

CLP categories listed in Chapter 3

Acute Tox. 2 Acute toxicity, Category 2
Acute Tox. 3 Acute toxicity, Category 3
Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1 Serious eye damage, Category 1
Skin Corr. 1B Skin corrosion, Category 1B
Skin Irrit. 2 Skin irritation, Category 2
Skin Sens. 1 Skin sensitization, Category 1
Skin Sens. 1A Skin sensitization, Category 1A

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.