company/undertaking	ation of the substance/ g					
1.1. Product identifier	nl Marabu-Silk 033, 50 ml					
1.2. Relevant identified	uses of the substance or n	nixture and uses advised against				
Use of the substance/pr Paint	reparation					
1.3. Details of the suppl	ier of the safety data sheet					
Address/Manufacture		Importer -				
Marabu GmbH & Co. Asperger Strasse 4	KG	S&S Wholesale Pty. Limited				
71732 Tamm		18/10 Pioneer Avenue, Thornleigh NSW 2120				
Germany Telephone no.	+49-7141/691-0	Tel: 1300 731 529 Fax: 1300 739 715				
Fax no.	+49-7141/691-147					
Information provided by / telephone	Department product safety	Emergency Contact:				
E-mail address of	PRSI@marabu.com	S&S Wholesale Pty. Limited Tel: 1300 731 529 Fax: 1300 739 715				
person responsible for this SDS						
1.4. Emergency telepho	ne number					
(+49) (0)621-60-4333						
SECTION 2: Hazards	identification ***					
2.1. Classification of the						
		vith Regulation (EC) No 1272/2008.				
2.2. Label elements						
Labelling according	to regulation (EC) No 127	2/2008				
EUH208 Contains	2-Methyl-2H-isothiazol-3-one, A	mixture of:				
***	*** 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1), May produce an allergic reaction.					
Supplemental inform	ation					
	o regulation (EU) No 528/2012					
	oduct: A mixture of: 5-Chloro-2-me l-3-one [EC-no. 220-239-6] (3:1) /	ethyl-2h-isothiazol-3-one [EC-no. 247-500-7] and C(M)IT/MIT (3:1)				
2.3. Other hazards No special hazards ha	ave to be mentioned.					
SECTION 3: Compos	ition/information on ing	gredients ***				
3.2. Mixtures						
Chemical characteriz	ation					
Paint based on acrylic						
Hazardous ingredient	ts ***					
	Page 1(13)					

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-Silk 033, 50 ml Marabu-Silk 033, 50 ml

Version: 6 /

Replaces Version: 5 / WORLD

Date revised: 30.01.2020 Print date: 31.01.20

Substance number: 178005033

SECTION 1: Identification of the substance/mixture and of the C

UJ

S



Safety data sheet in accord	ance with regulation (EC	;) No 190	7/2006		
Trade name: Marabu-Silk 03	3, 50 ml Marabu-Silk 033	3, 50 ml			Marabu
Substance number: 178005	Versior N33 Replac		on: 5/W		Date revised: 30.01.2020 Print date: 31.01.20
Bronopol (INN) CAS No. EINECS no. Registration no. Concentration	52-51-7 200-143-0 01-2119980938-15 >= 0,01	<	0,1	%	
			0,1	,0	
Classification (Regul	ation (EC) No. 1272/2008) Eye Dam. 1 Skin Irrit. 2 STOT SE 3 Acute Tox. 4 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1	H318 H315 H335 H302 H312 H400 H410			
Concentration limits	(Regulation (EC) No. 1272 Aquatic Acute 1 H40 Aquatic Chronic H41	0 M =	= 10 = 1		
Pyrithione zinc	1				
CAS No. EINECS no. Registration no. Concentration	13463-41-7 236-671-3 01-2119511196-46 >= 0,01	<	0,025	%	
Classification (Regul	ation (EC) No. 1272/2008) Acute Tox. 3 Acute Tox. 3 Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H301 H331 H318 H400 H410			
Concentration limits	(Regulation (EC) No. 1272 Aquatic Acute 1 H40 Aquatic Chronic H41 1	0 Ń =	= 100 = 10		
Pyridin-2-thiol-1-oxid CAS No. EINECS no. Concentration	e, sodium salt 3811-73-2 223-296-5 >= 0,001	<	0,1	%	
Classification (Regul	ation (EC) No. 1272/2008)				
	Eye Dam. 1 Acute Tox. 4 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 2	H318 H302 H332 H400 H411			
Concentration limits	(Regulation (EC) No. 1272 Aquatic Acute 1 H40		= 100		
	o-2-methyl-2h-isothiazol ol-3-one [EC-no. 220-239- 55965-84-9				
	ation (EC) No. 1272/2008) Acute Tox. 2		,		

Trade name: Marabu-Silk 0	033, 50 ml Marabu					Marabu
Substance number: 17800	5033	Version: Replaces		: 5/W	ORLD	Date revised: 30.01.2020 Print date: 31.01.20
	Aquatic Chronic Aquatic Acute 1		H410 H400			
	Skin Sens. 1A Skin Corr. 1C		H317 H314			
	Acute Tox. 2 Acute Tox. 3		H310 H301			
Concentration limits			,			
	Skin Corr. 1C Eye Irrit. 2	H314 H319	,	6 06 < 0,6		
	Skin Irrit. 2	H315	,	06 < 0,6		
	Skin Sens. 1	H317	,			
	Aquatic Acute 1 Aquatic Chronic					
2-Methyl-2H-isothia						
CAS No. EINECS no.	2682-20-4 220-239-6					
Concentration	220 200 0		<	0,0015	%	
Classification (Reg		72/2008)				
	Acute Tox. 3 Acute Tox. 2		H301 H330			
	Skin Corr. 1B		H314			
	Eye Dam. 1		H318			
	Aquatic Acute 1		H400			
	Skin Sens. 1A Aquatic Chronic	: 1	H317 H410			
	Acute Tox. 3		H311			
Concentration limits	Skin Sens. 1Á	H317	>= 0,	0015		
	Aquatic Acute 1	H400	M = 1	10		
SECTION 4: First ai	d measures					
4.1. Description of first	st aid measures	5				
After skin contact						
Wash with plenty of	f water and soap. D	o NOT us	e solvent	s or thini	ners.	
After eye contact		مروال المراجع	water (4)			
After ingestion	ash the eyes thorot	ugniy with	water (1:	5 mm.). 1	in case	of irritation consult an oculist.
•	ughly with water. If la	arger amo	unts are	swallowe	ed or in	the event of symptoms take
4.2. Most important sy Until now no symptom		ffects, b	oth ac	ute and	d dela	yed
4.3. Indication of any	immediate med	lical atte	ention a	nd sp	ecial t	reatment needed
Hints for the physic			-	•		
Treat symptomatica						
SECTION 5: Firefigl	hting measur	es				
5.1. Extinguishing me	-					

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu-Silk 033, 50 ml Marabu-Silk 033, 50 ml

Version: 6/

Date revised: 30.01.2020 Print date: 31.01.20

Substance number: 178005033

Replaces Version: 5 / WORLD

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Bronopol (INN) Type o

Type of value	Derived No Effect Level (DNEL)
Reference group	Worker
Duration of exposure	Long term
Route of exposure	inhalative
Mode of action	Systemic effects
Concentration	4,1

mg/m³

Frade name: Marabu-Silk 033, 50 m		Marabu
	Version: 6 /	Date revised: 30.01.2020
Substance number: 178005033	Replaces Version: 5 / WORLD	Print date: 31.01.20
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure Mode of action	inhalative Systemic offects	
Concentration	Systemic effects 12,3	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action Concentration	Systemic effects	mg/kg/d
Concentration	2,3	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure Mode of action	dermal Systemic offects	
Concentration	Systemic effects 7	mg/kg/d
Type of velue	Derived No Effect Level (DNEL)	
Type of value Reference group	Derived No Effect Level (DNEL) Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative "	
Mode of action	Systemic effects	
Concentration	1,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	

rade name: Marabu-Silk 033, 50 m	I Marabu-Silk 033, 50 ml	
	Version: 6 /	Date revised: 30.01.202
Substance number: 178005033	Replaces Version: 5 / WORLD	Print date: 31.01.2
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,7	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,4	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	8	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	8	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,35	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	oral	

Trade name: Marabu-Silk 033, 50 ml I Substance number: 178005033 Mode of action Concentration	Version: 6 / Replaces Version: 5 / WORLD	Marabu Date revised: 30.01.2020
Mode of action		
		Print date: 31.01.20
Concentration	Systemic effects	
	1,1	mg/kg/d
Predicted No Effect Concentr	ation (PNEC)	
Bronopol (INN)		
Type of value	PNEC	
Туре	Freshwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Туре	Saltwater	
Concentration	0,001	mg/l
Type of value	PNEC	
Туре	Water (intermittent release)	
Concentration	0,003	mg/l
Type of value	PNEC	
Туре	Sewage treatment plant (STP)	
Concentration	0,43	mg/l
Type of value	PNEC	
Туре	Freshwater sediment	
Concentration	0,041	mg/kg
Type of value	PNEC	
Туре	Marine sediment	
Concentration	0,003	mg/kg
Type of value	PNEC	
Туре	Soil	
Concentration	0,5	mg/kg
8.2. Exposure controls		
Exposure controls		
Provide adequate ventilation.		
SECTION 9: Physical and cl	nemical properties	
9.1. Information on basic physi		
Form	liquid	
Colour	coloured	
Odour	odourless	
Odour threshold		
Remarks	No data available	
pH value		
Value	8 to 10	
Temperature	8 to 10 20 °C	
Method	WTW PH 340	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
ιτσιπαικδ		

rade name: Marabu-Silk 033, 50 ml	Marabu-Silk 033, 50 Version: 0			Marab Date revised: 30.01.2020
Substance number: 178005033	Replaces \	/ersion:	5 / WORLD	Print date: 31.01.20
Initial boiling point and boili	ng range			
Value	appr. 100		°C	
Pressure	1.013	hPa		
Source	Literature value			
Flash point				
Remarks	Not applicable			
Evaporation rate (ether = 1) :				
Remarks	not determined			
Flammability (solid, gas)				
Not applicable				
Upper/lower flammability or	explosive limits			
Remarks	not determined			
Vapour pressure				
Value	appr. 23		hPa	
Temperature	appr. 23 20	°C	ΠFα	
Method	Value taken from	U	ature	
Vapour density				
Remarks	not determined			
	not determined			
Density				
Value	1,020	•••	g/cm³	
Temperature Method	20 DIN EN ISO 2811	°C		
	DIN EN ISO 201			
Solubility in water				
Remarks	miscible			
Ignition temperature				
Remarks	not determined			
Viscosity				
Remarks				
Remarks	not determined			
9.2. Other information				
Other information				
None known				
ECTION 10: Stability and	reactivity			
	reactivity			
10.1. Reactivity None				
10.2. Chemical stability No hazardous reactions known	۱.			
10.3. Possibility of hazardous No hazardous reactions known				
10.4. Conditions to avoid No hazardous reactions known	۱.			
10.5. Incompatible materials None				
10.6. Hazardous decompositio No hazardous decomposition				

ade name: Marabu-Silk 033, 50 ml			Ma
	Version: 6 /		Date revised: 30.01.20
ubstance number: 178005033	Replaces Versior	1: 57 WORLD	Print date: 31.01
ECTION 11: Toxicologica	al information		
1.1. Information on toxicolog			
Acute oral toxicity			
Remarks	Based on available data, th	e classification crite	ria are not met.
Acute oral toxicity (Compo			
Pyrithione zinc			
Species	Rats (male/female)		
LD50	269	mg/kg	
Method	OECD 401		
Acute dermal toxicity			
Remarks	Based on available data, th	e classification crite	ria are not met.
Acute inhalational toxicity			
Remarks	Based on available data, th	e classification crite	ria are not met.
Acute inhalative toxicity (Co	omponents)		
Pyrithione zinc			
Species	rat		
LC50	0,84	mg/l	
Administration/Form Method	Dust/Mist OECD 403		
Skin corrosion/irritation			
Remarks	Based on available data, th	e classification crite	ria are not met.
Serious eye damage/irritati	on		
Remarks	Based on available data, th	e classification crite	ria are not met.
Sensitization			
Remarks	Based on available data, th	e classification crite	ria are not met.
Mutagenicity			
Remarks	Based on available data, th	e classification crite	ria are not met.
Reproductive toxicity			
Remarks	Based on available data, th	e classification crite	ria are not met.
Carcinogenicity			
Remarks	Based on available data, th	e classification crite	ria are not met.
Specific Target Organ Toxic			
Single exposure			
Remarks	Based on available data, th	e classification crite	ria are not met.
Repeated exposure Remarks	Based on available data, th		
	Daseu un avaliable uala, in	e classification chile	na are not met.
Aspiration hazard	ala solfi soti sus suite da sus d	and the set	
Based on available data, the	classification criteria are not	met.	
Experience in practice			
Provided all the recommender risk to health can be expected		autions are taken, e	experience shows that no
Other information			
There are no data available o	n the mixture itealf		

Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: Marabu-Silk 033, 50 ml Marabu-Silk 033, 50 ml Version: 6 / Date revised: 30.01.2020 Substance number: 178005033 Replaces Version: 5 / WORLD Print date: 31.01.20 SECTION 12: Ecological information 12.1. Toxicity

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Fish toxicity (Components)

Pyrithione zincSpeciesrainbow trout (Oncorhynchus mykiss)LC500,14mg/lDuration of exposure96hBronopol (INN)3mg/lSpeciesrainbow trout (Oncorhynchus mykiss)LC503mg/lDuration of exposure96hMethodOECD 203Bronopol (INN)Speciesrainbow trout (Oncorhynchus mykiss)NOEC2,61mg/lDuration of exposure28dMethodOECD 203A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] andDuration of exposure96Daphnia toxicity (Components)Pyrithione zincSpeciesDaphnia magnaEC501,04MethodOECD 202Bronopol (INN)SpeciesDaphnia magnaNOEC0,06MethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2	·····, (·····,			
LC50 0,14 mg/l Duration of exposure 96 h Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) LC50 3 mg/l Duration of exposure 96 h Method OECD 203 Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2.Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2.Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2.Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2.Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and Duration of exposure 96 h Duration of exposure 96 h Daphnia toxicity (Components) mg/l mg/l Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC 0,06 <	-			
Duration of exposure 96 h Bronopol (INN) species rainbow trout (Oncorhynchus mykiss) LC50 3 mg/l Duration of exposure 96 h Method OECD 203 mg/l Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) NOEC 2.61 mg/l Duration of exposure 28 d Method OECD 203 Amixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) species Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) mg/l Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Method OECD 202 mg/l Bronopol (INN) Species Daphnia magna Species Daphnia magna Magnethod NOEC 0,06 mg/l	•	•	ncorhynchus mykiss	•
Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) LC50 3 mg/l Duration of exposure 96 h Method OECD 203 Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) mg/l NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc species Species Daphnia magna EC50 ng/l Duration of exposure 48 h mg/l Duration of exposure 21 d mg/l Duration of exposure 21 d mg/l Duration of exposure 21 d mg/l Duration of exposure				mg/l
Species rainbow trout (Oncorhynchus mykiss) LC50 3 mg/l Duration of exposure 96 h Method OECD 203 Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) NOEC NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna Method NOEC <t< td=""><td>Duration of exposure</td><td>96</td><td>h</td><td></td></t<>	Duration of exposure	96	h	
LC50 3 mg/l Duration of exposure 96 h Method OECD 203 Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one	Bronopol (INN)			
Duration of exposure 96 h Method OECD 203 Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 200-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 21 d Method OECD 202 Bronopol (INN) Species Daphnia magna Method NOEC 0,06 mg/l Duration of exposure 21	Species	rainbow trout (O	ncorhynchus mykiss)
Method OECD 203 Bronopol (INN) species Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A	LC50	3		mg/l
Bronopol (INN) Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna Method NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-iso	Duration of exposure	96	h	
Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 d A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h D D Duration of exposure 96 h D Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Species Daphnia magna EC50 0,06 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)	Method	OECD 203		
Species rainbow trout (Oncorhynchus mykiss) NOEC 2,61 mg/l Duration of exposure 28 d Method OECD 203 d A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) mg/l LC50 0,188 mg/l Duration of exposure 96 h Duration of exposure 96 h Duration of exposure 96 h Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna mg/l NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna	Bronopol (INN)			
NOEC2,61mg/lDuration of exposure28dMethodOECD 203A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)Speciesrainbow trout (Oncorhynchus mykiss)LC500,188Duration of exposure96hDaphnia toxicity (Components)Pyrithione zincSpeciesDaphnia magnaEC500,05mg/lDuration of exposure48Bronopol (INN)SpeciesDaphnia magnaEC501,04mg/lDuration of exposure48MethodOECD 202Bronopol (INN)SpeciesDaphnia magnaEC500,06MethodOECD 202Bronopol (INN)SpeciesDaphnia magnaNOEC0,06MethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126MethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126MethodMethodOuration of exposure48hAlgae toxicity (Components)Pyrithione zincSp	• • •	rainbow trout (O	ncorhynchus mykiss)
Duration of exposure 28 d Method OECD 203 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna EC50 0,126	•			
MethodOECD 203A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) SpeciesSpeciesrainbow trout (Oncorhynchus mykiss) LC50LC500,188Duration of exposure96Pyrithione zincSpeciesDaphnia magna EC50EC500,05Duration of exposure48Bronopol (INN)SpeciesDaphnia magna EC50EC501,04MethodOECD 202Bronopol (INN)SpeciesDaphnia magna NECSpeciesDaphnia magna EC50EC500,066MethodOECD 202Bronopol (INN)SpeciesDaphnia magna NECSpeciesDaphnia magna EC50EC500,066MethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Met			Ь	iiig/i
A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [AB h	•		ŭ	
2-Methyl-2H-isothiazol-3-one [ÉC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 OCC Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Species Daphnia magna EC50 EC50 0,126 mg/l Dur				500 71 and
Species rainbow trout (Oncorhynchus mykiss) LC50 0,188 mg/l Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc species Daphnia magna Species Daphnia magna mg/l EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 mg/l Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna mg/l EC50 0,126 mg/l Duration of exposure 48 h Species Daphnia magna mg/l EC50 0,126 <td></td> <td></td> <td></td> <td></td>				
LC500,188mg/lDuration of exposure96hDaphnia toxicity (Components)Pyrithione zincspeciesDaphnia magnaEC500,05mg/lDuration of exposure48hBronopol (INN)speciesDaphnia magnaEC501,04mg/lDuration of exposure48hMethodOECD 202mg/lBronopol (INN)speciesDaphnia magnaNOEC0,06mg/lDuration of exposure21dMethodOECD 211mg/lA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126mg/lDuration of exposure48A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126mg/lDuration of exposure48A digae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l				
Duration of exposure 96 h Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Bronopol (INN) mg/l mg/l Duration of exposure 48 h Method OECD 202 mg/l Bronopol (INN) mg/l mg/l Species Daphnia magna mg/l Method OECD 202 mg/l Bronopol (INN) mg/l mg/l Species Daphnia magna mg/l NOEC 0,066 mg/l Duration of exposure 21 d Method OECno. 220-239-6] (3:1) / C(M)IT/MIIT (3:1) Species Daphnia magna mg/l EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) mg/l <td>•</td> <td>•</td> <td>ncornyncnus mykiss</td> <td></td>	•	•	ncornyncnus mykiss	
Daphnia toxicity (Components) Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) Species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 mg/l Bronopol (INN) Species Daphnia magna Species Daphnia magna mg/l Duration of exposure 48 h Method OECD 202 mg/l Duration of exposure 21 d Method OECD 211 mg/l A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and <td< td=""><td></td><td></td><td></td><td>mg/l</td></td<>				mg/l
Pyrithione zinc Species Daphnia magna EC50 0,05 mg/l Duration of exposure 48 h Bronopol (INN) species Daphnia magna EC50 1,04 mg/l Duration of exposure 48 h Method OECD 202 mg/l Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna mg/l EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) mg/l mg/l Pyrithione zinc Species Selenastrum capricornutum IC50 0,067 mg/l	Duration of exposure	96	h	
SpeciesDaphnia magna 0,05mg/lDuration of exposure48hBronopol (INN)speciesDaphnia magna EC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)speciesDaphnia magna NOECmg/lSpeciesDaphnia magna NOEC0,06mg/lDuration of exposure21dmg/lMethodOECD 211dmg/lA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and EC500,126A mixture of: co-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-	Daphnia toxicity (Compone	ents)		
SpeciesDaphnia magna 0,05mg/lDuration of exposure48hBronopol (INN)speciesDaphnia magna EC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)speciesDaphnia magna NOECmg/lSpeciesDaphnia magna NOEC0,06mg/lDuration of exposure21dmg/lMethodOECD 211dmg/lA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and EC500,126A mixture of: co-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-Methyl-2-	Pvrithione zinc			
EC500,05mg/lDuration of exposure48hBronopol (INN)SpeciesDaphnia magnaEC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)SpeciesDaphnia magnaNOEC0,06mg/lDuration of exposure21dMethodOECD 211mg/lA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126Duration of exposure48hAlgae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l	-	Daphnia magna		
Duration of exposure48hBronopol (INN)SpeciesDaphnia magnaEC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)SpeciesDaphnia magnaNOEC0,06mg/lDuration of exposure21dMethodOECD 211MethodA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126mg/lDuration of exposure48A lagae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l	•			ma/l
Bronopol (INN)Daphnia magnaSpeciesDaphnia magnaEC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)Daphnia magnamg/lSpeciesDaphnia magnamg/lNOEC0,06mg/lDuration of exposure21dMethodOECD 211mg/lA mixture of: 5-Chloro-2-mettyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)Speciesmg/lSpeciesDaphnia magnamg/lEC500,126mg/lDuration of exposure48hHotration of exposure48nPyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l			h	5
SpeciesDaphnia magna 1,04mg/lEC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)SpeciesDaphnia magna 0,06mg/lNOEC0,06mg/lDuration of exposure21dMethodOECD 211AA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) SpeciesSpeciesSpeciesDaphnia magna EC500,126mg/lDuration of exposure48hAlgae toxicity (Components)48hPyrithione zinc SpeciesSpeciesSelenastrum capricornutum lC500,067mg/l0,067mg/l	•	-		
EC501,04mg/lDuration of exposure48hMethodOECD 202Bronopol (INN)SpeciesDaphnia magnaNOEC0,06mg/lDuration of exposure21dMethodOECD 211AA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126Duration of exposure48Algae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l		Danhnia magna		
Duration of exposure48hMethodOECD 202Bronopol (INN)SpeciesDaphnia magnaNOEC0,06mg/lDuration of exposure21dMethodOECD 211MethodA mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126Duration of exposure48Algae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l				ma/l
Method OECD 202 Bronopol (INN) Species Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) Fyrithione zinc Species Species Selenastrum capricornutum mg/l			h	mg/i
Bronopol (INN) Species Daphnia magna NOEC 0,06 mg/l Duration of exposure 21 d Method OECD 211 A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) Fyrithione zinc Species Species Selenastrum capricornutum mg/l	•		11	
SpeciesDaphnia magnaNOEC0,06mg/lDuration of exposure21dMethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126Duration of exposure48Algae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l		0100 202		
NOEC0,06mg/lDuration of exposure21dMethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magnaEC500,126Duration of exposure48Algae toxicity (Components)Pyrithione zincSpeciesSelenastrum capricornutumIC500,067mg/l		Donhnia magna		
Duration of exposure21dMethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) SpeciesSpeciesDaphnia magna EC50EC500,126Duration of exposure48Algae toxicity (Components)Pyrithione zinc SpeciesSpeciesSelenastrum capricornutum 0,067IC500,067	•			~~~~/l
MethodOECD 211A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)SpeciesDaphnia magna EC50EC500,126mg/lDuration of exposure48hAlgae toxicity (Components)Pyrithione zinc SpeciesSpeciesSelenastrum capricornutum 0,067IC500,067mg/l			d	mg/i
A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) Pyrithione zinc Species Species Selenastrum capricornutum IC50 0,067 mg/l	•	—	a	
2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1) Species Daphnia magna EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) Pyrithione zinc Species Selenastrum capricornutum IC50 0,067 mg/l				
Species Daphnia magna EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) Pyrithione zinc Species Selenastrum capricornutum IC50 0,067 mg/l				
EC50 0,126 mg/l Duration of exposure 48 h Algae toxicity (Components) Fyrithione zinc Verticity (Components) Species Selenastrum capricornutum No.067 IC50 0,067 mg/l				11 (3.1)
Duration of exposure 48 h Algae toxicity (Components) Pyrithione zinc Species Selenastrum capricornutum IC50 0,067 mg/l				···· ~ //
Algae toxicity (Components) Pyrithione zinc Species IC50 Selenastrum capricornutum mg/l			L.	mg/i
Pyrithione zinc Species Selenastrum capricornutum IC50 0,067 mg/l	•		n	
SpeciesSelenastrum capricornutumIC500,067mg/l	Algae toxicity (Components	s)		
SpeciesSelenastrum capricornutumIC500,067mg/l	Pyrithione zinc			
IC50 0,067 mg/l		Selenastrum car	pricornutum	
, O				mg/l
•			h	0
	•			


	Version:	- /	Date revised: 30.01.2020
Substance number: 178005033	Replaces	Version: 5 / WORLD	Print date: 31.01.20
Bronopol (INN)			
Species	Pseudokirchneriella	-	
EC50 Duration of exposure	0,068 72 h	mg/l	
Method	OECD 201		
Bronopol (INN)			
Species NOEC	Pseudokirchneriella	-	
Duration of exposure	0,0025 72 h	mg/l	
Method	OECD 201		
A mixture of: 5-Chloro-2-me			
2-Methyl-2H-isothiazol-3-on Species	e [EC-no. 220-239-6] (Selenastrum caprico		
EC50	0,027	mg/l	
Duration of exposure	72 h		
12.2. Persistence and degra	dability		
General information			
There are no data available	on the mixture itself.		
12.3. Bioaccumulative poter	ntial		
General information			
There are no data available	on the mixture itself.		
12.4. Mobility in soil			
General information			
There are no data available	on the mixture itself.		
12.5. Results of PBT and vP	vR assessment		
General information			
There are no data available	on the mixture itself.		
12.6. Other adverse effects			
General information			
There are no data available	on the mixture itself		
SECTION 13: Disposal co	onsiderations		
13.1. Waste treatment metho	ods		
Disposal recommendation			
-	with other household re	efuse. Small residues ir	n containers can be washed-out
•	is for packaging		
UISDOSAL PERMINENNATION			

Safety data sheet in accordance with regulation (EC) No 1907/2006

rade name:	Marabu-Silk 033, 50 ml	Marabu-Silk 033,	50 mi

Version: 6 /

Replaces Version: 5 / WORLD



Substance number: 178005033

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the PICCS inventory.

All components are contained in the ECL inventory.

All components are contained in the DSL or NDSL inventory.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	

Safety data sheet in accordance with regulation (EC) No 1907/2006					
	Version: 6 /	Date revised: 30.01.2020			
Substance number: 178005033	Replaces Version: 5 / WORLD	Print date: 31.01.20			
H312	Harmful in contact with skin.				
H314	Causes severe skin burns and eye damage.				
H315	Causes skin irritation.				
H317	May cause an allergic skin reaction.				
H318	Causes serious eye damage.				
H330	Fatal if inhaled.				
H331	Toxic if inhaled.				
H332	Harmful if inhaled.				
H335	May cause respiratory irritation.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
H411	Toxic to aquatic life with long lasting effects.				
CLP categories listed in Ch	napter 3				
Acute Tox. 2	Acute toxicity, Category 2				
Acute Tox. 3	Acute toxicity, Category 3				
Acute Tox. 4	Acute toxicity, Category 4				
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Cate	egory 1			
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Ca	ategory 1			
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Ca	ategory 2			
Eye Dam. 1	Serious eye damage, Category 1				
Skin Corr. 1B	Skin corrosion, Category 1B				
Skin Corr. 1C	Skin corrosion, Category 1C				
Skin Irrit. 2	Skin irritation, Category 2				
Skin Sens. 1A	Skin sensitization, Category 1A				
STOT SE 3	Specific target organ toxicity - single exposure, Ca	itegory 3			
Supplemental information					

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.