Safety data sheet in accorda	ince with regula	ation (EC) No 1907/2	006	
Trade name: Marabu Textil S	WEET CANDY 5			Marab
Substance number: 1716000	96-572	Version: 5 / Replaces Version:	4 / WORLD	Date revised: 09.01.2020 Print date: 10.01.20
SECTION 1: Identifica	ation of the	substance/mi	xture and of t	<u>he</u>
company/undertakin	<u>g</u>			
1.1. Product identifier Marabu Textil SWEE	CANDY 572			
1.2. Relevant identified	uses of the s	substance or mix	ture and uses ad	dvised against
Use of the substance/p Paint	reparation			
Identified Uses SU21 PC9a		es: Private households paints, thinners, paint		consumers)
1.3. Details of the supp	lier of the saf	ety data sheet		
Address/Manufacture Marabu GmbH & Co. Asperger Strasse 4 71732 Tamm Germany Telephone no. Fax no. Information provided by / telephone E-mail address of person responsible for this SDS		-147 oduct safety	Importer - S&S Wholesale Pt 18/10 Pioneer Ave Thornleigh NSW Tel: 1300 731 529 Emergency Contae S&S Wholesale Pt Tel: 1300 731 529	enue, 2120 Fax: 1300 739 715 ct:
1.4. Emergency telepho (+49) (0)621-60-4333	3			
SECTION 2: Hazards 2.1. Classification of the This product is not cla	e substance	or mixture	Regulation (EC) No	1272/2008.
2.2. Label elements			5 ()	
Labelling according	n to regulatio	n (FC) No 1272/2	008	
EUH208 Contains	A mixture of: 5	-Chloro-2-methyl-2h- othiazol-3-one [EC-n	isothiazol-3-one [EC-	no. 247-500-7] and C(M)IT/MIT (3:1), May
Supplemental inform	ation			
Labelling according t Contains a biocidal pr 2-Methyl-2H-isothiazo	oduct: A mixture	of: 5-Chloro-2-methy	l-2h-isothiazol-3-one	e [EC-no. 247-500-7] and
2.3. Other hazards No special hazards ha	ave to be mentio	ned.		
SECTION 3: Compos	ition/inforn	nation on ingre	edients ***	

- 3.2. Mixtures
 - **Chemical characterization**

Paint based on water

Safety data sheet in a	ccordance with regulation	on (EC) No	1907/2006		
Trade name: Marabu ⁻	Textil SWEET CANDY 572	2			\mathbf{N}
		- /ersion: 5/			Marabu Date revised: 09.01.2020
Substance number: 1	71600096-572 F	Replaces Ve	rsion: 4/	WORLD	Print date: 10.01.20
Hazardous ing	redients ***				
Bronopol (INN)					
CAS No.	52-51-7				
EINECS no. Registration no	200-143-0 o. 01-2119980938-	15			
Concentration			0,1	%	
Classification	(Regulation (EC) No. 1272	/2008)			
	Eye Dam. 1	H3 ⁻			
	Skin Irrit. 2 STOT SE 3	H3			
	Acute Tox. 4	H3: H3(
	Acute Tox. 4	H3			
	Aquatic Acute 1	H4			
	Aquatic Chronic	1 H4 ⁻	10		
Concentration	limits (Regulation (EC) No Aquatic Acute 1 Aquatic Chronic	H400) M = 10 M = 1		
	1				
Pyrithione zinc CAS No.	13463-41-7				
EINECS no.	236-671-3				
Registration no		46			
Concentration			0,025	%	
Classification	(Regulation (EC) No. 1272	,			
	Acute Tox. 3	H30	-		
	Acute Tox. 3	H3			
	Eye Dam. 1 Aquatic Acute 1	H3 ⁻ H4(
	Aquatic Acute 1				
Concentration	limits (Regulation (EC) No Aquatic Acute 1) M = 100		
	Aquatic Chronic	H410	M = 10		
	-Chloro-2-methyl-2h-isot othiazol-3-one [EC-no. 22 55965-84-9				I
Concentration		<	0,001	5 %	
Classification	(Regulation (EC) No. 1272	/2008)			
	Acute Tox. 3	H3:	31		
	Aquatic Chronic 2	1 H4 ⁻	10		
	Aquatic Acute 1	H4(
	Skin Sens. 1 Skin Corr. 1B				
	Acute Tox. 3	H3 ⁻ H3 ⁻			
	Acute Tox. 3	H3			
Concentration	limits (Regulation (EC) No				
	Skin Corr. 1B		>= 0,6 <= 0,06 < 0		
	Eye Irrit. 2 Skin Irrit. 2		<= 0,06 < 0 <= 0,06 < 0		
	Skin Sens. 1		>= 0,0015	, -	
1					

Trade name: Marabu Textil SWEET CANDY 572

Version: 5 /

Date revised: 09.01.2020 Print date: 10.01.20

Substance number: 171600096-572

Replaces Version: 4 / WORLD

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eve contact

Separate evelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After indestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.

6.2. Environmental precautions No particular measures required.

6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

	regulation (EC) No 1907/2006	
Trade name: Marabu Textil SWEET CA	NDY 572	
	Version: 5 /	Date revised: 09.01.2020
Substance number: 171600096-572	Replaces Version: 4 / WORLD	Print date: 10.01.20
 7.2. Conditions for safe storage Requirements for storage roo Store in frostfree conditions. 7.3. Specific end use(s) 	e, including any incompatibilities oms and vessels	S
Paint		
SECTION 8: Exposure conti	rols/personal protection ***	
8.1. Control parameters		
Biological limit values		
Fluorphlogopite		
List	TRGS 903	
Value	7 mg/g	
Parameter	creatinine Fluorine	
Testing material	Urine (U)	
Test date	End of exposure or end of shift.	
Fluorphlogopite		
List	TRGS 903	
Value	4 mg/g creatinine	
Parameter	Fluorine	
Testing material	Urine (U)	
Test date	Before next shift.	
Derived No/Minimal Effect Levent	vels (DNEL/DMEL) ***	
Bronopol (INN)		
Type of value	Derived No Effect Level (DNEL) Worker	
Reference group Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,1	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action Concentration	Systemic effects 12,3	mg/m³
Concentration	12,0	ing,in
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure Route of exposure	Long term inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³
	Derived No Effect Level (DNEL)	
Type of value Reference group	Derived No Effect Level (DNEL) Worker	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	4,2	mg/m³

Safety data sheet in accordance with	regulation (EC) No 1907/2006	
Trade name: Marabu Textil SWEET CA	ANDY 572	Marabu
	Version: 5 /	Date revised: 09.01.2020
Substance number: 171600096-572	Replaces Version: 4 / WORLD	Print date: 10.01.20
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,3	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	7	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	13	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,2	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,7	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	1,3	mg/m³
	Derived No Effect Level (DNEL)	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	

Г

Safety data sheet in accordance wit	h regulation (EC) No 1907/2006	
Trade name: Marabu Textil SWEET C	ANDY 572	\mathbf{N}
	Version: 5 /	Date revised: 09.01.2020
Substance number: 171600096-572	Replaces Version: 4 / WORLD	Print date: 10.01.20
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,4	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	4,2	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Local effects	
Concentration	8	µg/cm²
Tura afualua		
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	dermal	
Mode of action	Local effects	4 2
Concentration	8	µg/cm²
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,35	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	1,1	mg/kg/d
		5 5
Predicted No Effect Concent	ration (PNEC) ***	
Bronopol (INN)		
Type of value	PNEC	
Туре	Freshwater	
Concentration	0,01	mg/l
	DNEC	
Type of value Type	PNEC Saltwater	
Concentration	0,001	mg/l
Consonitation	0,001	
Type of value	PNEC	
Туре	Water (intermittent release)	
Concentration	0,003	mg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	0,43	mg/l
	0,70	

Г


Trada name March		-	on (EC) No				Ň
Trade name: Marabu	I Textil SWEET CA		२ Version: १	5 /		Dr	te revised: 09.01.2020
Substance number:	171600096-572				4 / WORL		Print date: 10.01.20
Substance number.	171000030-372				47 WORL		
Type of value	9	PNEC					
Туре			vater sedim	ent			
Concentratio	n		0,041			mg/kg	
Type of value	Э	PNEC					
Туре		Marine	sediment				
Concentratio	'n		0,003			mg/kg	
Type of value	Э	PNEC					
Туре		Soil	o =				
Concentratio	'n		0,5			mg/kg	
8.2. Exposure co	ontrols						
Exposure cor							
-	quate ventilation.						
<u>SECTION 9: Ph</u>	ysical and c	hemic	<u>al prop</u>	erties			
9.1. Information	on basic physi	cal and	1 chemic	al prop	perties		
Form		liquid					
Colour		coloure					
Odour		odourle	ess				
Odour thresh	old						
Remarks		No dat	a available				
pH value							
Value			8	to	9		
Temperature Method	;	\\\\\\\\\\	20 PH 340	°C			
			-11 340				
Melting point		not dot	ermined				
Domorko		notaet	ennineo				
Remarks	.1		ommod				
Freezing poin	ıt						
Freezing poin Remarks		not det	ermined				
Freezing poin Remarks Initial boiling	t point and boilin	not det g range	ermined 9			20	
Freezing poin Remarks Initial boiling Value		not det	ermined) 100	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure		not det g range appr.	termined 9 100 1.013	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source		not det g range appr.	ermined) 100	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point		not det g range appr. Literatu	ermined 9 100 1.013 ure value	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks	point and boilin	not det g range appr. Literatu	termined 9 100 1.013	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r		not det g range appr. Literatu Not ap	termined 100 1.013 ure value plicable	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks	point and boilin ate (ether = 1) :	not det g range appr. Literatu Not ap	ermined 9 100 1.013 ure value	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r	point and boilin rate (ether = 1) : (solid, gas)	not det g range appr. Literatu Not ap	termined 100 1.013 ure value plicable	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks Flammability Not applicabl	point and boilin rate (ether = 1) : (solid, gas) le	not det g range appr. Literatu Not ap not det	ermined 100 1.013 ure value plicable ermined	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks Flammability Not applicabl	point and boilin rate (ether = 1) : (solid, gas)	not det g range appr. Literatu Not ap not det	ermined 100 1.013 ure value plicable ermined	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks Flammability Not applicabl Upper/lower f Remarks	point and boilin rate (ether = 1) : (solid, gas) le lammability or e	not det g range appr. Literatu Not ap not det	ermined 100 1.013 ure value plicable cermined ve limits	hPa		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks Flammability Not applicabl Upper/lower f Remarks Vapour press	point and boilin rate (ether = 1) : (solid, gas) le lammability or e	not det g range appr. Literatu Not ap not det	ermined 100 1.013 ure value plicable termined ve limits termined	hPa			
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks Flammability Not applicabl Upper/lower f Remarks	point and boilin rate (ether = 1) : (solid, gas) le lammability or e ure	not det g range appr. Literatu Not ap not det	ermined 100 1.013 ure value plicable cermined ve limits	hPa °C		°C	
Freezing poin Remarks Initial boiling Value Pressure Source Flash point Remarks Evaporation r Remarks Flammability Not applicabl Upper/lower f Remarks Vapour press Value	point and boilin rate (ether = 1) : (solid, gas) le lammability or e ure	not det g range appr. Literatu Not ap not det explosiv not det appr.	ermined 100 1.013 ure value plicable termined termined 23	°C	ature		

Safety data sheet in accordance w	ith regulation (EC) No 1907/2006	
Trade name: Marabu Textil SWEET	CANDY 572	Marabu
	Version: 5 /	Date revised: 09.01.2020
Substance number: 171600096-572	2 Replaces Version: 4 / WORLD	Print date: 10.01.20
Remarks	not determined	
Density		
Value		g/cm³
Temperature		
Method	DIN EN ISO 2811	
Solubility in water Remarks	mianihla	
	miscible	
Ignition temperature	n of eleteration of	
Remarks	not determined	
Viscosity		
Remarks Remarks	not determined	
Remarks	not determined	
SECTION 10: Stability and	d reactivity	
10.1. Reactivity None		
10.2. Chemical stability No hazardous reactions kno	wn.	
10.3. Possibility of hazardou No hazardous reactions kno	s reactions	
10.4. Conditions to avoid		
No hazardous reactions kno	wn.	
10.5. Incompatible materials None		
10.6. Hazardous decompositio	•	
SECTION 11: Toxicologic	al information	
11.1. Information on toxicolo	gical effects	
Acute oral toxicity	-	
Remarks	Based on available data, the classification	n criteria are not met.
Acute oral toxicity (Compo	,	
Pyrithione zinc	,	
Species	Rats (male/female)	
LD50	269 mg	g/kg
Method	OECD 401	
Acute dermal toxicity		
Remarks	Based on available data, the classification	n criteria are not met.
Acute inhalational toxicity		
Remarks	Based on available data, the classification	n criteria are not met.
Acute inhalative toxicity (C	components)	
Pyrithione zinc		
Species	rat	~/I
LC50 Administration/Form	0,84 mg Dust/Mist	y/i
Method	OECD 403	

Trade name: Marabu Textil SWEET CANDY 572

Substance number: 171600096-572

Version: 5 / Replaces Version: 4 / WORLD



Skin corrosion/irritation Remarks	
	Based on available data, the classification criteria are not met.
Serious eye damage/irri	tation
Remarks	Based on available data, the classification criteria are not met.
Sensitization	
Remarks	Based on available data, the classification criteria are not met.
Mutagenicity	
Remarks	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Remarks	Based on available data, the classification criteria are not met.
Carcinogenicity	
Remarks	Based on available data, the classification criteria are not met.
Specific Target Organ T	oxicity (STOT)
Single exposure	
Remarks	Based on available data, the classification criteria are not met.
Repeated exposure	
Remarks	Based on available data, the classification criteria are not met.
Aspiration hazard	
Based on available data,	the classification criteria are not met.
Experience in practice	
• •	ended protective and safety precautions are taken, experience shows that n

Other information

There are no data available on the mixture itself. The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Fish toxicity (Components)

Pyrithione zinc Species LC50 Duration of exposure	rainbow trout (One 0,14 96	corhynchus mykiss) h	mg/l
Bronopol (INN)			
Species	rainbow trout (One	corhynchus mykiss)	
LC50	3		mg/l
Duration of exposure	96	h	
Method	OECD 203		
Bronopol (INN)			
Species	rainbow trout (One	corhynchus mykiss)	
NOEC	2,61		mg/l
Duration of exposure	28	d	
Method	OECD 203		


Frade name: Marabu Textil SW	EET CANDY 572			
	Versio	on: 5/		Date revised: 09.01.2020
Substance number: 17160009	6-572 Repla	ces Version:	4 / WORLD	Print date: 10.01.20
A mixture of: 5-Chloro-2 2-Methyl-2H-isothiazol-3 Species LC50		9-6] (3:1) / C(M)IT/MIT (3:1)	d
Duration of exposure	96	h	iiig/i	
Daphnia toxicity (Com	ponents)			
Pyrithione zinc				
Species EC50	Daphnia magna 0,05 48		mg/l	
Duration of exposure	48	h		
Bronopol (INN) Species EC50 Duration of exposure Method	Daphnia magna 1,04 48 OECD 202	h	mg/l	
Bronopol (INN)				
Species NOEC	Daphnia magna 0,06 21	d	mg/l	
Duration of exposure Method	OECD 211	u		
2-Methyl-2H-isothiazol- Species EC50 Duration of exposure	Daphnia magna 0,126 48		mg/l	
Algae toxicity (Compo	nents)			
Pyrithione zinc				
Species	Selenastrum ca	pricornutum		
IC50	0,067	h	mg/l	
Duration of exposure Bronopol (INN)	72	h		
Species EC50	Pseudokirchner 0,068	iella subcapita	ata mg/l	
Duration of exposure Method	72 OECD 201	h		
Bronopol (INN) Species NOEC Duration of exposure	Pseudokirchner 0,0025 72	iella subcapita h	ata mg/l	
Method A mixture of: 5-Chloro-2 2-Methyl-2H-isothiazol-3				d
Species EC50	Selenastrum ca 0,027	pricornutum	mg/l	
Duration of exposure	72	h		
12.2. Persistence and de	gradability			
General information	able on the mixture itse	əlf.		
There are no uata avail				

Trade name: Marabu Textil SWEET CANDY 572

Substance number: 171600096-572

Replaces Version: 4 / WORLD

Version: 5 /



12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste. Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Trade name: Marabu Textil SWEET CANDY 572

Version: 5 /

Substance number: 171600096-572

Replaces Version: 4 / WORLD

Date revised: 09.01.2020 Print date: 10.01.20

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the PICCS inventory.

All components are contained in the ENCS inventory.

- All components are contained in the ECL inventory.
- All components are contained in the DSL or NDSL inventory.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

-	
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Eye Dam. 1	Serious eye damage, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible

Safety data sheet ir	n accordance with re	gulation (EC) No 1907/2	006		
Trade name: Marabu Textil SWEET CANDY 572					
		Version: 5 /		Marabu Date revised: 09.01.2020	
Substance number:	171600096-572	Replaces Version:	4 / WORLD	Print date: 10.01.20	
The informa	tion contained in this s	of relevant legislation are afety data sheet does no her health and safety legis	t constitute the u	ser's own assessment of	