



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

Marabu WC Set 6x25ml Handlet. Xmas 582

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Paint

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

Marabu GmbH & Co. KG  
Asperger Strasse 4  
71732 Tamm  
Germany

Telephone no. +49-7141/691-0

Fax no. +49-7141/691-147

Information provided by / telephone Department product safety

E-mail address of person responsible PRSI@marabu.com

for this SDS

#### **Importer -**

S&S Wholesale Pty. Limited  
18/10 Pioneer Avenue,  
Thornleigh NSW 2120

Tel: 1300 731 529

Fax: 1300 739 715

#### **Emergency Contact:**

S&S Wholesale Pty. Limited

Tel: 1300 731 529

Fax: 1300 739 715

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification \*\*\***

### **2.1. Classification of the substance or mixture**

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### **2.2. Label elements**

#### **Labelling according to regulation (EC) No 1272/2008**

EUH208 Contains \*\*\* 2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated, A mixture of:  
5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and  
2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1),  
1,2-Benzisothiazol-3(2h)-one, May produce an allergic reaction.

#### **Supplemental information**

#### **Labelling according to regulation (EU) No 528/2012 \*\*\***

Contains a biocidal product: A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and  
2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

### **2.3. Other hazards**

No special hazards have to be mentioned.

## **SECTION 3: Composition/information on ingredients \*\*\***

### **3.2. Mixtures**

#### **Chemical characterization**

Paint based on vinylacetate-copolymer and on water

#### **Hazardous ingredients \*\*\***



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

**2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated**

CAS No. 9014-85-1  
 EINECS no. 500-022-5  
 Registration no. 01-2119954393-33  
 Concentration >= 0,1 < 1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318  
 Aquatic Chronic 3 H412  
 Skin Sens. 1B H317

**Pyridin-2-thiol-1-oxide, sodium salt**

CAS No. 3811-73-2  
 EINECS no. 223-296-5  
 Concentration >= 0,001 < 0,1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318  
 Acute Tox. 4 H302  
 Acute Tox. 4 H332  
 Aquatic Acute 1 H400  
 Aquatic Chronic 2 H411

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 M = 100

**1,2-Benzisothiazol-3(2h)-one**

CAS No. 2634-33-5  
 EINECS no. 220-120-9  
 Concentration < 0,05 %

Classification (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400  
 Skin Sens. 1 H317  
 Acute Tox. 4 H302  
 Skin Irrit. 2 H315  
 Eye Dam. 1 H318  
 Acute Tox. 2 H330  
 Aquatic Chronic 2 H411

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317 >= 0,05

**A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)**

CAS No. 55965-84-9  
 Concentration >= 0,001 < 0,0015 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 2 H330  
 Aquatic Chronic 1 H410  
 Aquatic Acute 1 H400  
 Skin Sens. 1A H317  
 Skin Corr. 1C H314  
 Acute Tox. 2 H310  
 Acute Tox. 3 H301  
 Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

Skin Corr. 1C	H314	>= 0,6
Eye Irrit. 2	H319	<= 0,06 < 0,6
Skin Irrit. 2	H315	<= 0,06 < 0,6
Skin Sens. 1	H317	>= 0,0015
Aquatic Acute 1	H410	M = 100
Aquatic Chronic 1	H410	M = 100
Eye Dam. 1	H318	>= 0,6 %

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **After skin contact**

Wash with plenty of water and soap. Do NOT use solvents or thinners.

#### **After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

#### **After ingestion**

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

### **4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

### **4.3. Indication of any immediate medical attention and special treatment needed**

#### **Hints for the physician / treatment**

Treat symptomatically

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Carbon dioxide, Foam, Sand, Water

### **5.2. Special hazards arising from the substance or mixture**

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>); dense black smoke

### **5.3. Advice for firefighters**

#### **Other information**

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

No particular measures required.

### **6.2. Environmental precautions**

No particular measures required.

### **6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent - avoid use of solvents.

### **6.4. Reference to other sections**

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

#### **Advice on protection against fire and explosion**

No special measures required.

#### **Classification of fires / temperature class / Ignition group / Dust explosion class**

Classification of fires                      B (Combustible liquid substances)

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Store in frostfree conditions.

### **7.3. Specific end use(s)**

Paint

## **SECTION 8: Exposure controls/personal protection \*\*\***

### **8.1. Control parameters**

#### **Other information**

There are not known any further control parameters.

#### **Derived No/Minimal Effect Levels (DNEL/DMEL) \*\*\***

##### **2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	24,7	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	7	mg/person/ d

Type of value	Derived No Effect Level (DNEL)	
Reference group	General Population	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,35	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	General Population	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg/d



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

Type of value	Derived No Effect Level (DNEL)	
Reference group	General Population	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	2,5	mg/kg/d

**Predicted No Effect Concentration (PNEC) \*\*\***

**2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,036	mg/l
Type of value	PNEC	
Type	Marine	
Concentration	0,004	mg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	6,8	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,29	mg/kg
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,029	mg/kg

**8.2. Exposure controls**

**Exposure controls**

Provide adequate ventilation.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Form</b>	liquid
<b>Colour</b>	coloured
<b>Odour</b>	odourless
<b>Odour threshold</b>	
Remarks	No data available
<b>pH value</b>	
Value	6 to 9
Temperature	20 °C
Method	WTW PH 340
<b>Melting point</b>	
Remarks	not determined
<b>Freezing point</b>	
Remarks	not determined
<b>Initial boiling point and boiling range</b>	
Value	appr. 100 °C
Pressure	1.013 hPa
Source	Literature value



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

**Flash point**

Remarks Not applicable

**Evaporation rate (ether = 1) :**

Remarks not determined

**Flammability (solid, gas)**

Not applicable

**Upper/lower flammability or explosive limits**

Remarks not determined

**Vapour pressure**

Value	appr. 23			hPa
Temperature	20	°C		
Method	Value taken from the literature			

**Vapour density**

Remarks not determined

**Density**

Value	1,07			g/cm <sup>3</sup>
Temperature	20	°C		
Method	DIN EN ISO 2811			

**Solubility in water**

Remarks miscible

**Ignition temperature**

Remarks not determined

**Viscosity****dynamic**

Value	4000	to	7000	mPa.s
Temperature	20	°C		
Method	Brookfield			

**9.2. Other information****Other information**

None known

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information**



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

## 11.1. Information on toxicological effects

### Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

### Acute oral toxicity (Components)

#### 1,2-Benzisothiazol-3(2h)-one

Species	rat		
LD50		1193	mg/kg

### Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

### Acute dermal toxicity (Components)

#### 1,2-Benzisothiazol-3(2h)-one

Species	rat		
LD50		4115	mg/kg

### Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

### Sensitization

Remarks Based on available data, the classification criteria are not met.

### Mutagenicity

Remarks Based on available data, the classification criteria are not met.

### Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

### Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT)

#### Single exposure

Remarks Based on available data, the classification criteria are not met.

#### Repeated exposure

Remarks Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

### Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

### Fish toxicity (Components)

#### A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

Species	rainbow trout ( <i>Oncorhynchus mykiss</i> )		
LC50	0,188		mg/l
Duration of exposure	96	h	

#### 1,2-Benzisothiazol-3(2h)-one

Species	rainbow trout ( <i>Oncorhynchus mykiss</i> )		
LC50	2,18		mg/l
Duration of exposure	96	h	

### Daphnia toxicity (Components)

#### A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

Species	Daphnia magna		
EC50	0,126		mg/l
Duration of exposure	48	h	

#### 1,2-Benzisothiazol-3(2h)-one

Species	Daphnia magna		
EC50	2,94		mg/l
Duration of exposure	48	h	

### Algae toxicity (Components)

#### A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

Species	Selenastrum capricornutum		
EC50	0,027		mg/l
Duration of exposure	72	h	

#### 1,2-Benzisothiazol-3(2h)-one

Species	Pseudokirchneriella subcapitata		
ErC50	0,11		mg/l
Duration of exposure	72	h	

## 12.2. Persistence and degradability

### General information

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

### General information

There are no data available on the mixture itself.

## 12.4. Mobility in soil

### General information

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

### General information

There are no data available on the mixture itself.

## 12.6. Other adverse effects

### General information

There are no data available on the mixture itself.





Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Disposal recommendations for the product**

Do not allow to enter drains or water courses.  
 Dispose of waste according to applicable legislation.  
 Dispose of as hazardous waste.

#### **Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off as product waste.  
 Completely emptied packagings can be given for recycling.

## **SECTION 14: Transport information**

	<b>Land transport ADR/RID</b>	<b>Marine transport IMDG/GGVSee</b>	<b>Air transport ICAO/IATA</b>
<b>14.1. UN number</b>	The product does not constitute a hazardous substance in land transport.-	The product does not constitute a hazardous substance in sea transport.-	The product does not constitute a hazardous substance in air transport.-
<b>14.2. UN proper shipping name</b>	-	-	-
<b>14.3. Transport hazard class(es)</b>	-	-	-
Subsidiary risk		-	-
Label			
<b>14.4. Packing group</b>	-	-	-
Transport category	0		
<b>14.5. Environmental hazards</b>	-	no	-

### **Information for all modes of transport**

#### **14.6. Special precautions for user**

Transport within the user's premises:  
 Always transport in closed containers that are upright and secure.  
 Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### **Other information**

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**  
 no

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Other information**

The product does not contain substances of very high concern (SVHC).



Trade name: Marabu WC Set 6x25ml Handlet. Xmas 582

Version: 12 /

Date revised: 05.10.2021

Substance number: 040600000125-582

Replaces Version: 11 /

Print date: 05.10.21

### Other information

All components are contained in the DSL inventory.  
All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### CLP categories listed in Chapter 3

Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Skin Corr. 1C	Skin corrosion, Category 1C
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, Category 1A
Skin Sens. 1B	Skin sensitization, Category 1B

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.  
The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.  
The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.  
As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.  
The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.