Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Marabu YONO Set METAL 4tlg,1,5-3mm 084

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/preparation

Paint

### 1.3. Details of the supplier of the safety data sheet

Address/Manufacturer Importer -

Marabu GmbH & Co. KG
Asperger Strasse 4
71732 Tamm
Germany
S&S Wholesale Pty. Limited
18/10 Pioneer Avenue,
Thornleigh NSW 2120

Telephone no. +49-7141/691-0 Tel: 1300 731 529 Fax: 1300 739 715

Fax no. +49-7141/691-147

Information provided Department product safety Emergency Contact:

by / telephone

E-mail address of PRSI@marabu.com S&S Wholesale Pty. Limited

person responsible Tel: 1300 731 529 Fax: 1300 739 715

for this SDS

### 1.4. Emergency telephone number

(+49) (0)621-60-43333

# SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

### Labelling according to regulation (EC) No 1272/2008

The product does not require a hazard warning label in accordance with Regulation (EC) No 1272/2008.

### 2.3. Other hazards

No special hazards have to be mentioned.

# SECTION 3: Composition/information on ingredients \*\*\*

### 3.2. Mixtures

### Chemical characterization

Paint based on water

### **Hazardous ingredients** \*\*\*

**Ethanol** 

CAS No. 64-17-5 EINECS no. 200-578-6

Registration no. 01-2119457610-43

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Eye Irrit. 2 H319

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 >= 50 %

Propan-2-ol

CAS No. 67-63-0 EINECS no. 200-661-7

Registration no. 01-2119457558-25

Concentration >= 1 < 5,6 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

Pyridin-2-thiol-1-oxide, sodium salt

CAS No. 3811-73-2 EINECS no. 223-296-5

Concentration  $\Rightarrow$  0,001 < 0,1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 M = 100

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

### After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

black smoke

### 5.3. Advice for firefighters

### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

### 6.2. Environmental precautions

No particular measures required.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent - avoid use of solvents.

### 6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

### Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

# Advice on protection against fire and explosion

No special measures required.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in frostfree conditions.

## 7.3. Specific end use(s)

Paint

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

### Other information

There are not known any further control parameters.

### **Derived No/Minimal Effect Levels (DNEL/DMEL)**

### Ethanol

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Concentration

Worker

Long term

inhalative

Systemic effects

Concentration 950 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker

Duration of exposure Short term

Route of exposure inhalative

Mode of action Local effects

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

Concentration 1900 mg/m<sup>3</sup>

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 343 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure inhalative

Mode of action Systemic effects

Concentration 114 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Consumer

Short term

inhalative

Local effects

Concentration 950 mg/m<sup>3</sup>

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 206 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 87 mg/kg/d

Propan-2-ol

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Worker

Long term

inhalative

Systemic effects

Concentration 500 mg/m<sup>3</sup>

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 888 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

Concentration 89 mg/m<sup>3</sup>

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure Long term Route of exposure dermal

Mode of action Systemic effects

Concentration 319 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure Long term Route of exposure oral

Mode of action Systemic effects

Concentration 26 mg/kg/d

# **Predicted No Effect Concentration (PNEC)**

Ethanol

Type of value PNEC
Type Freshwater

Concentration 0,96 mg/l

Type of value PNEC Saltwater

Concentration 0,79 mg/l

Type of value PNEC

Type Water (intermittent release)

Concentration 2,75 mg/l

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 580 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 3,6 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 2,9 mg/kg

Type of value PNEC Type Soil

Concentration 0,63 mg/kg

Propan-2-ol

Type of value PNEC Type Freshwater

Concentration 140,9 mg/l

Type of value PNEC
Type Saltwater

Concentration 140,9 mg/l

Type of value PNEC

Type Sewage treatment plant (STP)

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

Concentration 2251 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 552 mg/kg

Type of value PNEC

Type Marine sediment

ype maine sediment

Concentration 552 mg/kg

Type of value PNEC Type Soil

Concentration 28 mg/kg

### 8.2. Exposure controls

### **Exposure controls**

Provide adequate ventilation.

### **Respiratory protection**

Not necessary.

## **Hand protection**

Not necessary.

In case of intensive contact wear protective gloves.

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

For prolonged or repeated handling nitrile rubber gloves with textile undergloves are required.

Material thickness > 0,5 mm Breakthrough time < 30 min

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

### Eye protection

Not necessary.

### **Body protection**

Not applicable.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form liquid coloured Odour odourless

**Odour threshold** 

Remarks No data available

**Melting point** 

Remarks not determined

Freezing point

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

Remarks not determined

Initial boiling point and boiling range

Value appr. 100 °C

Pressure 1.013 hPa

Source Literature value

Flash point

Remarks Not applicable

**Evaporation rate (ether = 1):** 

Remarks not determined

Flammability (solid, gas)

Not applicable

**Upper/lower flammability or explosive limits** 

Remarks not determined

Vapour pressure

Value appr. 23 hPa

Temperature 20 °C

Method Value taken from the literature

Vapour density

Remarks not determined

**Density** 

Value 1,25 g/cm<sup>3</sup>

Solubility in water

Remarks miscible

Ignition temperature

Remarks not determined

Viscosity Remarks

Remarks not determined

9.2. Other information

Other information

None known

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

None

# 10.2. Chemical stability

No hazardous reactions known.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

No hazardous reactions known.

# 10.5. Incompatible materials

None

# 10.6. Hazardous decomposition products

No hazardous decomposition products known.

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Acute oral toxicity** 

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

### Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **Experience in practice**

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

### Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

# SECTION 12: Ecological information

### 12.1. Toxicity

### **General information**

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

### 12.2. Persistence and degradability

### **General information**

There are no data available on the mixture itself.

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

### 12.3. Bioaccumulative potential

### **General information**

There are no data available on the mixture itself.

# 12.4. Mobility in soil

### **General information**

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

### **General information**

There are no data available on the mixture itself.

#### 12.6. Other adverse effects

### **General information**

There are no data available on the mixture itself.

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

### Disposal recommendations for the product

Do not allow to enter drains or water courses.

Dispose of waste according to applicable legislation.

Dispose of as hazardous waste.

### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

# SECTION 14: Transport information

|                                  | Land transport ADR/RID  | Marine transport IMDG/GGVSee   | Air transport ICAO/IATA  |
|----------------------------------|---|--|--|
| 14.1. UN number                  | The product does not constitute a hazardous substance in land transport | The product does not constitute a hazardous substance in sea transport | The product does not constitute a hazardous substance in air transport |
| 14.2. UN proper shipping name    | -   | -  | -  |
| 14.3. Transport hazard class(es) | -   | -  | -  |
| Subsidiary risk                  |   | -  | -  |
| Label                            |   |  |  |
| 14.4. Packing group              | -   | -  | -  |
| Transport category               | 0   |  |  |
| 14.5. Environmental hazards      |   | no   |  |
|                                  | -   |  | -  |

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 084

Version: 2 / Date revised: 13.10.2021

Substance number: 1240000004001-084 Replaces Version: 1 / WORLD Print date: 13.10.21

### Information for all modes of transport

### 14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Other information

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Other information

The product does not contain substances of very high concern (SVHC).

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

# SECTION 16: Other information

### Hazard statements listed in Chapter 3

| 11005  |                                     |
|--------|-------------------------------------|
| H.).)V | Highly flammable liquid and vancur  |
| H225   | Highly flammable liquid and vapour. |

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### **CLP categories listed in Chapter 3**

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1 Serious eye damage, Category 1 Eye Irrit. 2 Eye irritation, Category 2 Flam. Liq. 2 Flammable liquid, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

### **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.