Trade name:	Marab	u YONO S	et METAL 4tlg						Marabu
Substance nu	umbor:	12400000	04001-082	Version: Replace		n• 1/		Date	e revised: 13.10.2021 Print date: 13.10.21
Substance nu	inder.	12400000	04001-082	Replace	3 161310	11. 17	WORLD		1 mil date. 10.10.21
SECTION company/			ition of the	e substa	ance/	<u>mixtu</u>	ire and of	<u>the</u>	
1.1. Produ Mara			TAL 4tlg,1,5-3	mm 082					
1.2. Releva	ant ide	entified u	uses of the	substand	e or n	nixtur	e and uses	advis	ed against
Use of the Pain		ance/pr	eparation						
1.3. Details	s of th	e suppli	er of the sa	fety data	sheet				
Addres	ss/Man	ufacture	r			-	mporter -		
Aspe 7173 Gern	erger Str 2 Tamn nany phone n	n	<g +49-7141/691 +49-7141/691</g 			S 1 T	&S Wholesale 8/10 Pioneer hornleigh NS el: 1300 731 5	Avenue SW 2120	2,
Infor by / 1 E-ma	mation p elephor ail addre	ess of	PRSI@marab	roduct safe	ety	S	mergency Co &S Wholesal el: 1300 731 5	e Pty. Li	mited Fax: 1300 739 715
for th 1.4. Emerg			ne number						
SECTION	<u>2: Ha</u>	zards	identificat	<u>ion</u>					
			substance			vith Reg	ulation (EC) N	No 1272	/2008.
2.2. Label	eleme	nts							
The	product	does not i	to regulation require a hazar	• •				ulation (EC) No 1272/2008.
2.3. Other No s			ve to be mention	oned.					
SECTION	<u>3: Co</u>	omposi	tion/infor	nation of	<u>on inc</u>	gredi	ents ***		
3.2. Mixtur	es					_			
Chemi	cal cha	aracteriza	ation						
Pain	t based	on water							
Hazard	lous in	gredient	S ***						
Regi		no.	64-17-5 200-578-6 01-21194576 >=	10-43 1	<	10	%		
			ion (EC) No. 1 Flam. Liq. 2 Eye Irrit. 2	272/2008)	H225 H319				

Frade name: Marabu	YONO Set METAL 4th	g,1,5-3mm (082			Mara
		Version:	2/			Date revised: 13.10.202
Substance number:	1240000004001-082	Replace	es Versio	on: 1/W	/ORLD	Print date: 13.10.2
Concentratior	n limits (Regulation (EC	C) No. 1272/	2008)			
	Eye Irrit. 2	́ H319		50 %		
Propan-2-ol						
CAS No.	67-63-0					
EINECS no.	200-661-7					
Registration r				5.0	0/	
Concentration) >=	1	<	5,6	%	
Classification	(Regulation (EC) No.	1272/2008)				
Chabolineation	Flam. Liq. 2	1212/2000)	H225			
	Eye Irrit. 2		H319			
	STOT SE 3		H336			
Pyridin-2-thiol	-1-oxide, sodium salt					
CAS No.	3811-73-2					
EINECS no.	223-296-5					
Concentration) >=	0,001	<	0,1	%	
		/ `				
Classification	(Regulation (EC) No.	1272/2008)	11040			
	Eye Dam. 1		H318			
	Acute Tox. 4		H302			
	Acute Tox. 4		H332			
	Aquatic Acut Aquatic Chro		H400 H411			
Concentration	n limits (Regulation (EC Aquatic Acut			= 100		
SECTION 4: Fire	st aid measures	S				
	of first aid measur					
After skin con						
		D NOT				
•	enty of water and soap	. Do NOT us	se solvei	nts or thir	nners.	
After eye cont	act					
Separate eye	lids, wash the eyes the	oroughly with	n water (15 min.).	In case of i	rritation consult an oculist.
After ingestion	า					
-		If larger am	ounts ar	e swallow	ved or in the	event of symptoms take
medical treatr		in langer ann				
	ant symptoms and		both a	cute an	d delaye	d
I Intil now no e			_	-	. -	
Until now no s	anv immediate m	edical att	ention	and sp	pecial trea	atment needed
Until now no s 4.3. Indication of	any minoutate m	4				
4.3. Indication of	•	T				
4.3. Indication of	hysician / treatmen	IT				
4.3. Indication of Hints for the p Treat sympto	hysician / treatmen					
4.3. Indication of Hints for the p Treat sympto SECTION 5: Fire	hysician / treatmen matically efighting measu					
4.3. Indication of Hints for the p Treat sympto SECTION 5: Fire 5.1. Extinguishin	hysician / treatmen matically efighting measu g media					
4.3. Indication of Hints for the p Treat sympto SECTION 5: Fire 5.1. Extinguishin Suitable exting	hysician / treatmen matically efighting measu g media guishing media	<u>ures</u>				
4.3. Indication of Hints for the p Treat sympto SECTION 5: Fire 5.1. Extinguishin Suitable exting	hysician / treatmen matically efighting measu g media	<u>ures</u>				
4.3. Indication of Hints for the p Treat sympton SECTION 5: Fire 5.1. Extinguishin Suitable exting Carbon dioxid	hysician / treatmen matically efighting measu g media guishing media	ures	Ince o	· mixtu	re	

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 082

Version: 2 /

Date revised: 13.10.2021 Print date: 13.10.21

Substance number: 1240000004001-082 Replaces Version: 1 / WORLD

black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Ethanol

Type of value Reference group Duration of exposure Route of exposure Mode of action Concentration	Derived No Effect Level (DNEL) Worker Long term inhalative Systemic effects 950	mg/m³
Type of value Reference group Duration of exposure Route of exposure Mode of action	Derived No Effect Level (DNEL) Worker Short term inhalative Local effects	

de name: Marab	ou YONO Set METAL 4tlg	a.1.5-3mm 082		ľ
		Version: 2 /		Date revised: 13.10.20
bstance number:	1240000004001-082	Replaces Version:	1 / WORLD	Print date: 13.10
Concentratio	วท	1900		mg/m³
Type of valu	Je De	rived No Effect Level (D	ONEL)	
Reference g		orker	,	
Duration of		ng term		
Route of exp		rmal		
Mode of act	,	stemic effects		
Concentratio	วท	343		mg/kg/d
Type of valu		rived No Effect Level (D	ONEL)	
Reference g		nsumer		
Duration of o		ng term		
Route of exp		alative		
Mode of act	ion Sys	stemic effects		
Concentratio	วท	114		mg/m³
Type of valu	Je De	rived No Effect Level (D	ONEL)	
Reference g		nsumer	,	
Duration of		ort term		
Route of exp		alative		
Mode of act		cal effects		
Concentratio	วท	950		mg/m³
Type of valu	Je De	rived No Effect Level (D	ONEL)	
Reference g		nsumer	,	
Duration of		ng term		
Route of exp		rmal		
Mode of act		stemic effects		
Concentratio		206		mg/kg/d
Type of valu	Je Der	rived No Effect Level (D	ONEL)	
Reference g		nsumer	,	
Duration of		ng term		
Route of exp				
Mode of act		stemic effects		
Concentratio		87		mg/kg/d
Propan-2-ol				
Type of valu		rived No Effect Level (D	ONEL)	
Reference g		orker		
Duration of o		ng term		
Route of exp		alative		
Mode of act		stemic effects		
Concentratio		500		mg/m³
Type of valu		rived No Effect Level (D	ONEL)	
Reference g	group Wo	orker		
Duration of		ng term		
Route of exp	posure der	rmal		
Mode of act	ion Sys	stemic effects		
Concentratio		888		mg/kg/d
Type of valu	Je De	rived No Effect Level (C	ONEL)	
Reference g		eneral Population	·	
Duration of		ng term		
		alative		
Route of exp Mode of act		alalive		

rade name: Marabu	YONO Set METAL 4tlg	,1,5-3mm 082		
		Version: 2 /		Date revised: 13.10.202
Substance number:	1240000004001-082	Replaces Version:	1 / WORLD	Print date: 13.10.2
Concentratio	n	89		mg/m³
Type of value	e Der	ived No Effect Level ([ONEL)	
Reference gi		neral Population	,	
Duration of e		g term		
Route of exp				
Mode of action		temic effects		
Concentratio	5	319		mg/kg/d
Type of value	e Der	ived No Effect Level ([ONEL)	
Reference gi		neral Population	,	
Duration of e		g term		
Route of exp				
Mode of action		temic effects		
Concentratio	5	26		mg/kg/d
Concentratio		20		ing/kg/d
Predicted No	Effect Concentration	n (PNEC)		
Ethanol				
Type of value	e PNI	EC		
Type		shwater		
Concentratio	n	0,96		mg/l
Type of value	e PNI	EC		
Type		twater		
Concentratio		0,79		mg/l
Type of value	e PNI	EC		
Туре		ter (intermittent release	,)	
Concentratio		2,75	-)	mg/l
Type of value	e PNI	EC		
Туре		vage treatment plant (S	STP)	
Concentratio		580	,	mg/l
Type of value	e PNI	EC		
Туре		shwater sediment		
Concentratio		3,6		mg/kg
Type of value	e PNI	FC		
Type		rine sediment		
Concentratio		2,9		mg/kg
Type of value	e PNI	EC		
Type	Soil			
Concentratio		0,63		mg/kg
Bronon 2 of				
Propan-2-ol	e PNI	EC		
Type of value				
Type Concentratio		shwater 140,9		mg/l
				-
Type of value				
Type Concentratio		twater		ma/l
Concentratio	11	140,9		mg/l
Type of value				
Туре	Sev	vage treatment plant (S	STD)	

rade name: Marabu YONO Set	-	1,5-3mm 082 Version: 2 / Replaces Version: 1	Marab Date revised: 13.10.202 / WORLD Print date: 13.10.2
Concentration		2251	mg/l
Type of value	PNE	С	
Type Concentration	Fres	hwater sediment 552	mg/kg
Type of value Type Concentration	PNE Mari	C ne sediment 552	mg/kg
	PNE		
Type of value Type	Soil	C	
Concentration		28	mg/kg
3.2. Exposure controls			
Exposure controls			
- Provide adequate ventila	ation.		
Respiratory protection			
Not necessary.			
Hand protection			
	aterial or com	bination of materials that	at will give unlimited resistance to any
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance.	aterial or com of chemicals ed handling ni > c nust be greate ormation provi lowed. ed regularly a es are free fro ctiveness of t	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce	textile undergloves are required.
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effec maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection	aterial or com of chemicals ed handling ni < nust be greate ormation provi lowed. ed regularly a es are free fro ctiveness of t o to protect the rred.	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. / are stored and used correctly. ed by physical/ chemical damage and poor
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection Not applicable. ECTION 9: Physical a	aterial or com of chemicals ad handling ni s ad handling ni s anust be greate ormation provi lowed. ed regularly a es are free fro ctiveness of t to protect the irred. nd chem physical a	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s <u>ical properties</u> nd chemical prope	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. y are stored and used correctly. ed by physical/ chemical damage and poor skin, they should however not be applied
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection Not applicable. ECTION 9: Physical a	aterial or com of chemicals ed handling ni < nust be greate ormation provi lowed. ed regularly a es are free fro ctiveness of t to protect the rred.	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s <u>ical properties</u> nd chemical prope	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. y are stored and used correctly. ed by physical/ chemical damage and poor skin, they should however not be applied
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection Not applicable. ECTION 9: Physical a 0.1. Information on basic Form	aterial or com of chemicals ed handling ni > c nust be greate ormation provi lowed. ed regularly a es are free fro ctiveness of t to protect the rred. nd chem physical a liquid color	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s <u>ical properties</u> nd chemical prope	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. y are stored and used correctly. ed by physical/ chemical damage and poor skin, they should however not be applied
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection Not applicable. ECTION 9: Physical a 5.1. Information on basic Form Colour	aterial or com of chemicals ed handling ni > c nust be greate ormation provi lowed. ed regularly a es are free fro ctiveness of t to protect the rred. nd chem physical a liquid color	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s ical properties nd chemical prope	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. y are stored and used correctly. ed by physical/ chemical damage and poor skin, they should however not be applied
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection Not applicable. ECTION 9: Physical a 6.1. Information on basic form Colour Odour	aterial or com of chemicals ed handling ni > nust be greate mation provi lowed. ed regularly a es are free fro ctiveness of t to protect the rred. nd chem physical a liquid color odou	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s ical properties nd chemical prope	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. y are stored and used correctly. ed by physical/ chemical damage and poor skin, they should however not be applied
In case of intensive conta There is no one glove ma individual or combination For prolonged or repeate Material thickness Breakthrough time The breakthrough time m The instructions and info replacement must be foll Gloves should be replace Always ensure that glove The performance or effect maintenance. Barrier creams may help once exposure has occu Eye protection Not necessary. Body protection Not applicable. ECTION 9: Physical a 5.1. Information on basic p Form Colour Odour threshold	aterial or com of chemicals ed handling ni > nust be greate mation provi lowed. ed regularly a es are free fro ctiveness of t to protect the rred. nd chem physical a liquid color odou	bination of materials that trile rubber gloves with 0,5 mm 30 min er than the end use time ded by the glove manuf and if there is any sign o om defects and that they he glove may be reduce e exposed areas of the s ical properties nd chemical prope d ured urless	textile undergloves are required. e of the product. facturer on use, storage, maintenance and of damage to the glove material. y are stored and used correctly. ed by physical/ chemical damage and poor skin, they should however not be applied

Trade name: Marabu YONO Set	-	Version:	2 /		Mara Date revised: 13.10.202 Print date: 13.10.2
Substance number: 124000004	001-082	Replaces	version:	1 / WORLD	Print date: 13.10.2
Remarks		etermined			
Initial boiling point and		-			
Value	appr.	100 1.013	hDo	°C	
Pressure Source	Litera	ature value	hPa		
Flash point					
Remarks	Not a	pplicable			
Evaporation rate (ether					
Remarks	-	etermined			
Flammability (solid, gas Not applicable)				
Upper/lower flammabilit	v or explos	ive limite			
Remarks		etermined			
Vapour pressure					
Value	appr.	23		hPa	
Temperature		20	°C		
Method	Value	e taken from	n the litera	ature	
Vapour density					
Remarks	not d	etermined			
Density					
Value		1,25		g/cm³	
Solubility in water					
Remarks	misci	ble			
Ignition temperature					
Remarks	not d	etermined			
Viscosity					
Remarks Remarks	not d	etermined			
	not u	etermined			
9.2. Other information					
Other information					
None known					
SECTION 10: Stability a	nd react	ivitv			
	inu reaci	IVILY			
10.1. Reactivity None					
10.2. Chemical stability No hazardous reactions h	known.				
10.3. Possibility of hazard No hazardous reactions k		ons			
10.4. Conditions to avoid No hazardous reactions F	known.				
10.5. Incompatible materia	Is				
10.6. Hazardous decompo	sition proc	ducts			

				M
	01 000	Version: 2 /		Date revised: 13.10.20 Print date: 13.10
ubstance number: 12400000040	01-082	Replaces Version:	I/WORLD	Fillit date. 13.10
<u>ECTION 11: Toxicologi</u>	cal info	ormation		
1.1. Information on toxico	ogical e	ffects		
Acute oral toxicity	- 9.00.0			
Remarks	Based	on available data, the	classification crite	eria are not met.
Acute dermal toxicity		,		
Remarks	Based	on available data, the	classification crite	eria are not met.
Acute inhalational toxicit				
Remarks		on available data, the	classification crite	eria are not met.
Skin corrosion/irritation				
Remarks	Based	on available data, the	classification crite	eria are not met.
Serious eye damage/irrita	tion			
Remarks	Based	on available data, the	classification crite	ria are not met.
Sensitization				
Remarks	Based	on available data, the	classification crite	ria are not met.
Mutagenicity				
Remarks	Based	on available data, the	classification crite	ria are not met.
Reproductive toxicity				
Remarks	Based	on available data, the	classification crite	ria are not met.
Carcinogenicity				
Remarks		on available data, the	classification crite	eria are not met.
Specific Target Organ To	xicity (S1	TOT)		
Single exposure				
Remarks	Based	on available data, the	classification crite	eria are not met.
Repeated exposure				
Remarks	Based	on available data, the	classification crite	ria are not met.
Aspiration hazard				
Based on available data, th	ne classific	ation criteria are not r	net.	
Experience in practice Provided all the recommer risk to health can be expect		ctive and safety preca	utions are taken, ε	experience shows that no
Other information				

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

Trade name: Marabu YONO Substance number: 124000	Version:		Mara Date revised: 13.10.202 Print date: 13.10.2
 12.4. Mobility in soil General information There are no data and 12.5. Results of PBT and General information There are no data and 12.6. Other adverse effect General information 	vailable on the mixture itself. vailable on the mixture itself. nd vPvB assessment vailable on the mixture itself. fects		
Do not allow to enter Dispose of waste ac Dispose of as hazard Disposal recommen Packaging that cann	methods dations for the product r drains or water courses. cording to applicable legislat dous waste. dations for packaging ot be cleaned should be disp packagings can be given for	bosed off as product waste.	
	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards	-	no	-
	<u>.</u>	<u>.</u>	<u>بــــــــــــــــــــــــــــــــــــ</u>

Trade name: Marabu YONO Set METAL 4tlg,1,5-3mm 082

Version: 2 /

Date revised: 13.10.2021 Print date: 13.10.21

Substance number: 124000004001-082 Replaces Version: 1 / WORLD

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
STOT SÉ 3	Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.